


2024/05/01 0110Z

EHAM LONAM L7 SUM PEMOS G11 MY G3 NASBU TIBRA RH BIIS

1236.05 nm / 2289.16 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.30810 4.76417	0 ft 0 m	-	Amsterdam Schiphol
LONAM FIX	-	53.83960 3.94254	34,500 ft 10,516 m	96	-
VENAS FIX	L7 AWY-HI	54.30560 3.65222	35,000 ft 10,668 m	29	-
GOLVO FIX	L7 AWY-HI	54.41140 3.58556	35,000 ft 10,668 m	6	-
PELET FIX	L7 AWY-HI	54.65330 3.43111	35,000 ft 10,668 m	15	-
ASKAM FIX	L7 AWY-HI	54.96310 3.23056	35,000 ft 10,668 m	19	-
CUTEL FIX	L7 AWY-HI	55.88580 2.37444	35,000 ft 10,668 m	62	-
ODMIX FIX	L7 AWY-HI	56.97000 1.46750	35,000 ft 10,668 m	71	-
FORTY FIX	L7 AWY-HI	57.95000 0.59583	35,000 ft 10,668 m	65	-
SUM VOR	L7 AWY-HI	59.87880 -1.28653	35,000 ft 10,668 m	129	SUMBURGH
PEMOS FIX	-	61.00000 -4.00000	35,000 ft 10,668 m	104	-
MY NDB	G11 AWY-HI	62.10690 -7.58768	35,000 ft 10,668 m	122	MYGGENAES (VAGAR)
LARUX FIX	G3 AWY-HI	62.62170 -10.00000	35,000 ft 10,668 m	73	-
ROSTI FIX	G3 AWY-HI	63.40640 -14.11220	35,000 ft 10,668 m	121	-
ING VOR	G3 AWY-HI	63.80310 -16.63810	35,000 ft 10,668 m	71	INGO
MIKLA FIX	G3 AWY-HI	63.84830 -17.57420	35,000 ft 10,668 m	24	-
NASBU FIX	G3 AWY-HI	63.94670 -20.34820	31,100 ft 9,479 m	73	-
TIBRA FIX	-	64.29280 -20.92830	25,600 ft 7,803 m	25	-
RH NDB	-	64.66420 -21.28640	20,400 ft 6,218 m	24	REYKHOLT
BIIS APT	-	66.05810 -23.13530	0 ft 0 m	95	Isafjordur

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.039 E

METAR

EHAM 010055Z 36001KT 9999 -TSRA FEW035 FEW060CB 14/13 Q1011 TEMPO 4000 TSRA

TAF

TAF EHAM 302301Z 0100/0206 VRB02KT CAVOK PROB30 TEMPO 0100/0105 28010KT 6000 SHRA SCT050CB BECMG 0101/0104 35007K

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.20		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.20		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.18		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.18		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.15		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.15		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.82		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.85		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.16		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.84	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.18	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.15	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.16	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.75	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.18	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.20	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.84	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.18	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.15	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.16	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.75	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.18	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.20	3.00	-11 ft -11 m