


2024/06/05 0519Z

MMUN MOBAN **UT11** ELIXI MMAN

791.02 nm / 1464.97 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
MMUN	-	21.04210	0 ft	-	Cancun Intl
APT	-	-86.87350	0 m		
MOBAN	-	21.72530	35,000 ft	98	-
FIX	-	-88.48060	10,668 m		
OMVOM	UT11	22.02640	35,000 ft	43	-
FIX	AWY-HI	-89.19530	10,668 m		
MEDIR	UT11	22.24640	35,000 ft	32	-
FIX	AWY-HI	-89.72360	10,668 m		
URTEL	UT11	22.52080	35,000 ft	40	-
FIX	AWY-HI	-90.39030	10,668 m		
OTOGU	UT11	22.95580	35,000 ft	65	-
FIX	AWY-HI	-91.46750	10,668 m		
LERIL	UT11	23.13780	35,000 ft	27	-
FIX	AWY-HI	-91.92610	10,668 m		
MATOL	UT11	23.87750	35,000 ft	114	-
FIX	AWY-HI	-93.83970	10,668 m		
ABBOT	UT11	24.15170	35,000 ft	43	-
FIX	AWY-HI	-94.56940	10,668 m		
BOSAS	UT11	24.34860	35,000 ft	36	-
FIX	AWY-HI	-95.19830	10,668 m		
MEDEX	UT11	24.50970	35,000 ft	30	-
FIX	AWY-HI	-95.72170	10,668 m		
XOTUG	UT11	24.65970	35,000 ft	28	-
FIX	AWY-HI	-96.21530	10,668 m		
AMORI	UT11	24.96500	35,000 ft	58	-
FIX	AWY-HI	-97.24030	10,668 m		
PLAYA	UT11	25.01610	34,600 ft	9	-
FIX	AWY-HI	-97.41470	10,546 m		
NUGUS	UT11	25.07000	32,300 ft	10	-
FIX	AWY-HI	-97.60000	9,845 m		
LIBOX	UT11	25.22940	25,500 ft	31	-
FIX	AWY-HI	-98.15250	7,772 m		
ELIXI	UT11	25.31560	21,900 ft	17	-
FIX	AWY-HI	-98.45420	6,675 m		
MMAN	-	25.86580	0 ft	102	DEL NORTE INTL
APT	-	-100.24000	0 m		

MMUN

Region: MEXICO
Timezone: AMERICA/CANCUN
Runways: 2

Elevation: 22 ft / 7 m
Location: 21.042100 -86.873500
Magnetic Var: 2.729 W

METAR

MMUN 050450Z 13006KT 7SM SKC 28/25 A2986 RMK SC

TAF

TAF MMUN 042333Z 0500/0600 15010KT P6SM SCT015 TX33/0519Z TN25/0512Z BECMG 0502/0504 BKN015 TEMPO 0512/0516 5SM R

Frequencies

REC - 127.70 MHz - ATIS	REC - 122.30 MHz - CANCUN INFO
GND - 121.00 MHz - CANCUN GROUND	GND - 121.70 MHz - CANCUN GROUND
TWR - 118.10 MHz - CANCUN TOWER	TWR - 118.60 MHz - CANCUN TOWER
CLD - 122.10 MHz - CLEARANCE DELIVERY	APP - 124.70 MHz - CANCUN APPROACH
APP - 123.20 MHz - CANCUN ARRIVAL	DEP - 124.20 MHz - CANCUN DEPARTURE
DEP - 123.50 MHz - CANCUN DEPARTURE	GND - 130.50 MHz - GENERAL AVIATION RAMP CONTROL
APP - 125.20 MHz - MERIDA CONTROL	APP - 125.80 MHz - MERIDA CONTROL
APP - 128.00 MHz - MERIDA CONTROL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	190 ft	11,550 ft	123.85	ASPHALT	0 ft	476 ft
	58 m	3,520 m	126.58		0 m	145 m
30L	190 ft	11,550 ft	303.86	ASPHALT	0 ft	443 ft
	58 m	3,520 m	306.59		0 m	135 m
12L	148 ft	9,189 ft	123.84	ASPHALT	0 ft	72 ft
	45 m	2,801 m	126.56		0 m	22 m
30R	148 ft	9,189 ft	303.84	ASPHALT	0 ft	98 ft
	45 m	2,801 m	306.57		0 m	30 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	INCP	110.70 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12R	DME	ICUN	111.10 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
12L	LOC-ILS	INCP	110.70 MHz	18 nm	123.84	-	21 ft
				33 km	126.57		21 m
12R	LOC-ILS	ICUN	111.10 MHz	18 nm	123.85	-	21 ft
				33 km	126.58		21 m
12L	GS	INCP	110.70 MHz	10 nm	123.84	3.00	21 ft
				19 km	126.57		21 m
12R	GS	ICUN	111.10 MHz	10 nm	123.85	3.00	21 ft
				19 km	126.58		21 m