


2024/05/03 1031Z

KBDR BDR KHWV

23.64 nm / 43.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBDR	-	41.16350	0 ft	-	Sikorsky Memorial
APT	-	-73.12620	0 m		
BDR	-	41.16070	0 ft	0	BRIDGEPORT
VOR	-	-73.12450	0 m		
KHWV	-	40.82200	0 ft	23	Brookhaven Airport
APT	-	-72.86690	0 m		

KBDR

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 8 ft / 2 m
Location: 41.163500 -73.126200
Magnetic Var: 13.206 W

METAR

KBDR 030952Z AUTO 06006KT 10SM CLR 12/09 A3011 RMK A02 SLP194 T01170089

TAF

TAF AMD KBDR 030839Z 0309/0406 05008KT P6SM SCT025 FM031000 07010G17KT P6SM BKN025 FM031600 13009KT P6SM SCT025 FM032100 15010KT P6SM SCT025

Frequencies

REC - 119.15 MHz - BRIDGEPORT ATIS
COM - 123.00 MHz - BRIDGEPORT UNICOM
TWR - 120.90 MHz - BRIDGEPORT TOWER
DEP - 124.07 MHz - NEW YORK DEPARTURE
COM - 120.90 MHz - BRIDGEPORT CTAF
GND - 121.75 MHz - BRIDGEPORT GROUND
APP - 124.07 MHz - NEW YORK APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	100 ft	4,682 ft	44.90	ASPHALT	0 ft	0 ft
	30 m	1,427 m	58.10		0 m	0 m
24	100 ft	4,682 ft	224.91	ASPHALT	322 ft	315 ft
	30 m	1,427 m	238.11		98 m	96 m
11	150 ft	4,766 ft	97.85	ASPHALT	0 ft	0 ft
	46 m	1,453 m	111.06		0 m	0 m
29	150 ft	4,766 ft	277.86	ASPHALT	364 ft	0 ft
	46 m	1,453 m	291.07		111 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IBDR	110.70 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
06	LOC-ILS	IBDR	110.70 MHz	18 nm	44.90	-	8 ft
				33 km	58.11		8 m
06	GS	IBDR	110.70 MHz	10 nm	44.90	3.00	8 ft
				19 km	58.11		8 m

KHWV

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 81 ft / 25 m
Location: 40.822000 -72.866900
Magnetic Var: 13.251 W

METAR

KHWV 030956Z AUTO VRB03KT 10SM CLR 10/07 A3012 RMK A02 SLP201 T01000072

TAF

UNKNOWN

Frequencies

REC - 119.62 MHz - ASOS
APP - 120.05 MHz - NEW YORK APPROACH
COM - 122.80 MHz - CTAF
DEP - 120.05 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	150 ft	4,219 ft	135.09	CONCRETE	0 ft	0 ft
	46 m	1,286 m	148.34		0 m	0 m
33	150 ft	4,219 ft	315.10	CONCRETE	0 ft	0 ft
	46 m	1,286 m	328.35		0 m	0 m
06	100 ft	4,200 ft	44.89	ASPHALT	0 ft	0 ft
	30 m	1,280 m	58.14		0 m	0 m
24	100 ft	4,200 ft	224.89	ASPHALT	0 ft	0 ft
	30 m	1,280 m	238.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IHWV	108.95 MHz	18 nm	44.89	-	81 ft
				33 km	58.14		81 m
06	GS	IHWV	108.95 MHz	10 nm	44.89	3.00	81 ft
				19 km	58.14		81 m