


2024/05/11 0646Z

SBBR KEVOP **UZ26** SEBKA SBSP

472.72 nm / 875.49 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 39000ft
- Cruise Speed: 455kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBBR	-	-15.87110	0 ft	-	Brasilia-Juscelino Kubitschek Intl
APT	-	-47.91860	0 m	-	
KEVOP	-	-16.78080	18,000 ft	54	-
FIX	-	-47.93130	5,486 m	-	-
VUKEP	UZ26	-18.30420	39,000 ft	92	-
FIX	AWY-HI	-47.71580	11,887 m	-	-
GELIB	UZ26	-18.88170	39,000 ft	35	-
FIX	AWY-HI	-47.63080	11,887 m	-	-
SAMGA	UZ26	-19.03150	39,000 ft	9	-
FIX	AWY-HI	-47.61250	11,887 m	-	-
KOMLU	UZ26	-19.75150	39,000 ft	43	-
FIX	AWY-HI	-47.50750	11,887 m	-	-
KAGIV	UZ26	-19.98900	39,000 ft	14	-
FIX	AWY-HI	-47.47170	11,887 m	-	-
KEXIT	UZ26	-20.58370	37,100 ft	36	-
FIX	AWY-HI	-47.38250	11,308 m	-	-
NIMPU	UZ26	-21.33000	28,100 ft	45	-
FIX	AWY-HI	-47.27090	8,565 m	-	-
NESRA	UZ26	-21.72220	23,400 ft	23	-
FIX	AWY-HI	-47.20730	7,132 m	-	-
ISMOB	UZ26	-21.78920	22,600 ft	4	-
FIX	AWY-HI	-47.19700	6,888 m	-	-
SEBKA	UZ26	-22.01400	19,900 ft	13	-
FIX	AWY-HI	-47.16230	6,066 m	-	-
SBSP	-	-23.62610	0 ft	100	Congonhas
APT	-	-46.65640	0 m	-	

Elevation: 3,498 ft / 1,066 m
Location: -15.871100 -47.918600
Magnetic Var: 22.219 W

4

SBSP

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 2

Elevation: 2,631 ft / 802 m
Location: -23.626100 -46.656400
Magnetic Var: 22.102 W

METAR

SBSP 110600Z AUTO 35002KT 7000 NCD 21/19 Q1018

TAF

TAF SBSP 110230Z 1106/1118 10005KT 8000 NSC TN19/1109Z TX29/1117Z BECMG 1106/1108 BKN008 BECMG 1109/1112 05005KT

Frequencies

REC - 127.65 MHz - CONGONHAS ATIS	CLD - 120.60 MHz - CONGONHAS CLEARANCE
GND - 121.90 MHz - CONGONHAS GROUND	TWR - 118.05 MHz - CONGONHAS TOWER
TWR - 127.15 MHz - CONGONHAS TOWER	APP - 133.85 MHz - SAO PAULO APPROACH
APP - 119.05 MHz - SAO PAULO APPROACH	APP - 134.90 MHz - SAO PAULO APPROACH
APP - 119.80 MHz - SAO PAULO APPROACH	APP - 129.00 MHz - SAO PAULO APPROACH
APP - 119.60 MHz - SAO PAULO APPROACH	APP - 122.75 MHz - SAO PAULO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	6,360 ft	147.63	ASPHALT	407 ft	0 ft
	45 m	1,938 m	169.74		124 m	0 m
35L	148 ft	6,360 ft	327.63	ASPHALT	180 ft	0 ft
	45 m	1,938 m	349.73		55 m	0 m
17L	148 ft	4,920 ft	147.63	ASPHALT	197 ft	0 ft
	45 m	1,500 m	169.73		60 m	0 m
35R	148 ft	4,920 ft	327.63	ASPHALT	0 ft	0 ft
	45 m	1,500 m	349.73		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17R	LOC-ILS	ISP	109.30 MHz	18 nm	147.63	-	2,631 ft
				33 km	169.73		2,631 m
35L	LOC-ILS	ISO	109.70 MHz	18 nm	327.63	-	2,631 ft
				33 km	349.73		2,631 m
17R	GS	ISP	109.30 MHz	10 nm	147.63	2.90	2,631 ft
				19 km	169.73		2,631 m
35L	GS	ISO	109.70 MHz	10 nm	327.63	3.00	2,631 ft
				19 km	349.73		2,631 m