

# KIAH

George Bush Intercontinental


# KHOU

William P. Hobby

2024/05/14 1004Z

KIAH HUB KHOU

20.67 nm / 38.28 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 3500ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KIAH	-	29.98540	0 ft	-	George Bush Intercontinental
APT	-	-95.34120	0 m		
HUB	-	29.65560	100 ft	20	HOBBY (HOUSTON)
VOR	-	-95.27660	30 m		
KHOU	-	29.64600	0 ft	0	William P. Hobby
APT	-	-95.27730	0 m		

## KIAH

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 5

Elevation: 98 ft / 30 m  
Location: 29.985400 -95.341200  
Magnetic Var: 1.729 E

## METAR

KIAH 140853Z 00000KT 7SM FEW015 19/18 A2973 RMK A02 SLP068 T01890183 58013 \$

## TAF

KIAH 140856Z 1409/1512 VRB02KT 6SM BR SCT010 TEMPO 1410/1413 2SM BR BKN005 FM141800 34007KT P6SM FEW035 FEW250 FM1

## Frequencies

REC - 124.05 MHz - D-ATIS	REC - 122.95 MHz - UNICOM
CLD - 128.10 MHz - CLEARANCE DELIVERY	GND - 119.95 MHz - HOUSTON GROUND
GND - 121.70 MHz - HOUSTON GROUND	GND - 118.57 MHz - HOUSTON GROUND
TWR - 120.72 MHz - HOUSTON TOWER	TWR - 125.35 MHz - HOUSTON TOWER
TWR - 135.15 MHz - HOUSTON TOWER	TWR - 127.30 MHz - HOUSTON TOWER
APP - 120.05 MHz - HOUSTON APPROACH	APP - 124.35 MHz - HOUSTON APPROACH
DEP - 126.67 MHz - HOUSTON DEPARTURE	DEP - 132.25 MHz - HOUSTON DEPARTURE
DEP - 133.60 MHz - HOUSTON DEPARTURE	DEP - 127.12 MHz - HOUSTON DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	151 ft	10,010 ft	152.07	CONCRETE	0 ft	407 ft
	46 m	3,051 m	150.34		0 m	124 m
33L	151 ft	10,010 ft	332.08	CONCRETE	0 ft	407 ft
	46 m	3,051 m	330.35		0 m	124 m
15L	151 ft	12,013 ft	152.08	CONCRETE	0 ft	413 ft
	46 m	3,662 m	150.35		0 m	126 m
33R	151 ft	12,013 ft	332.09	CONCRETE	0 ft	413 ft
	46 m	3,662 m	330.36		0 m	126 m
08L	151 ft	9,008 ft	89.94	CONCRETE	0 ft	387 ft
	46 m	2,746 m	88.22		0 m	118 m
26R	151 ft	9,008 ft	269.96	CONCRETE	0 ft	387 ft
	46 m	2,746 m	268.23		0 m	118 m
08R	151 ft	9,412 ft	89.96	CONCRETE	0 ft	384 ft
	46 m	2,869 m	88.23		0 m	117 m
26L	151 ft	9,412 ft	269.97	CONCRETE	0 ft	384 ft
	46 m	2,869 m	268.24		0 m	117 m
09	151 ft	10,009 ft	89.95	CONCRETE	0 ft	387 ft
	46 m	3,051 m	88.22		0 m	118 m
27	151 ft	10,009 ft	269.97	CONCRETE	0 ft	387 ft
	46 m	3,051 m	268.24		0 m	118 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IBZU	111.55 MHz	18 nm	-	-	90 ft
				33 km	-		90 m
08R	DME	IIAH	109.70 MHz	18 nm	-	-	109 ft
				33 km	-		109 m
09	DME	IUYO	110.90 MHz	18 nm	-	-	100 ft
				33 km	-		100 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	IJYV	109.70 MHz	18 nm 33 km	- -	-	109 ft 109 m
26R	DME	IOND	111.55 MHz	18 nm 33 km	- -	-	84 ft 84 m
27	DME	IGHI	110.90 MHz	18 nm 33 km	- -	-	100 ft 100 m
08L	LOC-ILS	IBZU	111.55 MHz	18 nm 33 km	89.95 88.22	-	98 ft 98 m
08R	LOC-ILS	IIAH	109.70 MHz	18 nm 33 km	89.96 88.23	-	98 ft 98 m
09	LOC-ILS	IUYO	110.90 MHz	18 nm 33 km	89.96 88.23	-	98 ft 98 m
15R	LOC-ILS	ILKM	111.15 MHz	18 nm 33 km	152.08 150.35	-	98 ft 98 m
26L	LOC-ILS	IJYV	109.70 MHz	18 nm 33 km	269.96 268.23	-	98 ft 98 m
26R	LOC-ILS	IOND	111.55 MHz	18 nm 33 km	269.95 268.22	-	98 ft 98 m
27	LOC-ILS	IGHI	110.90 MHz	18 nm 33 km	269.96 268.23	-	98 ft 98 m
33R	LOC-ILS	ICDG	111.90 MHz	18 nm 33 km	332.09 330.36	-	98 ft 98 m
08L	GS	IBZU	111.55 MHz	10 nm 19 km	89.95 88.22	3.00	98 ft 98 m
08R	GS	IIAH	109.70 MHz	10 nm 19 km	89.96 88.23	3.00	98 ft 98 m
09	GS	IUYO	110.90 MHz	10 nm 19 km	89.96 88.23	3.00	98 ft 98 m
15R	GS	ILKM	111.15 MHz	10 nm 19 km	152.08 150.35	3.00	98 ft 98 m
26L	GS	IJYV	109.70 MHz	10 nm 19 km	269.96 268.23	3.00	98 ft 98 m
26R	GS	IOND	111.55 MHz	10 nm 19 km	269.95 268.22	3.00	98 ft 98 m
27	GS	IGHI	110.90 MHz	10 nm 19 km	269.96 268.23	3.00	98 ft 98 m
33R	GS	ICDG	111.90 MHz	10 nm 19 km	332.09 330.36	3.00	98 ft 98 m

## KHOU

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 3

Elevation: 46 ft / 14 m  
Location: 29.646000 -95.277300  
Magnetic Var: 1.697 E

## METAR

KHOU 140853Z 00000KT 7SM CLR 19/18 A2973 RMK A02 SLP072 T01940183 58010 \$

## TAF

KHOU 140856Z 1409/1506 VRB03KT 6SM BR SCT015 FM141400 28005KT P6SM SKC FM141700 32008KT P6SM FEW035 FEW250 FM1501

## Frequencies

CLD - 125.45 MHz - CLEARANCE DELIVERY	REC - 124.60 MHz - D-ATIS
COM - 122.95 MHz - HOBBY UNICOM	GND - 121.90 MHz - HOBBY GROUND
TWR - 118.70 MHz - HOBBY TOWER	APP - 119.17 MHz - HOUSTON APPROACH
APP - 119.62 MHz - HOUSTON APPROACH	APP - 120.05 MHz - HOUSTON APPROACH
APP - 124.35 MHz - HOUSTON APPROACH	APP - 134.45 MHz - HOUSTON APPROACH
DEP - 119.70 MHz - HOUSTON DEPARTURE	DEP - 123.80 MHz - HOUSTON DEPARTURE
DEP - 134.45 MHz - HOUSTON DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	7,609 ft	43.82	CONCRETE	0 ft	151 ft
	46 m	2,319 m	42.12		0 m	46 m
22	151 ft	7,609 ft	223.82	CONCRETE	0 ft	151 ft
	46 m	2,319 m	222.13		0 m	46 m
13R	151 ft	7,612 ft	134.10	ASPHALT	1,037 ft	144 ft
	46 m	2,320 m	132.40		316 m	44 m
31L	151 ft	7,612 ft	314.11	ASPHALT	0 ft	151 ft
	46 m	2,320 m	312.41		0 m	46 m
13L	100 ft	5,152 ft	134.10	CONCRETE	0 ft	0 ft
	30 m	1,570 m	132.40		0 m	0 m
31R	100 ft	5,152 ft	314.10	CONCRETE	0 ft	0 ft
	30 m	1,570 m	312.41		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IHUB	109.90 MHz	18 nm	-	-	36 ft
				33 km	-		36 m
13R	DME	IPRQ	111.30 MHz	18 nm	-	-	46 ft
				33 km	-		46 m
22	DME	IOIB	109.90 MHz	18 nm	-	-	46 ft
				33 km	-		46 m
31L	DME	IUPU	111.30 MHz	18 nm	-	-	46 ft
				33 km	-		46 m
04	LOC-ILS	IHUB	109.90 MHz	18 nm	43.82	-	46 ft
				33 km	42.12		46 m
13R	LOC-ILS	IPRQ	111.30 MHz	18 nm	134.10	-	46 ft
				33 km	132.40		46 m
22	LOC-LOC	IOIB	109.90 MHz	18 nm	223.82	-	46 ft
				33 km	222.12		46 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31L	LOC-ILS	IUPU	111.30 MHz	18 nm	314.10	-	46 ft
				33 km	312.40		46 m
04	GS	IHUB	109.90 MHz	10 nm	43.82	3.00	46 ft
				19 km	42.12		46 m
13R	GS	IPRQ	111.30 MHz	10 nm	134.10	3.00	46 ft
				19 km	132.40		46 m
31L	GS	IUPU	111.30 MHz	10 nm	314.10	3.00	46 ft
				19 km	312.40		46 m