


2024/05/07 0647Z

ESNQ ITVAV **T317** REKMI AMPAD EFVA

304.38 nm / 563.71 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ESNQ	-	67.82200	0 ft	-	Kiruna
APT	-	20.33680	0 m		
ITVAV	-	66.74170	23,300 ft	65	-
FIX	-	19.94940	7,102 m		
OSKIR	T317	65.67080	35,000 ft	64	-
FIX	AWY-HI	19.61560	10,668 m		
REKMI	T317	65.18300	30,900 ft	29	-
FIX	AWY-HI	19.47260	9,418 m		
AMPAD	-	64.31560	19,600 ft	52	-
FIX	-	19.83440	5,974 m		
EFVA	-	63.05130	0 ft	91	Vaasa Airport
APT	-	21.76160	0 m		

ESNQ

Region: SWEDEN
Timezone: EUROPE/STOCKHOLM
Runways: 1

Elevation: 1,507 ft / 459 m
Location: 67.822000 20.336800
Magnetic Var: 10.422 E

METAR

ESNQ 070620Z AUTO 04009KT 9999 OVC025/// M02/M07 Q1021

TAF

UNKNOWN

Frequencies

TWR - 130.15 MHz - KIRUNA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	8,216 ft	33.56	ASPHALT	0 ft	0 ft
	45 m	2,504 m	23.14		0 m	0 m
21	148 ft	8,216 ft	213.59	ASPHALT	0 ft	0 ft
	45 m	2,504 m	203.17		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	LOC-ILS	NQ	110.30 MHz	18 nm	213.59	-	1,508 ft
				33 km	203.17		1,508 m
21	GS	NQ	110.30 MHz	10 nm	214.29	2.86	1,508 ft
				19 km	203.87		1,508 m

EFVA

Region: FINLAND
Timezone: EUROPE/HELSINKI
Runways: 1

Elevation: 20 ft / 6 m
Location: 63.051300 21.761600
Magnetic Var: 9.564 E

METAR

EFVA 070620Z AUTO 36010KT 330V030 CAVOK 03/M06 Q1020

TAF

TAF EFVA 070527Z 0706/0806 35009KT CAVOK PROB30 TEMPO 0712/0716 36015G25KT

Frequencies

REC - 136.45 MHz - ATIS
TWR - 120.95 MHz - VAASA TOWER

APP - 125.85 MHz - VAASA RADAR
TWR - 119.70 MHz - VAASA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	157 ft	8,210 ft	163.15	ASPHALT	0 ft	0 ft
	48 m	2,502 m	153.59		0 m	0 m
34	157 ft	8,210 ft	343.17	ASPHALT	0 ft	774 ft
	48 m	2,502 m	333.60		0 m	236 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	VA	108.50 MHz	18 nm	-	-	78 ft
				33 km	-		78 m
16	LOC-ILS	VA	108.50 MHz	18 nm	163.16	-	20 ft
				33 km	153.60		20 m
16	GS	VA	108.50 MHz	10 nm	163.16	3.00	20 ft
				19 km	153.60		20 m