

LFSB

EuroAirport Basel-Mulhouse-Freiburg


LTBJ

Izmir Adnan Menderes Intl

2024/05/15 2105Z

LFSB SOPER **Z50** RESIA **Q341** LABIN **L614** SOLGU **M867** MEDUX **UM867** KOGAT **M867** DISOR **UL608** FSK **UN128** LMO
UN127 ERESO LTBJ

1036.58 nm / 1919.75 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LFSB APT	- -	47.59580 7.52481	0 ft 0 m	-		EuroAirport Basel-Mulhouse-Freiburg
SOPER FIX	- -	46.88940 8.94444	25,600 ft 7,803 m	71	-	
PELAD FIX	Z50 AWY-HI	46.59890 9.72583	35,000 ft 10,668 m	36	-	
RESIA FIX	Z50 AWY-HI	46.47830 10.04330	35,000 ft 10,668 m	14	-	
LABIN FIX	Q341 AWY-HI	44.98580 13.09140	35,000 ft 10,668 m	156	-	
PUL VOR	L614 AWY-LO	44.89240 13.91810	35,000 ft 10,668 m	35		PULA
PALEZ FIX	L614 AWY-LO	44.57500 15.53310	35,000 ft 10,668 m	71	-	
SONIK FIX	L614 AWY-LO	44.44830 16.14330	35,000 ft 10,668 m	27	-	
ELTIB FIX	L614 AWY-LO	44.30360 16.81640	35,000 ft 10,668 m	30	-	
SOLGU FIX	L614 AWY-LO	44.11580 17.66140	35,000 ft 10,668 m	38	-	
GILUK FIX	M867 AWY-LO	43.86690 18.10560	35,000 ft 10,668 m	24	-	
RUDAR FIX	M867 AWY-LO	43.64860 18.48920	35,000 ft 10,668 m	21	-	
OSLUD FIX	M867 AWY-LO	43.47720 18.78720	35,000 ft 10,668 m	16	-	
GORAV FIX	M867 AWY-LO	43.30810 19.07780	35,000 ft 10,668 m	16	-	
BUNEX FIX	M867 AWY-LO	43.18440 19.28870	35,000 ft 10,668 m	11	-	
MODRA FIX	M867 AWY-LO	43.00700 19.58880	35,000 ft 10,668 m	16	-	
MEDUX FIX	M867 AWY-LO	42.74750 20.02190	35,000 ft 10,668 m	24	-	
KOGAT FIX	UM867 AWY-HI	42.11250 21.05560	35,000 ft 10,668 m	59	-	
DISOR FIX	M867 AWY-LO	41.24720 22.75830	35,000 ft 10,668 m	92	-	
FSK VOR	UL608 AWY-HI	41.09870 22.99150	35,000 ft 10,668 m	13		FISKA
ODIKO FIX	UN128 AWY-HI	40.97140 23.24190	35,000 ft 10,668 m	13	-	
PEREN FIX	UN128 AWY-HI	40.59670 23.96780	35,000 ft 10,668 m	39	-	
LMO VOR	UN128 AWY-HI	39.91950 25.23720	28,300 ft 8,626 m	70		LIMNOS
ERESO FIX	UN127 AWY-HI	39.29190 25.94360	17,700 ft 5,395 m	49	-	
LTBJ APT	- -	38.29220 27.15590	0 ft 0 m	82		Izmir Adnan Menderes Intl

LFSB

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 884 ft / 269 m
Location: 47.595800 7.524810
Magnetic Var: 2.875 E

METAR

LFSB 152030Z AUTO 16003KT 9999 NCD 13/12 Q1007 NOSIG

TAF

TAF LFSB 151700Z 1518/1618 33005KT 9999 SCT030 BKN070 TEMPO 1518/1520 28015G25KT 4000 TSRA SCT030CB TEMPO 1600/1618 33005KT 9999 NCD 13/12 Q1007 NOSIG

Frequencies

TWR - 118.30 MHz - BALE TOWER	GND - 121.60 MHz - BALE GROUND
APP - 118.57 MHz - BALE APPROACH	APP - 119.35 MHz - BALE APPROACH
APP - 121.25 MHz - BALE APPROACH	REC - 127.87 MHz - BALE ATIS
CLD - 121.95 MHz - CLEARANCE DELIVERY	COM - 130.90 MHz - BALE INFO

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	197 ft	5,977 ft	76.98	CONCRETE	0 ft	0 ft
	60 m	1,822 m	74.11		0 m	0 m
26	197 ft	5,977 ft	257.00	CONCRETE	728 ft	0 ft
	60 m	1,822 m	254.12		222 m	0 m
15	197 ft	12,807 ft	154.84	CONCRETE	0 ft	302 ft
	60 m	3,904 m	151.97		0 m	92 m
33	197 ft	12,807 ft	334.86	CONCRETE	3,674 ft	0 ft
	60 m	3,904 m	331.98		1,120 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	MH	111.55 MHz	18 nm	-	-	860 ft
				33 km	-		860 m
33	DME	IBLU	109.35 MHz	18 nm	-	-	885 ft
				33 km	-		885 m
15	LOC-ILS	MH	111.55 MHz	18 nm	154.85	-	884 ft
				33 km	151.98		884 m
33	LOC-ILS	IBLU	109.35 MHz	18 nm	334.85	-	884 ft
				33 km	331.98		884 m
15	GS	MH	111.55 MHz	10 nm	154.85	3.00	884 ft
				19 km	151.98		884 m
33	GS	IBLU	109.35 MHz	10 nm	334.85	3.50	884 ft
				19 km	331.98		884 m

LTBJ

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 2

Elevation: 410 ft / 125 m
Location: 38.292200 27.155900
Magnetic Var: 5.517 E

METAR

LTBJ 152020Z 01009KT CAVOK 18/06 Q1017 NOSIG RMK RWY16 02009KT

TAF

TAF LTBJ 151640Z 1518/1618 35012KT CAVOK BECMG 1518/1520 VRB02KT BECMG 1608/1611 35012KT SCT030 BKN100 PROB30 TEM

Frequencies

REC - 129.20 MHz - ATIS	GND - 121.90 MHz - MENDERES GROUND
GND - 121.70 MHz - MENDERES GROUND	TWR - 118.10 MHz - MENDERES TOWER
APP - 119.45 MHz - MENDERES APPROACH	APP - 120.10 MHz - MENDERES APPROACH
APP - 120.17 MHz - MENDERES APPROACH	APP - 134.20 MHz - MENDERES APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	147 ft	10,653 ft	166.68	CONCRETE	0 ft	197 ft
	45 m	3,247 m	161.16		0 m	60 m
34L	147 ft	10,653 ft	346.68	CONCRETE	0 ft	197 ft
	45 m	3,247 m	341.17		0 m	60 m
16L	147 ft	10,653 ft	166.67	ASPHALT	0 ft	197 ft
	45 m	3,247 m	161.15		0 m	60 m
34R	147 ft	10,653 ft	346.67	ASPHALT	0 ft	197 ft
	45 m	3,247 m	341.16		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IIMR	108.50 MHz	18 nm	166.67	-	410 ft
				33 km	161.15		410 m
34R	LOC-ILS	IMEN	110.30 MHz	18 nm	346.67	-	410 ft
				33 km	341.15		410 m
16L	GS	IIMR	108.50 MHz	10 nm	166.67	3.10	410 ft
				19 km	161.15		410 m
34R	GS	IMEN	110.30 MHz	10 nm	346.67	3.00	410 ft
				19 km	341.15		410 m