

KSLC

Salt Lake City International Airport


KUAO

Aurora State

2024/05/02 1406Z

KSLC SWITZ **V484** TWF **V253** BOI **V500** ROAMS KUAO

550.93 nm / 1020.33 km



Notes

Basic altitude profile:

- Ascent Rate: 500ft/min
- Ascent Speed: 145kts
- Cruise Altitude: 10000ft
- Cruise Speed: 145kts
- Descent Rate: 500ft/min
- Descent Speed: 145kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: yes
- Use high airways: no

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KSLC	-	40.78700	0 ft	-		Salt Lake City International Airport
APT	-	-111.97500	0 m			
SWITZ	-	41.47860	10,000 ft	59	-	
FIX	-	-112.92400	3,048 m			
DRYAD	V484	42.16840	10,000 ft	63	-	
FIX	AWY-LO	-113.99400	3,048 m			
CEEDY	V484	42.26280	10,000 ft	8	-	
FIX	AWY-LO	-114.14300	3,048 m			
WODEN	V484	42.34010	10,000 ft	7	-	
FIX	AWY-LO	-114.26600	3,048 m			
FERUD	V484	42.37240	10,000 ft	2	-	
FIX	AWY-LO	-114.31700	3,048 m			
TWF	V484	42.47990	10,000 ft	9		TWIN FALLS
VOR	AWY-LO	-114.48900	3,048 m			
LITKE	V253	42.58770	10,000 ft	9	-	
FIX	AWY-LO	-114.65600	3,048 m			
SECAR	V253	42.64440	10,000 ft	5	-	
FIX	AWY-LO	-114.74400	3,048 m			
UYEME	V253	42.65600	10,000 ft	1	-	
FIX	AWY-LO	-114.76200	3,048 m			
YUWFE	V253	43.00790	10,000 ft	32	-	
FIX	AWY-LO	-115.31500	3,048 m			
ALKAL	V253	43.01620	10,000 ft	0	-	
FIX	AWY-LO	-115.32800	3,048 m			
CANEK	V253	43.31610	10,000 ft	27	-	
FIX	AWY-LO	-115.80800	3,048 m			
ATETY	V253	43.39150	10,000 ft	6	-	
FIX	AWY-LO	-115.93000	3,048 m			
BOI	V253	43.55280	10,000 ft	14		BOISE
VOR	AWY-LO	-116.19200	3,048 m			
PARMO	V500	43.75910	10,000 ft	29	-	
FIX	AWY-LO	-116.82000	3,048 m			
DAGNE	V500	43.82030	10,000 ft	8	-	
FIX	AWY-LO	-117.00900	3,048 m			
HOSTS	V500	43.98640	10,000 ft	24	-	
FIX	AWY-LO	-117.52800	3,048 m			
FONNA	V500	44.08380	10,000 ft	14	-	
FIX	AWY-LO	-117.83800	3,048 m			
POTSY	V500	44.24590	10,000 ft	24	-	
FIX	AWY-LO	-118.36200	3,048 m			
IMB	V500	44.64840	10,000 ft	62		KIMBERLY
VOR	AWY-LO	-119.71200	3,048 m			
ROAMS	V500	44.80980	10,000 ft	31	-	
FIX	AWY-LO	-120.41600	3,048 m			
KUAO	-	45.24710	0 ft	103		Aurora State
APT	-	-122.77000	0 m			

KSLC

Region: UNITED STATES

Timezone: AMERICA/DENVER

Runways: 4

Elevation: 4,227 ft / 1,288 m

Location: 40.787000 -111.975000

Magnetic Var: 10.774 E

METAR

KSLC 021254Z 14008KT 10SM FEW200 03/M08 A3006 RMK A02 SLP171 T00331078

TAF

TAF KSLC 021120Z 0212/0318 16009KT P6SM SCT120 FM021900 31008KT P6SM SCT080 BKN120 FM030600 33011KT P6SM VCSH SCT

Frequencies

REC - 124.75 MHz - ATIS

COM - 122.95 MHz - UNICOM

GND - 121.90 MHz -

TWR - 118.30 MHz -

TWR - 132.65 MHz -

APP - 124.30 MHz - APP/DEP

APP - 126.25 MHz - APP/DEP

REC - 127.62 MHz - ATIS

CLD - 127.30 MHz - CLNC DEL

GND - 133.65 MHz -

TWR - 119.05 MHz -

APP - 121.10 MHz - APP/DEP

APP - 124.90 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	151 ft	12,013 ft	174.97	ASPHALT	0 ft	394 ft
	46 m	3,662 m	164.20		0 m	120 m
34R	151 ft	12,013 ft	354.98	ASPHALT	0 ft	400 ft
	46 m	3,662 m	344.20		0 m	122 m
16R	151 ft	12,013 ft	174.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	164.20		0 m	122 m
34L	151 ft	12,013 ft	354.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	344.20		0 m	122 m
17	151 ft	9,606 ft	179.99	ASPHALT	0 ft	102 ft
	46 m	2,928 m	169.22		0 m	31 m
35	151 ft	9,606 ft	359.99	ASPHALT	335 ft	312 ft
	46 m	2,928 m	349.22		102 m	95 m
14	151 ft	4,896 ft	153.08	ASPHALT	0 ft	0 ft
	46 m	1,492 m	142.31		0 m	0 m
32	151 ft	4,896 ft	333.09	ASPHALT	0 ft	0 ft
	46 m	1,492 m	322.32		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	IMOY	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
16R	DME	IUAT	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
17	DME	IBNT	111.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34L	DME	IUUH	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34R	DME	ISLC	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IMOY	109.50 MHz	18 nm 33 km	174.98 164.21	-	4,227 ft 4,227 m
16R	LOC-ILS	IUAT	111.90 MHz	18 nm 33 km	174.97 164.20	-	4,227 ft 4,227 m
17	LOC-ILS	IBNT	111.50 MHz	18 nm 33 km	179.99 169.22	-	4,227 ft 4,227 m
34L	LOC-ILS	IUUH	111.90 MHz	18 nm 33 km	354.97 344.20	-	4,227 ft 4,227 m
34R	LOC-ILS	ISLC	109.50 MHz	18 nm 33 km	354.98 344.21	-	4,227 ft 4,227 m
35	LOC-ILS	IUTJ	111.50 MHz	18 nm 33 km	359.99 349.22	-	4,227 ft 4,227 m
16L	GS	IMOY	109.50 MHz	10 nm 19 km	174.98 164.21	3.00	4,227 ft 4,227 m
16R	GS	IUAT	111.90 MHz	10 nm 19 km	174.97 164.20	3.00	4,227 ft 4,227 m
17	GS	IBNT	111.50 MHz	10 nm 19 km	179.99 169.22	3.00	4,227 ft 4,227 m
34L	GS	IUUH	111.90 MHz	10 nm 19 km	354.97 344.20	3.00	4,227 ft 4,227 m
34R	GS	ISLC	109.50 MHz	10 nm 19 km	354.98 344.21	3.00	4,227 ft 4,227 m
35	GS	IUTJ	111.50 MHz	10 nm 19 km	359.99 349.22	3.00	4,227 ft 4,227 m

KUAO

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 1

Elevation: 200 ft / 61 m
Location: 45.247100 -122.770000
Magnetic Var: 14.416 E

METAR

KUAO 021253Z AUTO 03007KT 10SM OVC037 08/06 A2997 RMK A02 SLP147 T00780061

TAF

KUAO 021127Z 0212/0312 02007KT P6SM -RA SCT030 OVC060 TEMPO 0212/0214 BKN030 FM021600 VRB03KT P6SM BKN050 FM030200

Frequencies

REC - 118.52 MHz - AURORA ATIS	COM - 120.35 MHz - AURORA UNICOM
GND - 119.15 MHz - AURORA GROUND	TWR - 120.35 MHz - AURORA TOWER
DEP - 118.10 MHz - PORTLAND DEPARTURE	DEP - 126.00 MHz - PORTLAND DEPARTURE
APP - 118.10 MHz - PORTLAND APPROACH	APP - 126.00 MHz - PORTLAND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	100 ft	5,009 ft	187.12	ASPHALT	0 ft	0 ft
	30 m	1,527 m	172.70		0 m	0 m
35	100 ft	5,009 ft	7.12	ASPHALT	0 ft	151 ft
	30 m	1,527 m	352.70		0 m	46 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	IUAO	111.15 MHz	18 nm	-	-	205 ft
				33 km	-		205 m
17	LOC-LOC	IUAO	111.15 MHz	18 nm	187.12	-	200 ft
				33 km	172.70		200 m