

CYYZ

Toronto Pearson Intl


CYQY

Sydney/J.A. Douglas McCurdy

2024/05/06 1135Z

CYYZ SANIN **Q951** YYG **Q858** YQY CYQY

848.15 nm / 1570.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYYZ APT	-	43.67610 -79.62770	0 ft 0 m	-	Toronto Pearson Intl
SANIN FIX	-	44.07810 -77.43190	35,000 ft 10,668 m	98	-
OLABA FIX	Q951 AWY-HI	44.47640 -76.20330	35,000 ft 10,668 m	57	-
ALONI FIX	Q951 AWY-HI	44.64830 -75.65280	35,000 ft 10,668 m	25	-
KATEK FIX	Q951 AWY-HI	44.67630 -75.55050	35,000 ft 10,668 m	4	-
DAVDA FIX	Q951 AWY-HI	44.72420 -75.37450	35,000 ft 10,668 m	8	-
SAVAL FIX	Q951 AWY-HI	44.90420 -74.70030	35,000 ft 10,668 m	30	-
TALNO FIX	Q951 AWY-HI	45.00060 -74.33110	35,000 ft 10,668 m	16	-
RABIK FIX	Q951 AWY-HI	45.29890 -72.61030	35,000 ft 10,668 m	75	-
ANTOV FIX	Q951 AWY-HI	45.37640 -71.03750	35,000 ft 10,668 m	66	-
KERVO FIX	Q951 AWY-HI	45.42100 -70.63960	35,000 ft 10,668 m	16	-
DANOL FIX	Q951 AWY-HI	45.69830 -67.78810	35,000 ft 10,668 m	121	-
PUXOP FIX	Q951 AWY-HI	45.94470 -66.44000	35,000 ft 10,668 m	58	-
ITPAX FIX	Q951 AWY-HI	46.11390 -65.16040	35,000 ft 10,668 m	54	-
YQM VOR	Q951 AWY-HI	46.18890 -64.57080	35,000 ft 10,668 m	24	MONCTON
YYG VOR	Q951 AWY-HI	46.29760 -63.11970	27,500 ft 8,382 m	60	CHARLOTTETOWN
YQY VOR	Q858 AWY-HI	46.15340 -60.05580	100 ft 30 m	127	SYDNEY
CYQY APT	-	46.16160 -60.04150	0 ft 0 m	0	Sydney/J.A. Douglas McCurdy

CYYZ

Region: CANADA
Timezone: AMERICA/TORONTO
Runways: 5

Elevation: 564 ft / 172 m
Location: 43.676100 -79.627700
Magnetic Var: 10.261 W

METAR

CYYZ 061100Z 34012KT 15SM SCT250 09/02 A3005 RMK CI4 SLP178

TAF

TAF CYYZ 060840Z 0609/0712 34010KT P6SM FEW190 RMK NXT FCST BY 061200Z

Frequencies

TWR - 118.35 MHz - TORONTO TOWER	TWR - 118.70 MHz - TORONTO TOWER
GND - 119.10 MHz - TORONTO GROUND	GND - 121.65 MHz - TORONTO GROUND
GND - 121.90 MHz - TORONTO GROUND	REC - 120.82 MHz - ATIS
REC - 133.10 MHz - ATIS	CLD - 121.30 MHz - CLEARANCE DELIVERY
APP - 132.80 MHz - TORONTO APPROACH	APP - 124.47 MHz - TORONTO APPROACH
APP - 125.40 MHz - TORONTO APPROACH	APP - 123.27 MHz - LONDON RADIO
DEP - 127.57 MHz - TORONTO DEPARTURE	DEP - 128.80 MHz - TORONTO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	9,707 ft	46.43	ASPHALT	0 ft	131 ft
	60 m	2,959 m	56.69		0 m	40 m
24R	197 ft	9,707 ft	226.45	ASPHALT	194 ft	98 ft
	60 m	2,959 m	236.71		59 m	30 m
06R	197 ft	9,007 ft	46.43	ASPHALT	0 ft	95 ft
	60 m	2,745 m	56.69		0 m	29 m
24L	197 ft	9,007 ft	226.45	ASPHALT	0 ft	95 ft
	60 m	2,745 m	236.71		0 m	29 m
05	197 ft	11,128 ft	46.39	ASPHALT	141 ft	141 ft
	60 m	3,392 m	56.65		43 m	43 m
23	197 ft	11,128 ft	226.41	ASPHALT	492 ft	141 ft
	60 m	3,392 m	236.67		150 m	43 m
15L	197 ft	11,061 ft	136.64	ASPHALT	0 ft	92 ft
	60 m	3,372 m	146.90		0 m	28 m
33R	197 ft	11,061 ft	316.66	ASPHALT	0 ft	89 ft
	60 m	3,372 m	326.92		0 m	27 m
15R	197 ft	9,097 ft	136.62	ASPHALT	597 ft	0 ft
	60 m	2,773 m	146.88		182 m	0 m
33L	197 ft	9,097 ft	316.64	ASPHALT	591 ft	0 ft
	60 m	2,773 m	326.90		180 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24L	DME	IIDP	111.95 MHz	18 nm	-	-	568 ft
				33 km	-		568 m
24R	DME	INV	109.30 MHz	18 nm	-	-	546 ft
				33 km	-		546 m
05	LOC-ILS	ITX	109.70 MHz	18 nm	46.40	-	564 ft
				33 km	56.66		564 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IJS	109.10 MHz	18 nm 33 km	46.44 56.70	-	564 ft 564 m
06R	LOC-ILS	ICV	111.95 MHz	18 nm 33 km	46.44 56.70	-	564 ft 564 m
15L	LOC-ILS	IRW	110.50 MHz	18 nm 33 km	136.65 146.91	-	564 ft 564 m
15R	LOC-ILS	ILP	110.95 MHz	18 nm 33 km	136.63 146.89	-	564 ft 564 m
23	LOC-ILS	IYZ	111.50 MHz	18 nm 33 km	226.40 236.66	-	564 ft 564 m
24L	LOC-ILS	IDP	111.95 MHz	18 nm 33 km	226.44 236.70	-	564 ft 564 m
24R	LOC-ILS	INV	109.30 MHz	18 nm 33 km	226.44 236.70	-	564 ft 564 m
33L	LOC-ILS	ITO	110.95 MHz	18 nm 33 km	316.63 326.89	-	564 ft 564 m
33R	LOC-ILS	ILE	110.30 MHz	18 nm 33 km	316.65 326.91	-	564 ft 564 m
05	GS	ITX	109.70 MHz	10 nm 19 km	46.40 56.66	3.00	564 ft 564 m
06L	GS	IJS	109.10 MHz	10 nm 19 km	46.44 56.70	3.00	564 ft 564 m
06R	GS	ICV	111.95 MHz	10 nm 19 km	46.44 56.70	3.00	564 ft 564 m
15L	GS	IRW	110.50 MHz	10 nm 19 km	136.65 146.91	3.00	564 ft 564 m
15R	GS	ILP	110.95 MHz	10 nm 19 km	136.63 146.89	3.00	564 ft 564 m
23	GS	IYZ	111.50 MHz	10 nm 19 km	226.40 236.66	3.00	564 ft 564 m
24L	GS	IIDP	111.95 MHz	10 nm 19 km	226.44 236.70	3.00	564 ft 564 m
24R	GS	INV	109.30 MHz	10 nm 19 km	226.44 236.70	3.00	564 ft 564 m
33L	GS	ITO	110.95 MHz	10 nm 19 km	316.63 326.89	3.00	564 ft 564 m
33R	GS	ILE	110.30 MHz	10 nm 19 km	316.65 326.91	3.00	564 ft 564 m

CYQY

Region: CANADA

Timezone: AMERICA/GLACE_BAY

Runways: 2

Elevation: 203 ft / 62 m

Location: 46.161600 -60.041500

Magnetic Var: 17.155 W

METAR

CYQY 061100Z 22013G19KT 15SM BKN009 OVC110 04/03 A3008 RMK SC6AC2 SLP191

TAF

TAF AMD TAF AMD CYQY 060904Z 0609/0618 22010KT 5SM BR BKN004 OVC200 TEMPO 0609/0612 P6SM NSW SCT004 OVC200 FM06140

Frequencies

APP - 118.60 MHz - MONCTON ACC APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	200 ft	7,052 ft	45.77	ASPHALT	0 ft	0 ft
	61 m	2,149 m	62.92		0 m	0 m
25	200 ft	7,052 ft	225.78	ASPHALT	0 ft	0 ft
	61 m	2,149 m	242.94		0 m	0 m
01	151 ft	5,991 ft	345.43	ASPHALT	0 ft	0 ft
	46 m	1,826 m	2.58		0 m	0 m
19	151 ft	5,991 ft	165.42	ASPHALT	0 ft	0 ft
	46 m	1,826 m	182.58		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	IQY	110.30 MHz	18 nm	45.78	-	203 ft
				33 km	62.93		203 m
19	LOC-ILS	INO	109.50 MHz	18 nm	165.29	-	203 ft
				33 km	182.44		203 m
07	GS	IQY	110.30 MHz	10 nm	45.78	3.00	203 ft
				19 km	62.93		203 m
19	GS	INO	109.50 MHz	10 nm	190.00	2.70	203 ft
				19 km	207.15		203 m