


2024/05/08 1009Z

LFLC BASLI LFMP

183.42 nm / 339.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFLC APT	-	45.78670 3.16998	0 ft 0 m	-	Clermont-Ferrand Auvergne
BASLI FIX	-	44.11470 2.98750	17,700 ft 5,395 m	100 -	
LFMP APT	-	42.74020 2.87079	0 ft 0 m	82	Rivesaltes

LFLC

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 1,091 ft / 333 m
Location: 45.786700 3.169980
Magnetic Var: 1.766 E

METAR

LFLC 080930Z AUTO 02011KT 350V050 9999 SCT022 SCT039 16/11 Q1024 NOSIG

TAF

TAF LFLC 080500Z 0806/0906 35010KT 9999 SCT040 TEMPO 0806/0808 OVC012 PROB40 TEMPO 0806/0807 BKN005 PROB30 TEMPO 0

Frequencies

REC - 136.40 MHz - CLERMONT ATIS	GND - 121.95 MHz - CLERMONT GROUND
TWR - 118.62 MHz - CLERMONT TOWER	APP - 119.37 MHz - CLERMONT APPROACH
APP - 120.50 MHz - CLERMONT APPROACH	APP - 120.67 MHz - CLERMONT APPROACH
APP - 122.22 MHz - CLERMONT APPROACH	APP - 133.72 MHz - CLERMONT APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	9,869 ft	81.95	ASPHALT	0 ft	0 ft
	45 m	3,008 m	80.18		0 m	0 m
26	148 ft	9,869 ft	261.98	ASPHALT	469 ft	0 ft
	45 m	3,008 m	260.21		143 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	DME	CF	111.10 MHz	27 nm	-	-	1,089 ft
				50 km	-		1,089 m
26	LOC-ILS	CF	111.10 MHz	18 nm	261.96	-	1,091 ft
				33 km	260.19		1,091 m
26	GS	CF	111.10 MHz	10 nm	261.96	3.00	1,091 ft
				19 km	260.19		1,091 m

LFMP

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 143 ft / 44 m
Location: 42.740200 2.870790
Magnetic Var: 1.727 E

METAR

LFMP 080930Z AUTO 30025G38KT CAVOK 19/09 Q1021 NOSIG

TAF

TAF LFMP 080800Z 0809/0909 31020G30KT CAVOK PROB40 TEMPO 0809/0814 31023G40KT BECMG 0901/0903 31013KT

Frequencies

REC - 127.87 MHz - LFMP ATIS
APP - 120.75 MHz - PERPIGNAN APP

TWR - 118.30 MHz - PERPIGNAN TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	8,296 ft	148.79	ASPHALT	0 ft	230 ft
	45 m	2,529 m	147.06		0 m	70 m
33	148 ft	8,296 ft	328.80	ASPHALT	558 ft	230 ft
	45 m	2,529 m	327.07		170 m	70 m
13	66 ft	3,635 ft	129.20	ASPHALT	0 ft	528 ft
	20 m	1,108 m	127.47		0 m	161 m
31	66 ft	3,635 ft	309.21	ASPHALT	0 ft	0 ft
	20 m	1,108 m	307.48		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	PL	111.75 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
33	LOC-ILS	PL	111.75 MHz	18 nm	328.30	-	124 ft
				33 km	326.57		124 m
33	GS	PL	111.75 MHz	10 nm	328.77	3.00	124 ft
				19 km	327.04		124 m