


2024/05/05 0042Z

LOWL GONBA EDMS

77.53 nm / 143.58 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWL	-	48.23530	0 ft	-	Linz
APT	-	14.18810	0 m		
GONBA	-	48.68780	5,400 ft	51	-
FIX	-	13.07580	1,646 m		
EDMS	-	48.90090	0 ft	25	Straubing
APT	-	12.51660	0 m		

LOWL

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 978 ft / 298 m
Location: 48.235300 14.188100
Magnetic Var: 4.492 E

METAR

LOWL 050020Z AUTO VRB01KT 9999 NCD 11/10 Q1012

TAF

TAF LOWL 042315Z 0500/0524 VRB02KT 9999 FEW040 TX22/0514Z TN09/0503Z TEMPO 0503/0506 1200 BCFG BECMG 0507/0509 28

Frequencies

REC - 128.12 MHz - ATIS
APP - 119.75 MHz - LINZ DIRECTOR

TWR - 118.80 MHz - LINZ TOWER
APP - 129.62 MHz - LINZ RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	197 ft	9,852 ft	87.00	ASPHALT	820 ft	0 ft
	60 m	3,003 m	82.51		250 m	0 m
26	197 ft	9,852 ft	267.03	ASPHALT	492 ft	0 ft
	60 m	3,003 m	262.54		150 m	0 m
08L	144 ft	1,865 ft	86.91	GRASS	0 ft	0 ft
	44 m	568 m	82.41		0 m	0 m
26R	144 ft	1,865 ft	266.91	GRASS	0 ft	0 ft
	44 m	568 m	262.42		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	OEM	110.55 MHz	18 nm	-	-	964 ft
				33 km	-		964 m
26	DME	OEL	109.30 MHz	18 nm	-	-	996 ft
				33 km	-		996 m
08	LOC-ILS	OEM	110.55 MHz	18 nm	87.04	-	978 ft
				33 km	82.55		978 m
26	LOC-ILS	OEL	109.30 MHz	18 nm	267.04	-	978 ft
				33 km	262.55		978 m
08	GS	OEM	110.55 MHz	10 nm	87.04	3.00	978 ft
				19 km	82.55		978 m
26	GS	OEL	109.30 MHz	10 nm	267.04	3.00	978 ft
				19 km	262.55		978 m