

LFGJ

Dole Tavaux


LFMN

Nice-Cote d'Azur

2024/05/08 2009Z

LFGJ GIGUS OBIGO LFMN

217.84 nm / 403.44 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFGJ	-	47.03890	0 ft	-	Dole Tavaux
APT	-	5.42726	0 m		
GIGUS	-	45.38970	23,600 ft	107	-
FIX	-	6.44167	7,193 m		
OBIGO	-	45.22030	21,400 ft	10	-
FIX	-	6.41139	6,523 m		
LFMN	-	43.65840	0 ft	99	Nice-Cote d'Azur
APT	-	7.21576	0 m		

LFGJ

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 645 ft / 197 m
Location: 47.038900 5.427260
Magnetic Var: 2.336 E

METAR

LFGJ 081930Z AUTO 35010KT CAVOK 14/11 Q1024

TAF

UNKNOWN

Frequencies

TWR - 130.77 MHz - DOLE TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	7,306 ft	54.25	ASPHALT	0 ft	0 ft
	45 m	2,227 m	51.92		0 m	0 m
23	148 ft	7,306 ft	234.27	ASPHALT	0 ft	1,214 ft
	45 m	2,227 m	231.93		0 m	370 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	DO	109.35 MHz	18 nm	-	-	690 ft
				33 km	-		690 m
23	LOC-ILS	DO	109.70 MHz	18 nm	234.34	-	643 ft
				33 km	232.00		643 m
23	GS	DO	109.70 MHz	10 nm	234.52	3.00	643 ft
				19 km	232.19		643 m

LFMN

Region: FRANCE
Timezone: UNKNOWN
Runways: 2

Elevation: 12 ft / 4 m
Location: 43.658400 7.215760
Magnetic Var: 2.736 E

METAR

LFMN 081930Z 00000KT CAVOK 17/12 Q1017 BECMG 34010KT

TAF

TAF LFMN 081400Z 0815/0921 18006KT 9999 FEW028 PROB40 0815/0816 FEW050CB BECMG 0821/0822 33010KT BECMG 0908/0910

Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.13		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.13		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.13		12 m