

OMSJ

Sharjah International Airport


OETB

TABUK

2024/05/17 0019Z

OMSJ SISOB **N571** ALPOB **UL768** JBL JBL **UL768** VATIM **UL550** ASTUM OETB

1057.10 nm / 1957.75 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMSJ	-	25.33050	0 ft	-	Sharjah International Airport
APT	-	55.51860	0 m		
SISOB	-	25.53060	34,400 ft	96	-
FIX	-	53.75250	10,485 m		
PURLI	N571	25.61220	35,000 ft	19	-
FIX	AWY-LO	53.41000	10,668 m		
ALPOB	N571	25.70500	35,000 ft	22	-
FIX	AWY-LO	53.01530	10,668 m		
ROTAG	UL768	25.89810	35,000 ft	24	-
FIX	AWY-HI	52.60580	10,668 m		
SOLEG	UL768	26.03310	35,000 ft	18	-
FIX	AWY-HI	52.29890	10,668 m		
MODOG	UL768	26.17000	35,000 ft	18	-
FIX	AWY-HI	51.99310	10,668 m		
RAMKI	UL768	26.19390	35,000 ft	3	-
FIX	AWY-HI	51.94030	10,668 m		
RABLA	UL768	26.25160	35,000 ft	7	-
FIX	AWY-HI	51.80940	10,668 m		
SOLOB	UL768	26.37810	35,000 ft	17	-
FIX	AWY-HI	51.52560	10,668 m		
MEDMA	UL768	26.57260	35,000 ft	34	-
FIX	AWY-HI	50.91500	10,668 m		
ITOKO	UL768	26.62830	35,000 ft	10	-
FIX	AWY-HI	50.73780	10,668 m		
EGMOR	UL768	26.70300	35,000 ft	14	-
FIX	AWY-HI	50.48520	10,668 m		
ULADA	UL768	26.75750	35,000 ft	11	-
FIX	AWY-HI	50.27330	10,668 m		
JBL	UL768	27.01200	35,000 ft	48	JUBAIL
VOR	AWY-HI	49.41200	10,668 m		
JBL	-	27.03940	35,000 ft	1	JUBAIL VOR-DME
DME	-	49.40710	10,668 m		
VUTAT	UL768	27.16610	35,000 ft	15	-
FIX	AWY-HI	49.14750	10,668 m		
COPPI	UL768	27.84250	35,000 ft	85	-
FIX	AWY-HI	47.73310	10,668 m		
DUSBO	UL768	28.10440	35,000 ft	47	-
FIX	AWY-HI	46.88170	10,668 m		
GINVA	UL768	28.33050	35,000 ft	42	-
FIX	AWY-HI	46.12950	10,668 m		
VATIM	UL768	28.86000	35,000 ft	79	-
FIX	AWY-HI	44.74530	10,668 m		
RASMO	UL550	28.95360	35,000 ft	64	-
FIX	AWY-HI	43.52190	10,668 m		
ORSAL	UL550	29.04310	35,000 ft	70	-
FIX	AWY-HI	42.18530	10,668 m		
TOLDI	UL550	29.05810	35,000 ft	12	-
FIX	AWY-HI	41.93920	10,668 m		
NORGI	UL550	29.08750	35,000 ft	26	-
FIX	AWY-HI	41.42940	10,668 m		
ULAKO	UL550	29.13280	35,000 ft	44	-
FIX	AWY-HI	40.57780	10,668 m		
NIMAR	UL550	29.10970	35,000 ft	35	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	39.90690	10,668 m		
ENABI	UL550	29.11080	28,000 ft	51	-
FIX	AWY-HI	38.93060	8,534 m		
ASTUM	UL550	29.10780	21,800 ft	29	-
FIX	AWY-HI	38.37690	6,645 m		
OETB	-	28.37180	0 ft	102	TABUK
APT	-	36.63000	0 m		

OMSJ

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 1

Elevation: 118 ft / 36 m
Location: 25.330500 55.518600
Magnetic Var: 2.353 E

METAR

OMSJ 170000Z 00000KT CAVOK 28/18 Q1007 NOSIG

TAF

TAF OMSJ 162300Z 1700/1806 12006KT CAVOK BECMG 1703/1705 19010KT BECMG 1707/1709 33014KT BECMG 1717/1719 12005KT

Frequencies

APP - 124.90 MHz - DUBAI ARRIVALS APPROACH REC - 122.40 MHz - SHARJAH INTL AIRPORT ATIS
TWR - 118.60 MHz - SHARJAH TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	13,342 ft	122.53	ASPHALT	997 ft	374 ft
	45 m	4,067 m	120.18		304 m	114 m
30	148 ft	13,342 ft	302.55	ASPHALT	994 ft	390 ft
	45 m	4,067 m	300.19		303 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	LOC-ILS	ISJ	109.70 MHz	18 nm	302.45	-	111 ft
				33 km	300.09		111 m
30	GS	ISJ	109.70 MHz	10 nm	302.92	3.00	111 ft
				19 km	300.57		111 m

OETB

Region: SAUDI ARABIA
Timezone: ASIA/RIYADH
Runways: 3

Elevation: 2,552 ft / 778 m
Location: 28.371800 36.630000
Magnetic Var: 4.765 E

METAR

OETB 170000Z 31008KT CAVOK 21/03 Q1019 NOSIG

TAF

TAF TAF OETB 162300Z 1700/1806 VRB03KT CAVOK BECMG 1708/1710 09008KT BECMG 1718/1720 VRB03KT

Frequencies

REC - 128.20 MHz - ATIS	TWR - 125.90 MHz -
GND - 126.30 MHz -	GND - 287.90 MHz -
CLD - 128.75 MHz - CLNC DEL	APP - 119.70 MHz -
APP - 125.50 MHz -	APP - 285.50 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	151 ft	10,003 ft	132.35	ASPHALT	0 ft	978 ft
	46 m	3,049 m	127.58		0 m	298 m
31	151 ft	10,003 ft	312.36	ASPHALT	0 ft	997 ft
	46 m	3,049 m	307.59		0 m	304 m
06R	150 ft	8,835 ft	64.84	ASPHALT	0 ft	1,033 ft
	46 m	2,693 m	60.08		0 m	315 m
24L	150 ft	8,835 ft	244.86	ASPHALT	0 ft	997 ft
	46 m	2,693 m	240.09		0 m	304 m
06	148 ft	10,983 ft	64.89	ASPHALT	0 ft	1,142 ft
	45 m	3,348 m	60.12		0 m	348 m
24	148 ft	10,983 ft	244.90	ASPHALT	0 ft	1,148 ft
	45 m	3,348 m	240.14		0 m	350 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
31	DME	IPKS	111.90 MHz	18 nm	-	-	2,551 ft
				33 km	-		2,551 m
31	LOC-ILS	IPKS	111.90 MHz	18 nm	312.35	-	2,551 ft
				33 km	307.58		2,551 m
31	GS	IPKS	111.90 MHz	10 nm	313.09	3.00	2,533 ft
				19 km	308.32		2,533 m