


2024/05/14 2222Z

CYXX HARAS CYKA

125.37 nm / 232.19 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYXX	-	49.02270	0 ft	-	Abbotsford
APT	-	-122.36700	0 m		
HARAS	-	49.27910	7,000 ft	19	-
FIX	-	-122.04800	2,134 m		
CYKA	-	50.70220	0 ft	105	Kamloops
APT	-	-120.44500	0 m		

CYXX

Region: CANADA
Timezone: AMERICA/VANCOUVER
Runways: 2

Elevation: 192 ft / 59 m
Location: 49.022700 -122.367000
Magnetic Var: 15.095 E

METAR

CYXX 142200Z 19009KT 30SM FEW040 BKN280 19/10 A3017 RMK CU2CS5 SLP221 DENSITY ALT 500FT

TAF

TAF CYXX 141740Z 1418/1518 24007KT P6SM FEW020 SCT240 FM142100 22012KT P6SM SCT200 BECMG 1503/1505 VRB03KT FM1510

Frequencies

REC - 119.80 MHz - CYXX ATIS
TWR - 119.40 MHz - ABBOTSFORD TWR
APP - 132.70 MHz - VICTORIA APP

GND - 121.80 MHz - ABBOTSFORD GND
TWR - 121.00 MHz - ABBOTSFORD TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	200 ft	9,610 ft	85.76	ASPHALT	0 ft	0 ft
	61 m	2,929 m	70.67		0 m	0 m
25	200 ft	9,610 ft	265.79	ASPHALT	331 ft	62 ft
	61 m	2,929 m	250.70		101 m	19 m
01	200 ft	5,329 ft	25.66	ASPHALT	364 ft	0 ft
	61 m	1,624 m	10.57		111 m	0 m
19	200 ft	5,329 ft	205.67	ASPHALT	16 ft	0 ft
	61 m	1,624 m	190.57		5 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	IXX	109.70 MHz	18 nm	85.78	-	193 ft
				33 km	70.69		193 m
07	GS	IXX	109.70 MHz	10 nm	85.78	3.00	193 ft
				19 km	70.69		193 m

CYKA

Region: CANADA
Timezone: AMERICA/VANCOUVER
Runways: 2

Elevation: 1,131 ft / 345 m
Location: 50.702200 -120.445000
Magnetic Var: 15.041 E

METAR

CYKA 142200Z 28010KT 40SM BKN090 BKN130 23/03 A3001 RMK CU6AC1 TCU ASOCTD SLP168 DENSITY ALT 2300FT

TAF

TAF CYKA 141840Z 1419/1507 28005KT P6SM FEW050 BKN230 BECMG 1419/1421 09008KT FM150100 09008KT P6SM SCT090 TEMPO 1

Frequencies

TWR - 123.00 MHz - SHELL AERO CNTR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	7,967 ft	103.28	ASPHALT	0 ft	102 ft
	45 m	2,429 m	88.24		0 m	31 m
27	148 ft	7,967 ft	283.31	ASPHALT	0 ft	0 ft
	45 m	2,429 m	268.27		0 m	0 m
04	49 ft	2,779 ft	61.01	ASPHALT	686 ft	0 ft
	15 m	847 m	45.97		209 m	0 m
22	49 ft	2,779 ft	241.02	ASPHALT	0 ft	0 ft
	15 m	847 m	225.98		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IKA	109.30 MHz	18 nm	103.29	-	1,131 ft
				33 km	88.25		1,131 m
27	LOC-LOC	XPP	109.90 MHz	18 nm	283.29	-	1,131 ft
				33 km	268.25		1,131 m
09	GS	IKA	109.30 MHz	10 nm	103.29	3.10	1,131 ft
				19 km	88.25		1,131 m