

EHAM

Schiphol


LTBA

Istanbul Ataturk

2024/06/05 0718Z

EHAM SUVOX **L620** HMM **UL602** TABAT **L602** DONAD **UL602** BNO **M748** ODNEM **A4** NIT **M748** DEGET **UM748** NEKUL
L605 ADURA **UL605** VALPA **L605** BULEN **UL742** BGS **A17** MEDEM LTBA

1211.41 nm / 2243.53 km



Notes

Basic altitude profile:

- Ascent Rate: 4000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 3500000ft
- Cruise Speed: 350kts
- Descent Rate: 2000ft/min
- Descent Speed: 163kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.31485 4.75812	0 ft 0 m	-	Schiphol
SUVOX FIX	-	51.96917 7.10806	31,800 ft 9,693 m	89	-
HMM VOR	L620 AWY-LO	51.85687 7.70829	35,000 ft 10,668 m	23	HAMM VOR-DME
KEMAD FIX	UL602 AWY-HI	51.12361 9.67500	35,000 ft 10,668 m	85	-
ROBEL FIX	UL602 AWY-HI	50.89753 10.43367	35,000 ft 10,668 m	31	-
TAMEB FIX	UL602 AWY-HI	50.80778 10.73000	35,000 ft 10,668 m	12	-
BAMKI FIX	UL602 AWY-HI	50.71806 11.02028	35,000 ft 10,668 m	12	-
TABAT FIX	UL602 AWY-HI	50.55861 11.53139	35,000 ft 10,668 m	21	-
SODRO FIX	L602 AWY-LO	50.46472 11.82722	35,000 ft 10,668 m	12	-
PEROX FIX	L602 AWY-LO	50.34472 12.19944	35,000 ft 10,668 m	15	-
VARIK FIX	L602 AWY-LO	50.29111 12.38111	35,000 ft 10,668 m	7	-
DONAD FIX	L602 AWY-LO	50.08081 13.00000	35,000 ft 10,668 m	26	-
ILNEK FIX	UL602 AWY-HI	49.90723 14.00305	35,000 ft 10,668 m	40	-
BNO VOR	UL602 AWY-HI	49.15006 16.69258	35,000 ft 10,668 m	114	BRNO VOR-DME
ODNEM FIX	M748 AWY-LO	48.85320 17.16784	35,000 ft 10,668 m	25	-
BERVA FIX	A4 AWY-LO	48.61757 17.54117	35,000 ft 10,668 m	20	-
NIT VOR	A4 AWY-LO	48.29044 18.05064	35,000 ft 10,668 m	28	NITRA VOR-DME
RUTOL FIX	M748 AWY-LO	47.95806 18.51000	35,000 ft 10,668 m	27	-
ERGOM FIX	M748 AWY-LO	47.80833 18.73306	35,000 ft 10,668 m	12	-
EPARI FIX	M748 AWY-LO	47.68640 18.97801	35,000 ft 10,668 m	12	-
DEGET FIX	M748 AWY-LO	46.49354 21.26724	35,000 ft 10,668 m	117	-
NEKUL FIX	UM748 AWY-HI	45.51679 22.58677	35,000 ft 10,668 m	80	-
IDELO FIX	L605 AWY-LO	45.26025 23.07903	35,000 ft 10,668 m	25	-
LAMIT FIX	L605 AWY-LO	45.10398 23.37477	35,000 ft 10,668 m	15	-
ADURA FIX	L605 AWY-LO	44.45664 24.56816	35,000 ft 10,668 m	64	-
VALPA FIX	UL605 AWY-HI	44.07959 25.25300	35,000 ft 10,668 m	37	-
BULEN	L605	43.75000	35,000 ft	31	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	25.81667	10,668 m		
ALIVI	UL742	43.18722	35,000 ft	49	-
FIX	AWY-HI	26.64583	10,668 m		
BGS	UL742	42.57106	24,700 ft	53	BURGAS VOR-DME
VOR	AWY-HI	27.51986	7,529 m		
MEDEM	A17	42.39500	19,900 ft	22	-
FIX	AWY-LO	27.97167	6,066 m		
LTBA	-	40.97914	0 ft	93	Istanbul Ataturk
APT	-	28.81283	0 m		

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.053 E

METAR

EHAM 050655Z 29011KT 260V330 9999 SCT033 13/06 Q1011 NOSIG

TAF

TAF TAF EHAM 050435Z 0506/0612 28008KT 9999 SCT025 BECMG 0510/0513 28013KT BECMG 0517/0520 24006KT PROB30 TEMPO 0

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.72		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.76		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.19		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.19		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.16		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.16		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.14		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.14		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.80		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.84		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.13		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.15		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.83	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.17	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.14	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.15	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.74	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.17	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.19	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.83	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.17	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.14	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.15	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.74	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.17	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.19	3.00	-11 ft -11 m

LTBA

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 163 ft / 50 m
Location: 40.976100 28.814200
Magnetic Var: 6.073 E

METAR

LTBA 050650Z 03008KT 360V080 CAVOK 28/18 Q1014 RMK RWY23 07010KT 030V100

TAF

TAF LTBA 050440Z 0506/0606 VRB02KT CAVOK BECMG 0506/0508 04012KT

Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL	REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.02 MHz - YESILKOY TOWER	TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER	TWR - 118.37 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER	TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER	TWR - 121.97 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER	TWR - 125.30 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER	TWR - 126.05 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH	APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 122.57 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 124.45 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft 60 m	8,513 ft 2,595 m	58.45 52.38	ASPHALT	492 ft 150 m	207 ft 63 m
23	197 ft 60 m	8,513 ft 2,595 m	238.47 232.39	ASPHALT	0 ft 0 m	197 ft 60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm 33 km	- -	-	82 ft 82 m
23	DME	IATA	111.90 MHz	18 nm 33 km	- -	-	163 ft 163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm 33 km	58.46 52.39	-	163 ft 163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm 33 km	238.46 232.39	-	163 ft 163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.39		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.39		163 m