

KIAH

George Bush Intercontinental


MYNN

Lynden Pindling Intl

2024/06/16 2019Z

KIAH KAPAA **J86** LEV **Q100** SRQ **J616** MMDUQ **J43** LBV **V492** PBI **BR54V** ISAAC MYNN

1009.45 nm / 1869.51 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KIAH APT	-	29.98540 -95.34120	0 ft 0 m	-	George Bush Intercontinental
KAPAA FIX	-	29.84130 -94.46810	16,500 ft 5,029 m	46	-
PEKON FIX	J86 AWY-HI	29.62300 -92.92400	35,000 ft 10,668 m	81	-
LEV VOR	J86 AWY-HI	29.17520 -90.10400	35,000 ft 10,668 m	149	LEEVILLE (GRAND ISLE)
REDFN FIX	Q100 AWY-HI	28.88300 -88.70180	35,000 ft 10,668 m	75	-
NAITE FIX	Q100 AWY-HI	28.71070 -88.08330	35,000 ft 10,668 m	34	-
ROZZI FIX	Q100 AWY-HI	28.31450 -86.70520	35,000 ft 10,668 m	76	-
REMIS FIX	Q100 AWY-HI	27.88410 -85.25790	35,000 ft 10,668 m	80	-
SRQ VOR	Q100 AWY-HI	27.40700 -82.56370	35,000 ft 10,668 m	146	SARASOTA
MMDUQ FIX	J616 AWY-HI	27.26280 -81.90710	35,000 ft 10,668 m	36	-
CHRR1 FIX	J43 AWY-HI	27.05020 -81.65410	35,000 ft 10,668 m	18	-
LBV VOR	J43 AWY-HI	26.82820 -81.39140	35,000 ft 10,668 m	19	LA BELLE
JIBTO FIX	V492 AWY-LO	26.81650 -81.20560	35,000 ft 10,668 m	9	-
RELLI FIX	V492 AWY-LO	26.80170 -80.97680	35,000 ft 10,668 m	12	-
PHK VOR	V492 AWY-LO	26.78270 -80.69140	35,000 ft 10,668 m	15	PAHOKEE
NITNY FIX	V492 AWY-LO	26.68020 -80.45080	35,000 ft 10,668 m	14	-
PBI VOR	V492 AWY-LO	26.68010 -80.08650	35,000 ft 10,668 m	19	PALM BEACH
MRLIN FIX	BR54V AWY-HI	26.50090 -79.76600	32,600 ft 9,936 m	20	-
PRED4 FIX	BR54V AWY-HI	26.35800 -79.51170	29,100 ft 8,870 m	16	-
ISAAC FIX	BR54V AWY-HI	25.95210 -78.79780	19,400 ft 5,913 m	45	-
MYNN APT	-	25.03870 -77.46680	0 ft 0 m	90	Lynden Pindling Intl

KIAH

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 5

Elevation: 98 ft / 30 m
Location: 29.985400 -95.341200
Magnetic Var: 1.718 E

METAR

KIAH 161953Z 12010KT 10SM SCT048 SCT065 33/23 A2983 RMK A02 SLP101 T03330228

TAF

KIAH 161733Z 1618/1724 16011KT P6SM SCT040 FM170300 15006KT P6SM SCT023 FM171000 12008KT 6SM BR VCSH BKN023 FM171

Frequencies

REC - 124.05 MHz - D-ATIS	REC - 122.95 MHz - UNICOM
CLD - 128.10 MHz - CLEARANCE DELIVERY	GND - 119.95 MHz - HOUSTON GROUND
GND - 121.70 MHz - HOUSTON GROUND	GND - 118.57 MHz - HOUSTON GROUND
TWR - 120.72 MHz - HOUSTON TOWER	TWR - 125.35 MHz - HOUSTON TOWER
TWR - 135.15 MHz - HOUSTON TOWER	TWR - 127.30 MHz - HOUSTON TOWER
APP - 120.05 MHz - HOUSTON APPROACH	APP - 124.35 MHz - HOUSTON APPROACH
DEP - 126.67 MHz - HOUSTON DEPARTURE	DEP - 132.25 MHz - HOUSTON DEPARTURE
DEP - 133.60 MHz - HOUSTON DEPARTURE	DEP - 127.12 MHz - HOUSTON DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	151 ft	10,010 ft	152.07	CONCRETE	0 ft	407 ft
	46 m	3,051 m	150.35		0 m	124 m
33L	151 ft	10,010 ft	332.08	CONCRETE	0 ft	407 ft
	46 m	3,051 m	330.36		0 m	124 m
15L	151 ft	12,013 ft	152.08	CONCRETE	0 ft	413 ft
	46 m	3,662 m	150.36		0 m	126 m
33R	151 ft	12,013 ft	332.09	CONCRETE	0 ft	413 ft
	46 m	3,662 m	330.37		0 m	126 m
08L	151 ft	9,008 ft	89.94	CONCRETE	0 ft	387 ft
	46 m	2,746 m	88.23		0 m	118 m
26R	151 ft	9,008 ft	269.96	CONCRETE	0 ft	387 ft
	46 m	2,746 m	268.24		0 m	118 m
08R	151 ft	9,412 ft	89.96	CONCRETE	0 ft	384 ft
	46 m	2,869 m	88.24		0 m	117 m
26L	151 ft	9,412 ft	269.97	CONCRETE	0 ft	384 ft
	46 m	2,869 m	268.25		0 m	117 m
09	151 ft	10,009 ft	89.95	CONCRETE	0 ft	387 ft
	46 m	3,051 m	88.23		0 m	118 m
27	151 ft	10,009 ft	269.97	CONCRETE	0 ft	387 ft
	46 m	3,051 m	268.25		0 m	118 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	IBZU	111.55 MHz	18 nm	-	-	90 ft
				33 km	-		90 m
08R	DME	IIAH	109.70 MHz	18 nm	-	-	109 ft
				33 km	-		109 m
09	DME	IUYO	110.90 MHz	18 nm	-	-	100 ft
				33 km	-		100 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	IJYV	109.70 MHz	18 nm 33 km	- -	-	109 ft 109 m
26R	DME	IOND	111.55 MHz	18 nm 33 km	- -	-	84 ft 84 m
27	DME	IGHI	110.90 MHz	18 nm 33 km	- -	-	100 ft 100 m
08L	LOC-ILS	IBZU	111.55 MHz	18 nm 33 km	89.95 88.23	-	98 ft 98 m
08R	LOC-ILS	IIAH	109.70 MHz	18 nm 33 km	89.96 88.24	-	98 ft 98 m
09	LOC-ILS	IUYO	110.90 MHz	18 nm 33 km	89.96 88.24	-	98 ft 98 m
15R	LOC-ILS	ILKM	111.15 MHz	18 nm 33 km	152.08 150.36	-	98 ft 98 m
26L	LOC-ILS	IJYV	109.70 MHz	18 nm 33 km	269.96 268.24	-	98 ft 98 m
26R	LOC-ILS	IOND	111.55 MHz	18 nm 33 km	269.95 268.23	-	98 ft 98 m
27	LOC-ILS	IGHI	110.90 MHz	18 nm 33 km	269.96 268.24	-	98 ft 98 m
33R	LOC-ILS	ICDG	111.90 MHz	18 nm 33 km	332.09 330.37	-	98 ft 98 m
08L	GS	IBZU	111.55 MHz	10 nm 19 km	89.95 88.23	3.00	98 ft 98 m
08R	GS	IIAH	109.70 MHz	10 nm 19 km	89.96 88.24	3.00	98 ft 98 m
09	GS	IUYO	110.90 MHz	10 nm 19 km	89.96 88.24	3.00	98 ft 98 m
15R	GS	ILKM	111.15 MHz	10 nm 19 km	152.08 150.36	3.00	98 ft 98 m
26L	GS	IJYV	109.70 MHz	10 nm 19 km	269.96 268.24	3.00	98 ft 98 m
26R	GS	IOND	111.55 MHz	10 nm 19 km	269.95 268.23	3.00	98 ft 98 m
27	GS	IGHI	110.90 MHz	10 nm 19 km	269.96 268.24	3.00	98 ft 98 m
33R	GS	ICDG	111.90 MHz	10 nm 19 km	332.09 330.37	3.00	98 ft 98 m

MYNN

Region: BAHAMAS

Timezone: AMERICA/NASSAU

Runways: 2

Elevation: 16 ft / 5 m

Location: 25.038700 -77.466800

Magnetic Var: 8.789 W

METAR

MYNN 162000Z 04007KT 020V080 9999 FEW025 SCT150 BKN220 29/24 A3002

TAF

TAF MYNN 161705Z 1618/1718 05008KT 9999 FEW025 BKN180 TEMPO 1702/1708 CAVOK FM171400 08010G20KT 9999 SCT022 SCT200

Frequencies

REC - 118.70 MHz - ATIS

GND - 121.70 MHz - NASSAU GROUND

APP - 121.00 MHz - NASSAU APPROACH

DEP - 121.00 MHz - NASSAU DEPARTURE

CLD - 118.30 MHz - NASSAU CLEARANCE

TWR - 119.50 MHz - NASSAU TOWER

APP - 125.30 MHz - NASSAU APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft	11,136 ft	134.80	CONCRETE	210 ft	0 ft
	46 m	3,394 m	143.59		64 m	0 m
32	151 ft	11,136 ft	314.81	CONCRETE	0 ft	0 ft
	46 m	3,394 m	323.60		0 m	0 m
10	151 ft	8,282 ft	89.67	CONCRETE	0 ft	0 ft
	46 m	2,524 m	98.46		0 m	0 m
28	151 ft	8,282 ft	269.68	CONCRETE	0 ft	0 ft
	46 m	2,524 m	278.47		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	IZQA	110.10 MHz	18 nm	134.83	-	7 ft
				33 km	143.62		7 m
14	GS	IZQA	110.10 MHz	10 nm	135.66	3.00	8 ft
				19 km	144.45		8 m