


2024/06/12 1017Z

LUKK EVIKA LROP

185.14 nm / 342.89 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LUKK	-	46.92960	0 ft	-	Chisinau Intl
APT	-	28.93330	0 m		
EVIKA	-	45.61250	18,500 ft	98	-
FIX	-	27.51390	5,639 m		
LROP	-	44.57230	0 ft	86	Bucharest Henri Coanda
APT	-	26.10230	0 m		

## LUKK

Region: MOLDOVA  
Timezone: EUROPE/CHISINAU  
Runways: 2

Elevation: 397 ft / 121 m  
Location: 46.929600 28.933300  
Magnetic Var: 7.205 E

## METAR

LUKK 121000Z 33012KT 9999 SCT043 26/18 Q1013 TEMPO 33016G26KT

## TAF

TAF LUKK 120515Z 1206/1306 31012KT 9999 BKN015 TEMPO 1206/1214 33016G28KT BECMG 1208/1210 SCT045 BECMG 1216/1218

## Frequencies

APP - 133.30 MHz - CHISINAU APPROACH  
GND - 121.80 MHz - CHISINAU GROUND CONTROL  
TWR - 129.72 MHz - CHISINAU TOWER  
GND - 131.70 MHz - CHISINAU APRON  
TWR - 118.10 MHz - CHISINAU TOWER  
REC - 125.22 MHz - CHISINAU ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	7,799 ft	97.09	CONCRETE	0 ft	0 ft
	45 m	2,377 m	89.89		0 m	0 m
27	148 ft	7,799 ft	277.12	CONCRETE	0 ft	0 ft
	45 m	2,377 m	269.91		0 m	0 m
08	148 ft	11,753 ft	88.29	CONCRETE	0 ft	0 ft
	45 m	3,582 m	81.08		0 m	0 m
26	148 ft	11,753 ft	268.32	CONCRETE	0 ft	0 ft
	45 m	3,582 m	261.11		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IRG	110.30 MHz	18 nm	-	-	397 ft
				33 km	-		397 m
26	DME	ILD	109.90 MHz	18 nm	-	-	286 ft
				33 km	-		286 m
08	LOC-ILS	IRG	110.30 MHz	18 nm	88.31	-	398 ft
				33 km	81.10		398 m
26	LOC-ILS	ILD	109.90 MHz	18 nm	268.31	-	398 ft
				33 km	261.10		398 m
08	GS	IRG	110.30 MHz	10 nm	88.31	3.00	398 ft
				19 km	81.10		398 m
26	GS	ILD	109.90 MHz	10 nm	268.31	3.00	398 ft
				19 km	261.10		398 m

## LROP

Region: ROMANIA  
Timezone: EUROPE/BUCHAREST  
Runways: 2

Elevation: 313 ft / 95 m  
Location: 44.572300 26.102300  
Magnetic Var: 6.300 E

## METAR

LROP 121000Z VRB03KT CAVOK 31/10 Q1012 NOSIG

## TAF

TAF LROP 120500Z 1206/1306 VRB04KT CAVOK BECMG 1216/1218 06014KT TEMPO 1223/1305 VRB15G25KT 5000 TSRA SCT040CB

## Frequencies

REC - 118.50 MHz - OTOPENI ATIS  
TWR - 121.85 MHz - OTOPENI TWR

GND - 121.70 MHz - OTOPENI GND  
APP - 118.25 MHz - BUCHAREST APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	11,494 ft	83.90	ASPHALT	0 ft	0 ft
	45 m	3,503 m	77.60		0 m	0 m
26L	148 ft	11,494 ft	263.93	ASPHALT	0 ft	0 ft
	45 m	3,503 m	257.63		0 m	0 m
08L	148 ft	11,493 ft	83.91	ASPHALT	0 ft	0 ft
	45 m	3,503 m	77.61		0 m	0 m
26R	148 ft	11,493 ft	263.94	ASPHALT	0 ft	0 ft
	45 m	3,503 m	257.64		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ILL	110.90 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
08R	DME	IOP	110.30 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
26L	DME	IOE	109.10 MHz	18 nm	-	-	314 ft
				33 km	-		314 m
26R	DME	IRR	110.70 MHz	18 nm	-	-	400 ft
				33 km	-		400 m
08L	LOC-ILS	ILL	110.90 MHz	18 nm	83.74	-	314 ft
				33 km	77.44		314 m
08R	LOC-ILS	IOP	110.30 MHz	18 nm	83.74	-	303 ft
				33 km	77.44		303 m
26L	LOC-ILS	IOE	109.10 MHz	18 nm	264.11	-	314 ft
				33 km	257.81		314 m
26R	LOC-ILS	IRR	110.70 MHz	18 nm	264.12	-	314 ft
				33 km	257.82		314 m
08L	GS	ILL	110.90 MHz	10 nm	84.84	3.00	314 ft
				19 km	78.54		314 m
08R	GS	IOP	110.30 MHz	10 nm	84.81	2.70	314 ft
				19 km	78.51		314 m
26L	GS	IOE	109.10 MHz	10 nm	264.81	2.70	303 ft
				19 km	258.51		303 m
26R	GS	IRR	110.70 MHz	10 nm	264.84	3.00	314 ft
				19 km	258.54		314 m