


2024/05/12 0306Z

KLNS EZIZI **V29** SBY **J209** SAWED KMQI

262.44 nm / 486.05 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLNS APT	-	40.12200 -76.29500	0 ft 0 m	-	Lancaster Airport
EZIZI FIX	-	38.60360 -75.51060	35,000 ft 10,668 m	98	-
SBY VOR	V29 AWY-LO	38.34500 -75.51060	31,800 ft 9,693 m	15	SALISBURY
SAWED FIX	J209 AWY-HI	37.53350 -75.85810	20,800 ft 6,340 m	51	-
KMQI APT	-	35.91900 -75.69540	0 ft 0 m	97	DARE CO RGNL

## KLNS

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 2

Elevation: 402 ft / 123 m  
Location: 40.122000 -76.295000  
Magnetic Var: 11.496 W

## METAR

KLNS 120153Z 15008KT 10SM BKN065 OVC090 11/09 A2982 RMK A02 RAE12 SLP099 P0001 T01110089

## TAF

KLNS 112325Z 1200/1224 17009KT 6SM BR VCSH OVC070 FM120100 17007KT P6SM OVC050 FM120400 16008KT 6SM BR VCSH OVC025

## Frequencies

REC - 125.67 MHz - ATIS  
COM - 122.95 MHz - UNICOM  
TWR - 120.90 MHz - LANCASTER TOWER  
DEP - 126.45 MHz - HARRISBURG DEPARTURE  
COM - 120.90 MHz - CTAF  
GND - 121.80 MHz - LANCASTER GROUND  
APP - 126.45 MHz - HARRISBURG APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft	6,919 ft	67.89	ASPHALT	361 ft	197 ft
	46 m	2,109 m	79.39		110 m	60 m
26	150 ft	6,919 ft	247.91	ASPHALT	0 ft	200 ft
	46 m	2,109 m	259.40		0 m	61 m
13	100 ft	4,097 ft	119.30	ASPHALT	0 ft	0 ft
	30 m	1,249 m	130.80		0 m	0 m
31	100 ft	4,097 ft	299.31	ASPHALT	0 ft	0 ft
	30 m	1,249 m	310.80		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	ILNS	108.70 MHz	18 nm	67.91	-	403 ft
				33 km	79.40		403 m
08	GS	ILNS	108.70 MHz	10 nm	68.80	3.00	399 ft
				19 km	80.30		399 m