

EIDW

Dublin


LIRA

Roma-Ciampino "G. B. Pastine"

2024/05/20 0100Z

EIDW DOLOP **UY124** AMPIT **UL15** HON **UL10** BPK **N601** DET **N57** SANDY **UL15** RIPUS ALBIX **M858** CANNE **L995**
AMTEL LIRA

1066.57 nm / 1975.29 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EIDW	-	53.42490	0 ft	-	Dublin
APT	-	-6.26308	0 m		
DOLOP	-	53.21420	34,000 ft	95	-
FIX	-	-3.63083	10,363 m		
AMPIT	UY124	53.19420	35,000 ft	15	-
FIX	AWY-HI	-3.19250	10,668 m		
RISLA	UL15	53.03080	35,000 ft	14	-
FIX	AWY-HI	-2.88667	10,668 m		
KEPAD	UL15	52.80970	35,000 ft	19	-
FIX	AWY-HI	-2.47889	10,668 m		
HON	UL15	52.35670	35,000 ft	40	HONILEY
VOR	AWY-HI	-1.66373	10,668 m		
DTY	UL10	52.18010	35,000 ft	22	DAVENTRY
VOR	AWY-HI	-1.11379	10,668 m		
WOBUN	UL10	52.01940	35,000 ft	17	-
FIX	AWY-HI	-0.73333	10,668 m		
BUZAD	UL10	51.94220	35,000 ft	8	-
FIX	AWY-HI	-0.55222	10,668 m		
BPK	UL10	51.74970	35,000 ft	20	BROOKMANS PARK
VOR	AWY-HI	-0.10674	10,668 m		
BAKER	N601	51.49500	35,000 ft	21	-
FIX	AWY-LO	0.29806	10,668 m		
DET	N601	51.30400	35,000 ft	16	DETLING
VOR	AWY-LO	0.59727	10,668 m		
SANDY	N57	51.06420	35,000 ft	22	-
FIX	AWY-LO	1.06750	10,668 m		
MOTOX	UL15	50.95780	35,000 ft	16	-
FIX	AWY-HI	1.46667	10,668 m		
ING	UL15	50.88320	35,000 ft	11	SAINT INGLEVERT
NDB	AWY-HI	1.74181	10,668 m		
LESDO	UL15	49.80830	35,000 ft	88	-
FIX	AWY-HI	3.31806	10,668 m		
RANUX	UL15	49.13890	35,000 ft	57	-
FIX	AWY-HI	4.36167	10,668 m		
NEBAX	UL15	48.45690	35,000 ft	83	-
FIX	AWY-HI	6.19444	10,668 m		
OBAKI	UL15	48.36580	35,000 ft	10	-
FIX	AWY-HI	6.43056	10,668 m		
BEGAR	UL15	47.90830	35,000 ft	53	-
FIX	AWY-HI	7.58333	10,668 m		
RIPUS	UL15	47.26030	35,000 ft	53	-
FIX	AWY-HI	8.50000	10,668 m		
ALBIX	-	47.24980	35,000 ft	2	-
FIX	-	8.56457	10,668 m		
AGERI	M858	47.11710	35,000 ft	8	-
FIX	AWY-LO	8.60503	10,668 m		
URNAS	M858	47.00230	35,000 ft	7	-
FIX	AWY-LO	8.63828	10,668 m		
LUKOM	M858	46.58500	35,000 ft	25	-
FIX	AWY-LO	8.75861	10,668 m		
CANNE	M858	46.16670	35,000 ft	25	-
FIX	AWY-LO	8.88111	10,668 m		
PEPAG	L995	45.98390	35,000 ft	13	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	9.07139	10,668 m		
TZO	L995	45.55920	35,000 ft	31	TREZZO
VOR	AWY-HI	9.50700	10,668 m		
BEKAN	L995	45.32500	35,000 ft	17	-
FIX	AWY-HI	9.76111	10,668 m		
MISPO	L995	45.02390	35,000 ft	22	-
FIX	AWY-HI	10.08060	10,668 m		
OSBUL	L995	44.82220	35,000 ft	15	-
FIX	AWY-HI	10.29330	10,668 m		
IVLOX	L995	44.71940	35,000 ft	7	-
FIX	AWY-HI	10.38690	10,668 m		
RIPDU	L995	44.62250	35,000 ft	6	-
FIX	AWY-HI	10.47500	10,668 m		
LUPOS	L995	44.50470	35,000 ft	8	-
FIX	AWY-HI	10.58140	10,668 m		
IPLUB	L995	44.24830	35,000 ft	18	-
FIX	AWY-HI	10.80890	10,668 m		
LOMED	L995	44.02720	32,300 ft	15	-
FIX	AWY-HI	11.00330	9,845 m		
KUGIX	L995	43.55220	25,300 ft	32	-
FIX	AWY-HI	11.36220	7,711 m		
IBRID	L995	43.47780	24,300 ft	5	-
FIX	AWY-HI	11.41750	7,407 m		
AMTEL	L995	43.22030	20,500 ft	17	-
FIX	AWY-HI	11.60860	6,248 m		
LIRA	-	41.79920	0 ft	95	Roma-Ciampino "G. B. Pastine"
APT	-	12.59490	0 m		

EIDW

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 240 ft / 73 m
Location: 53.424900 -6.263080
Magnetic Var: 1.971 W

METAR

EIDW 200030Z VRB01KT 9999 FEW015 10/10 Q1016 NOSIG

TAF

TAF EIDW 192300Z 2000/2024 VRB03KT CAVOK PROB40 TEMPO 2002/2007 3000 BR PROB30 TEMPO 2003/2006 0600 FG BKN001 PROB

Frequencies

REC - 124.52 MHz - ATIS
GND - 118.75 MHz - DUBLIN GROUND
CLD - 121.87 MHz - CLEARANCE DELIVERY
APP - 121.10 MHz - DUBLIN APPROACH
APP - 119.55 MHz - DUBLIN APPROACH

TWR - 118.60 MHz - DUBLIN TOWER
GND - 121.80 MHz - DUBLIN GROUND
APP - 133.27 MHz - DUBLIN APPROACH
APP - 119.92 MHz - DUBLIN APPROACH
REC - 118.50 MHz - DUBLIN INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	148 ft	8,660 ft	95.26	ASPHALT	0 ft	0 ft
	45 m	2,640 m	97.23		0 m	0 m
28L	148 ft	8,660 ft	275.29	ASPHALT	0 ft	0 ft
	45 m	2,640 m	277.26		0 m	0 m
16	190 ft	6,805 ft	156.64	ASPHALT	0 ft	0 ft
	58 m	2,074 m	158.61		0 m	0 m
34	190 ft	6,805 ft	336.65	ASPHALT	0 ft	0 ft
	58 m	2,074 m	338.62		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAC	111.50 MHz	18 nm	-	-	200 ft
				33 km	-		200 m
10R	LOC-ILS	IDE	108.90 MHz	18 nm	95.26	-	242 ft
				33 km	97.23		242 m
16	LOC-ILS	IAC	111.50 MHz	18 nm	156.64	-	242 ft
				33 km	158.61		242 m
28L	LOC-ILS	IDW	111.35 MHz	18 nm	275.26	-	242 ft
				33 km	277.23		242 m
10R	GS	IDE	108.90 MHz	10 nm	95.26	3.00	242 ft
				19 km	97.23		242 m
16	GS	IAC	111.50 MHz	10 nm	156.64	3.00	242 ft
				19 km	158.61		242 m
28L	GS	IDW	111.35 MHz	10 nm	275.26	3.00	242 ft
				19 km	277.23		242 m

LIRA

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 424 ft / 129 m
Location: 41.799200 12.594900
Magnetic Var: 3.730 E

METAR

LIRA 200020Z 07003KT CAVOK 18/15 Q1011

TAF

LIRA 192300Z 2000/2024 VRB05KT 9999 SCT040 TEMPO 2014/2018 4000 TSRA

Frequencies

REC - 122.42 MHz - ATIS	GND - 121.75 MHz - CIAMPINO GROUND
TWR - 122.10 MHz - CIAMPINO TOWER	TWR - 120.50 MHz - CIAMPINO TOWER
CLD - 119.40 MHz - CLEARANCE DELIVERY	APP - 125.50 MHz - ROMA APPROACH
APP - 127.95 MHz - ROMA APPROACH	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	151 ft	7,235 ft	152.77	ASPHALT	0 ft	0 ft
	46 m	2,205 m	149.04		0 m	0 m
33	151 ft	7,235 ft	332.78	ASPHALT	0 ft	0 ft
	46 m	2,205 m	329.05		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	CIA	109.90 MHz	18 nm	152.78	-	425 ft
				33 km	149.05		425 m
15	GS	CIA	109.90 MHz	10 nm	152.78	3.00	425 ft
				19 km	149.05		425 m