

TJBQ

Rafael Hernandez


KORL

Orlando Executive

2024/06/07 2216Z

TJBQ MUNOZ L452 GTK BR1L ZFP BR62V FORNL KORL

990.90 nm / 1835.15 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TJBQ APT	-	18.49480 -67.12940	0 ft 0 m	-	Rafael Hernandez
MUNOZ FIX	-	19.01610 -67.79780	17,500 ft 5,334 m	49	-
HARBG FIX	L452 AWY-HI	19.86730 -68.94750	35,000 ft 10,668 m	82	-
MACKI FIX	L452 AWY-HI	20.44350 -69.72840	35,000 ft 10,668 m	55	-
RNTRY FIX	L452 AWY-HI	20.82070 -70.25610	35,000 ft 10,668 m	37	-
GTK DME	L452 AWY-HI	21.44070 -71.13440	35,000 ft 10,668 m	61	GRAND TURK VORTAC
BIKIN FIX	BR1L AWY-HI	21.78750 -71.52400	35,000 ft 10,668 m	30	-
STRUD FIX	BR1L AWY-HI	22.19860 -71.98410	35,000 ft 10,668 m	35	-
RAHAM FIX	BR1L AWY-HI	22.37940 -72.18760	35,000 ft 10,668 m	15	-
OREDE FIX	BR1L AWY-HI	22.60410 -72.44530	35,000 ft 10,668 m	19	-
BENIE FIX	BR1L AWY-HI	23.57430 -73.57290	35,000 ft 10,668 m	85	-
AVNEY FIX	BR1L AWY-HI	23.89550 -73.94990	35,000 ft 10,668 m	28	-
BRRGO FIX	BR1L AWY-HI	24.41670 -74.56550	35,000 ft 10,668 m	46	-
LOGVN FIX	BR1L AWY-HI	24.53330 -74.77810	35,000 ft 10,668 m	13	-
COBBL FIX	BR1L AWY-HI	24.75690 -75.18800	35,000 ft 10,668 m	26	-
DIAZZ FIX	BR1L AWY-HI	24.85490 -75.36900	35,000 ft 10,668 m	11	-
MAMML FIX	BR1L AWY-HI	25.53670 -76.64770	35,000 ft 10,668 m	80	-
BARTS FIX	BR1L AWY-HI	25.98370 -77.50570	35,000 ft 10,668 m	53	-
ZFP VOR	BR1L AWY-HI	26.55530 -78.69790	35,000 ft 10,668 m	72	FREEPORT
JAKEL FIX	BR62V AWY-HI	26.81620 -79.10770	33,800 ft 10,302 m	27	-
BERTH FIX	BR62V AWY-HI	26.95360 -79.32540	30,700 ft 9,357 m	14	-
SURFN FIX	BR62V AWY-HI	27.26260 -79.81800	23,800 ft 7,254 m	32	-
FORNL FIX	BR62V AWY-HI	27.32600 -79.91970	22,400 ft 6,828 m	6	-
KORL APT	-	28.54540 -81.33330	0 ft 0 m	104	Orlando Executive

KORL

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 112 ft / 34 m
Location: 28.545400 -81.333300
Magnetic Var: 7.000 W

METAR

KORL 072153Z VRB04KT 10SM CLR 35/21 A2981 RMK A02 LTG DSNT N AND E SLP095 T03500211

TAF

UNKNOWN

Frequencies

REC - 127.25 MHz - ATIS	COM - 122.95 MHz - EXECUTIVE UNICOM
COM - 118.70 MHz - CTAF	GND - 121.40 MHz - EXECUTIVE GROUND
TWR - 118.70 MHz - EXECUTIVE TOWER	APP - 119.40 MHz - ORLANDO APPROACH
DEP - 119.40 MHz - ORLANDO DEPARTURE	APP - 119.77 MHz - ORLANDO APPROACH
DEP - 119.77 MHz - ORLANDO DEPARTURE	APP - 135.30 MHz - ORLANDO APPROACH
DEP - 135.30 MHz - ORLANDO DEPARTURE	APP - 120.15 MHz - ORLANDO APPROACH
DEP - 120.15 MHz - ORLANDO DEPARTURE	APP - 124.80 MHz - ORLANDO APPROACH
DEP - 124.80 MHz - ORLANDO DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	150 ft	5,999 ft	66.59	ASPHALT	0 ft	200 ft
	46 m	1,828 m	73.59		0 m	61 m
25	150 ft	5,999 ft	246.60	ASPHALT	0 ft	200 ft
	46 m	1,828 m	253.60		0 m	61 m
13	100 ft	4,627 ft	130.99	ASPHALT	0 ft	0 ft
	30 m	1,410 m	137.99		0 m	0 m
31	100 ft	4,627 ft	310.99	ASPHALT	0 ft	374 ft
	30 m	1,410 m	317.99		0 m	114 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	IORL	109.90 MHz	18 nm	66.59	-	112 ft
				33 km	73.59		112 m
25	LOC-ILS	IEXO	109.35 MHz	18 nm	246.59	-	112 ft
				33 km	253.59		112 m
07	GS	IORL	109.90 MHz	10 nm	66.59	3.00	112 ft
				19 km	73.59		112 m
25	GS	IEXO	109.35 MHz	10 nm	246.59	3.00	112 ft
				19 km	253.59		112 m