

LIPZ

Venezia Tessera


EDDT

Berlin Tegel

2024/05/23 0343Z

LIPZ VENOG **P994** TURBU **Y704** ROTIN **N871** MEBEK VIBUG **M736** RUDNO **L132** AGNAV **UL132** KILNU **L132** EKPEK
EDDT

436.04 nm / 807.55 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 30000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPZ	-	45.50479	0 ft	-	Venezia Tessera
APT	-	12.34969	0 m	-	
VENOG	-	46.95477	31,100 ft	87	-
FIX	-	12.27579	9,479 m	-	-
ARTUS	P994	47.51886	35,000 ft	33	-
FIX	AWY-LO	12.25580	10,668 m	-	-
4812E	P994	47.60571	35,000 ft	5	-
FIX	AWY-LO	12.19876	10,668 m	-	-
TURBU	P994	47.72889	35,000 ft	8	-
FIX	AWY-LO	12.11750	10,668 m	-	-
ROTIN	Y704	47.94278	35,000 ft	13	-
FIX	AWY-LO	12.24639	10,668 m	-	-
MEBEK	N871	48.23194	35,000 ft	21	-
FIX	AWY-LO	12.56556	10,668 m	-	-
VIBUG	-	48.43861	35,000 ft	12	-
FIX	-	12.48083	10,668 m	-	-
RDG	M736	49.04027	35,000 ft	36	RODING VORTAC
VOR	AWY-LO	12.52655	10,668 m	-	
RUDNO	M736	49.33583	35,000 ft	17	-
FIX	AWY-LO	12.54139	10,668 m	-	-
AGNAV	L132	49.56713	35,000 ft	14	-
FIX	AWY-LO	12.61344	10,668 m	-	-
KILNU	UL132	50.47694	27,600 ft	55	-
FIX	AWY-HI	12.91167	8,412 m	-	-
ABKIS	L132	50.62972	25,300 ft	10	-
FIX	AWY-LO	13.05722	7,711 m	-	-
EKPEK	L132	50.96444	20,500 ft	22	-
FIX	AWY-LO	13.32139	6,248 m	-	-
EDDT	-	52.55910	0 ft	95	Berlin Tegel
APT	-	13.29019	0 m	-	

LIPZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 4 ft / 1 m
Location: 45.504800 12.349700
Magnetic Var: 3.909 E

METAR

LIPZ 230320Z 04004KT CAVOK 14/14 Q1015 NOSIG

TAF

TAF LIPZ 222300Z 2300/2406 VRB06KT 9999 SCT020 TEMPO 2309/2315 RA TEMPO 2315/2321 4000 TSRA

Frequencies

REC - 128.65 MHz - ATIS
TWR - 120.20 MHz - VENEZIA TOWER
APP - 118.25 MHz - VENEZIA APPROACH
GND - 121.70 MHz - VENEZIA GROUND
APP - 118.90 MHz - VENEZIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	10,836 ft	42.03	ASPHALT	0 ft	0 ft
	45 m	3,303 m	38.12		0 m	0 m
22L	148 ft	10,836 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	3,303 m	218.14		0 m	0 m
04L	148 ft	9,129 ft	42.03	ASPHALT	318 ft	0 ft
	45 m	2,782 m	38.12		97 m	0 m
22R	148 ft	9,129 ft	222.05	ASPHALT	0 ft	0 ft
	45 m	2,782 m	218.14		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	VTS	109.95 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
04R	LOC-ILS	VTS	109.95 MHz	18 nm	42.04	-	4 ft
				33 km	38.13		4 m
04R	GS	VTS	109.95 MHz	10 nm	42.04	3.00	4 ft
				19 km	38.13		4 m

EDDT

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 2

Elevation: 122 ft / 37 m
Location: 52.559100 13.290200
Magnetic Var: 4.617 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 125.90 MHz - ATIS
TWR - 118.85 MHz - TEGEL TOWER
GND - 121.75 MHz - TEGEL GROUND
CLD - 121.92 MHz - CLEARANCE DELIVERY
APP - 119.60 MHz - BREMEN RADAR
APP - 126.42 MHz - BREMEN RADAR

REC - 112.30 MHz - ATIS
TWR - 124.52 MHz - TEGEL TOWER
GND - 136.00 MHz - TEGEL GROUND
APP - 120.60 MHz - BREMEN RADAR
APP - 119.50 MHz - BREMEN RADAR
APP - 136.10 MHz - BERLIN DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	151 ft	9,888 ft	80.82	ASPHALT	0 ft	217 ft
	46 m	3,014 m	76.21		0 m	66 m
26R	151 ft	9,888 ft	260.86	ASPHALT	0 ft	230 ft
	46 m	3,014 m	256.24		0 m	70 m
08R	151 ft	7,907 ft	80.84	ASPHALT	325 ft	164 ft
	46 m	2,410 m	76.22		99 m	50 m
26L	151 ft	7,907 ft	260.87	ASPHALT	686 ft	233 ft
	46 m	2,410 m	256.25		209 m	71 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ITLE	109.10 MHz	18 nm	80.84	-	122 ft
				33 km	76.22		122 m
08R	LOC-ILS	ITGE	108.50 MHz	18 nm	80.85	-	122 ft
				33 km	76.23		122 m
26L	LOC-ILS	ITGW	109.30 MHz	18 nm	260.85	-	122 ft
				33 km	256.23		122 m
26R	LOC-ILS	ITLW	110.10 MHz	18 nm	260.84	-	122 ft
				33 km	256.22		122 m
08L	GS	ITLE	109.10 MHz	10 nm	80.84	3.00	122 ft
				19 km	76.22		122 m
08R	GS	ITGE	108.50 MHz	10 nm	80.85	3.00	122 ft
				19 km	76.23		122 m
26L	GS	ITGW	109.30 MHz	10 nm	260.85	3.00	122 ft
				19 km	256.23		122 m
26R	GS	ITLW	110.10 MHz	10 nm	260.84	3.00	122 ft
				19 km	256.22		122 m