


2024/05/02 1226Z

VEAT VECC

171.00 nm / 316.69 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: no
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VEAT	-	23.88720	0 ft	-	Agartala
APT	-	91.24090	0 m		
VECC	-	22.65480	0 ft	171	Kolkata Intl
APT	-	88.44670	0 m		

VEAT

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 1

Elevation: 56 ft / 17 m
Location: 23.887200 91.240900
Magnetic Var: 0.030 W

METAR

VEAT 021200Z 14008KT 4500 HZ FEW018 FEW030CB SCT100 32/25 Q0999 NOSIG

TAF

TAF VEAT 021100Z 0212/0318 17007KT 5000 HZ FEW018 FEW030CB SCT100 TEMPO 0215/0218 23012KT 2500 -TSRA BECMG 0219/0318 17007KT 5000 HZ FEW018 FEW030CB SCT100

Frequencies

REC - 128.80 MHz - ATIS
TWR - 118.05 MHz - AGARTALA TOWER

APP - 120.40 MHz - AGARTALA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	148 ft	7,538 ft	184.31	ASPHALT	446 ft	194 ft
	45 m	2,298 m	184.34		136 m	59 m
36	148 ft	7,538 ft	4.31	ASPHALT	0 ft	194 ft
	45 m	2,298 m	4.34		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	IAGE	110.30 MHz	18 nm	184.31	-	56 ft
				33 km	184.34		56 m
18	GS	IAGE	110.30 MHz	10 nm	184.31	3.00	56 ft
				19 km	184.34		56 m

VECC

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 2

Elevation: 22 ft / 7 m
Location: 22.654800 88.446700
Magnetic Var: 0.072 E

METAR

VECC 021200Z 28004KT 4000 HZ FEW020 38/19 Q0999 NOSIG

TAF

VECC 021100Z 0212/0318 19007KT 3500 HZ FEW020 SCT100 PROB40 TEMPO 0214/0218 26010G20KT 2000 TSRA SCT015 FEW025CB B

Frequencies

REC - 126.40 MHz - ATIS
TWR - 127.30 MHz - KOLKATA RADIO
APP - 127.90 MHz - KOLKATA APPROACH
GND - 121.90 MHz - KOLKATA GROUND
TWR - 118.10 MHz - KOLKATA TOWER
DEP - 128.80 MHz - KOLKATA DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01R	148 ft	11,970 ft	6.21	ASPHALT	0 ft	213 ft
	45 m	3,648 m	6.14		0 m	65 m
19L	148 ft	11,970 ft	186.21	ASPHALT	1,411 ft	469 ft
	45 m	3,648 m	186.14		430 m	143 m
01L	148 ft	10,771 ft	6.21	ASPHALT	1,450 ft	0 ft
	45 m	3,283 m	6.14		442 m	0 m
19R	148 ft	10,771 ft	186.21	ASPHALT	292 ft	0 ft
	45 m	3,283 m	186.14		89 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01R	DME	ICAL	109.90 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
19L	DME	IDUM	110.30 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
01R	LOC-ILS	ICAL	109.90 MHz	18 nm	5.55	-	18 ft
				33 km	5.48		18 m
19L	LOC-ILS	IDUM	110.30 MHz	18 nm	186.15	-	20 ft
				33 km	186.08		20 m
01R	GS	ICAL	109.90 MHz	10 nm	6.40	3.00	16 ft
				19 km	6.33		16 m
19L	GS	IDUM	110.30 MHz	10 nm	186.40	3.00	16 ft
				19 km	186.33		16 m