


2024/05/09 2135Z

LFBI DIBES LFPB

166.67 nm / 308.68 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFBI	-	46.58630	0 ft	-	Poitiers Biard
APT	-	0.30587	0 m		
DIBES	-	47.50750	21,900 ft	64	-
FIX	-	1.10472	6,675 m		
LFPB	-	48.96430	0 ft	102	Paris Le Bourget
APT	-	2.43558	0 m		

LFBI

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 422 ft / 129 m
Location: 46.586300 0.305868
Magnetic Var: 0.950 E

METAR

LFBI 092100Z AUTO 05005KT CAVOK 15/10 Q1021 NOSIG

TAF

TAF LFBI 091700Z 0918/1018 06009KT CAVOK

Frequencies

REC - 121.77 MHz - POITIERS ATIS
APP - 134.10 MHz - POITIERS APPROACH

TWR - 118.50 MHz - POITIERS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	328 ft	2,315 ft	30.51	GRASS	302 ft	0 ft
	100 m	706 m	29.56		92 m	0 m
21L	328 ft	2,315 ft	210.52	GRASS	466 ft	0 ft
	100 m	706 m	209.57		142 m	0 m
03	148 ft	7,717 ft	30.51	ASPHALT	0 ft	0 ft
	45 m	2,352 m	29.56		0 m	0 m
21	148 ft	7,717 ft	210.52	ASPHALT	0 ft	0 ft
	45 m	2,352 m	209.57		0 m	0 m
03L	328 ft	3,934 ft	30.49	GRASS	0 ft	0 ft
	100 m	1,199 m	29.54		0 m	0 m
21R	328 ft	3,934 ft	210.50	GRASS	0 ft	0 ft
	100 m	1,199 m	209.55		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	PT	110.95 MHz	18 nm	-	-	455 ft
				33 km	-		455 m
21	LOC-ILS	PT	110.95 MHz	18 nm	210.52	-	422 ft
				33 km	209.57		422 m
21	GS	PT	110.95 MHz	10 nm	210.52	3.00	422 ft
				19 km	209.57		422 m

LFPB

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 219 ft / 67 m
Location: 48.964300 2.435580
Magnetic Var: 1.460 E

METAR

LFPB 092100Z AUTO 36005KT CAVOK 15/10 Q1023 NOSIG

TAF

TAF LFPB 091700Z 0918/1018 05010KT CAVOK PROB30 TEMPO 1004/1005 3000 BR

Frequencies

REC - 120.00 MHz - LE BOURGET ATIS	CLD - 121.95 MHz - LE BOURGET PREFLIGHT
GND - 121.90 MHz - LE BOURGET GROUND	TWR - 118.40 MHz - LE BOURGET TOWER
TWR - 118.92 MHz - LE BOURGET TOWER	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 124.35 MHz - DE GAULLE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	6,052 ft	85.24	ASPHALT	0 ft	0 ft
	45 m	1,845 m	83.78		0 m	0 m
27	148 ft	6,052 ft	265.25	ASPHALT	0 ft	1,050 ft
	45 m	1,845 m	263.80		0 m	320 m
07	148 ft	9,788 ft	67.78	ASPHALT	978 ft	0 ft
	45 m	2,984 m	66.32		298 m	0 m
25	148 ft	9,788 ft	247.81	ASPHALT	2,910 ft	0 ft
	45 m	2,984 m	246.35		887 m	0 m
03	197 ft	8,738 ft	24.78	ASPHALT	873 ft	0 ft
	60 m	2,663 m	23.32		266 m	0 m
21	197 ft	8,738 ft	204.79	ASPHALT	0 ft	164 ft
	60 m	2,663 m	203.33		0 m	50 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	LBG	109.50 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
27	DME	RGE	110.55 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
07	LOC-ILS	LBG	109.50 MHz	18 nm	67.79	-	219 ft
				33 km	66.33		219 m
27	LOC-ILS	RGE	110.55 MHz	18 nm	265.25	-	219 ft
				33 km	263.79		219 m
25	LOC-LOC	LBW	111.10 MHz	18 nm	247.79	-	219 ft
				33 km	246.33		219 m
07	GS	LBG	109.50 MHz	10 nm	67.79	3.00	219 ft
				19 km	66.33		219 m
27	GS	RGE	110.55 MHz	10 nm	265.25	3.00	219 ft
				19 km	263.79		219 m