


LOWL
Linz

EDDF
Frankfurt

2024/05/07 0131Z

LOWL LIDSI SUBEN EDDF

248.50 nm / 460.23 km



Notes

Requested: LOWL LIDSI SUBEN T161 SPESA EDDF

Unmatched points: SPESA

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LOWL	-	48.23530	0 ft	-	Linz
APT	-	14.18810	0 m		
LIDSI	-	48.22280	0 ft	11	-
FIX	-	13.89730	0 m		
SUBEN	-	48.43640	0 ft	25	-
FIX	-	13.33670	0 m		
EDDF	-	50.03260	0 ft	211	Frankfurt
APT	-	8.54067	0 m		

LOWL

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 978 ft / 298 m
Location: 48.235300 14.188100
Magnetic Var: 4.492 E

METAR

LOWL 070050Z AUTO 26010KT 9999 -DZ FEW007 SCT011 BKN018 13/12 Q1012 REDZ

TAF

TAF AMD LOWL 070117Z 0701/0724 27008KT 9999 SCT030 TX17/0714Z TN12/0724Z PROB40 TEMPO 0701/0706 -RA BKN012 TEMPO 0701/0706

Frequencies

REC - 128.12 MHz - ATIS
APP - 119.75 MHz - LINZ DIRECTOR

TWR - 118.80 MHz - LINZ TOWER
APP - 129.62 MHz - LINZ RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	197 ft	9,852 ft	87.00	ASPHALT	820 ft	0 ft
	60 m	3,003 m	82.51		250 m	0 m
26	197 ft	9,852 ft	267.03	ASPHALT	492 ft	0 ft
	60 m	3,003 m	262.54		150 m	0 m
08L	144 ft	1,865 ft	86.91	GRASS	0 ft	0 ft
	44 m	568 m	82.41		0 m	0 m
26R	144 ft	1,865 ft	266.91	GRASS	0 ft	0 ft
	44 m	568 m	262.42		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	OEM	110.55 MHz	18 nm	-	-	964 ft
				33 km	-		964 m
26	DME	OEL	109.30 MHz	18 nm	-	-	996 ft
				33 km	-		996 m
08	LOC-ILS	OEM	110.55 MHz	18 nm	87.04	-	978 ft
				33 km	82.55		978 m
26	LOC-ILS	OEL	109.30 MHz	18 nm	267.04	-	978 ft
				33 km	262.55		978 m
08	GS	OEM	110.55 MHz	10 nm	87.04	3.00	978 ft
				19 km	82.55		978 m
26	GS	OEL	109.30 MHz	10 nm	267.04	3.00	978 ft
				19 km	262.55		978 m

EDDF

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 4

Elevation: 362 ft / 110 m
Location: 50.032600 8.540670
Magnetic Var: 3.172 E

METAR

EDDF 070120Z AUTO 20009KT 9999 SCT017 BKN038 11/10 Q1012 NOSIG

TAF

TAF EDDF 062300Z 0700/0806 25007KT 9999 SCT030 BKN040 TEMPO 0700/0702 SCT020 SCT040 PROB40 TEMPO 0702/0708 4000 B

Frequencies

REC - 118.02 MHz - ATIS ARRIVAL	REC - 118.72 MHz - ATIS DEPARTURE
GND - 121.80 MHz - GROUND	GND - 121.65 MHz - APRON RAMP/TAXI
GND - 121.70 MHz - APRON RAMP/TAXI	GND - 121.95 MHz - APRON RAMP/TAXI
GND - 121.85 MHz - APRON RAMP/TAXI	GND - 121.75 MHz - APRON RAMP/TAXI
TWR - 118.77 MHz - TOWER	TWR - 119.90 MHz - TOWER
TWR - 124.85 MHz - TOWER	TWR - 127.32 MHz - TOWER
TWR - 136.50 MHz - TOWER	CLD - 121.90 MHz - CLEARANCE DELIVERY
APP - 127.27 MHz - FRANKFURT DIRECT	APP - 118.50 MHz - FRANKFURT DIRECT
APP - 125.35 MHz - LANGEN RADAR	APP - 126.55 MHz - LANGEN RADAR
APP - 120.80 MHz - LANGEN RADAR	APP - 120.15 MHz - LANGEN RADAR
APP - 136.12 MHz - LANGEN RADAR	APP - 119.02 MHz - LANGEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	9,194 ft	69.56	CONCRETE	0 ft	0 ft
	45 m	2,802 m	66.39		0 m	0 m
25R	148 ft	9,194 ft	249.59	CONCRETE	0 ft	0 ft
	45 m	2,802 m	246.42		0 m	0 m
07C	197 ft	13,134 ft	69.57	ASPHALT	0 ft	203 ft
	60 m	4,003 m	66.40		0 m	62 m
25C	197 ft	13,134 ft	249.61	ASPHALT	0 ft	935 ft
	60 m	4,003 m	246.44		0 m	285 m
07R	148 ft	13,134 ft	69.59	ASPHALT	0 ft	213 ft
	45 m	4,003 m	66.42		0 m	65 m
25L	148 ft	13,134 ft	249.63	ASPHALT	0 ft	1,775 ft
	45 m	4,003 m	246.46		0 m	541 m
18	148 ft	13,083 ft	179.64	ASPHALT	0 ft	0 ft
	45 m	3,988 m	176.47		0 m	0 m
36	148 ft	13,083 ft	359.64	ASPHALT	0 ft	121 ft
	45 m	3,988 m	356.47		0 m	37 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm	-	-	357 ft
				33 km	-		357 m
25C	DME	IFCW	111.55 MHz	18 nm	-	-	364 ft
				33 km	-		364 m
25R	DME	IFNW	111.35 MHz	18 nm	-	-	357 ft
				33 km	-		357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.42		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.41		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.44		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.42		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.44		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.41		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.42		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.41		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.44		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.42		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.44		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.41		362 m