

KCEW

Bob Sikes


KPBI

Palm Beach Intl

2024/05/06 2217Z

KCEW DEFUN **Q104** HEVVN **V521** CTY **V159** JIHMU KPBI

437.25 nm / 809.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KCEW	-	30.77880	0 ft	-	Bob Sikes
APT	-	-86.52210	0 m		
DEFUN	-	30.81420	7,200 ft	20	-
FIX	-	-86.13140	2,195 m		
HEVVN	Q104	29.82200	35,000 ft	130	-
FIX	AWY-HI	-83.89520	10,668 m		
CTY	V521	29.59900	35,000 ft	46	CROSS CITY
VOR	AWY-LO	-83.04880	10,668 m		
WILON	V159	29.41780	35,000 ft	21	-
FIX	AWY-LO	-82.69320	10,668 m		
PERSE	V159	29.25440	35,000 ft	19	-
FIX	AWY-LO	-82.37520	10,668 m		
OCF	V159	29.17750	35,000 ft	9	OCALA
VOR	AWY-LO	-82.22630	10,668 m		
ALADN	V159	29.06820	35,000 ft	10	-
FIX	AWY-LO	-82.07150	10,668 m		
CUSAB	V159	29.03090	35,000 ft	3	-
FIX	AWY-LO	-82.01880	10,668 m		
SHIMM	V159	28.96650	35,000 ft	6	-
FIX	AWY-LO	-81.92790	10,668 m		
LEESE	V159	28.86010	34,300 ft	10	-
FIX	AWY-LO	-81.77820	10,455 m		
MAMBO	V159	28.74840	32,000 ft	10	-
FIX	AWY-LO	-81.62170	9,754 m		
ORL	V159	28.54270	27,800 ft	19	ORLANDO
VOR	AWY-LO	-81.33500	8,473 m		
PRESK	V159	28.33620	24,400 ft	16	-
FIX	AWY-LO	-81.13780	7,437 m		
JIHMU	V159	28.18500	21,800 ft	11	-
FIX	AWY-LO	-80.99410	6,645 m		
KPBI	-	26.68290	0 ft	102	Palm Beach Intl
APT	-	-80.09700	0 m		

KCEW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 1

Elevation: 213 ft / 65 m
Location: 30.778800 -86.522100
Magnetic Var: 3.961 W

METAR

KCEW 062153Z AUTO 16005KT 10SM CLR 31/16 A2996 RMK A02 SLP141 T03060161

TAF

UNKNOWN

Frequencies

REC - 119.27 MHz - ASOS
APP - 124.05 MHz - EGLIN APP/DEP

COM - 122.95 MHz - CTAF/UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	150 ft	8,031 ft	171.04	ASPHALT	0 ft	310 ft
	46 m	2,448 m	175.00		0 m	94 m
35	150 ft	8,031 ft	351.04	ASPHALT	0 ft	310 ft
	46 m	2,448 m	355.00		0 m	94 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	LOC-ILS	ICEW	111.90 MHz	18 nm	171.03	-	214 ft
				33 km	175.00		214 m
17	GS	ICEW	111.90 MHz	10 nm	171.08	3.00	191 ft
				19 km	175.04		191 m

KPBI

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 19 ft / 6 m
Location: 26.682900 -80.097000
Magnetic Var: 7.496 W

METAR

KPBI 062153Z 11014KT 10SM SCT035 SCT250 28/21 A2998 RMK A02 SLP153 T02780206

TAF

TAF AMD KPBI 062048Z 0621/0718 11013G20KT P6SM SCT025 BKN040 FM070200 11010KT P6SM SCT040 SCT250 FM070600 VRB04KT

Frequencies

REC - 123.75 MHz - PALM BEACH ATIS	CLD - 121.60 MHz - PALM BEACH CLEARANCE
GND - 121.90 MHz - PALM BEACH GROUND	TWR - 119.10 MHz - PALM BEACH TOWER
DEP - 128.30 MHz - PALM BEACH DEPARTURE	DEP - 127.35 MHz - PALM BEACH DEPARTURE
DEP - 125.20 MHz - PALM BEACH DEPARTURE	APP - 124.60 MHz - PALM BEACH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	150 ft	9,988 ft	92.80	ASPHALT	1,201 ft	203 ft
	46 m	3,044 m	100.29		366 m	62 m
28R	150 ft	9,988 ft	272.81	ASPHALT	810 ft	200 ft
	46 m	3,044 m	280.31		247 m	61 m
14	150 ft	6,941 ft	135.32	ASPHALT	0 ft	197 ft
	46 m	2,116 m	142.82		0 m	60 m
32	150 ft	6,941 ft	315.33	ASPHALT	427 ft	272 ft
	46 m	2,116 m	322.82		130 m	83 m
10R	75 ft	3,209 ft	92.80	ASPHALT	0 ft	197 ft
	23 m	978 m	100.30		0 m	60 m
28L	75 ft	3,209 ft	272.81	ASPHALT	0 ft	187 ft
	23 m	978 m	280.30		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPBI	111.90 MHz	18 nm	92.80	-	19 ft
				33 km	100.29		19 m
28R	LOC-ILS	IPWB	111.90 MHz	18 nm	272.80	-	19 ft
				33 km	280.29		19 m
10L	GS	IPBI	111.90 MHz	10 nm	93.59	3.00	17 ft
				19 km	101.09		17 m
28R	GS	IPWB	111.90 MHz	10 nm	273.59	3.00	19 ft
				19 km	281.09		19 m