

KMGW

MORGANTOWN MUNI WALTER L BILL HART FLD


KBKW

RALEIGH CO MEM

2024/05/15 0236Z

KMGW TOMCA KBKW

125.05 nm / 231.59 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KMGW	-	39.64360	0 ft	-	MORGANTOWN MUNI	WALTER L BILL HART FLD
APT	-	-79.91750	0 m			
TOMCA	-	38.57850	11,400 ft	71	-	
FIX	-	-80.61140	3,475 m			
KBKW	-	37.78640	0 ft	53	RALEIGH CO MEM	
APT	-	-81.12410	0 m			

KMGW

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 1

Elevation: 1,248 ft / 380 m
Location: 39.643600 -79.917500
Magnetic Var: 9.339 W

METAR

KMGW 150153Z 00000KT 10SM SCT039 OVC055 18/16 A2981 RMK A02 SLP088 T01780161

TAF

KMGW 142323Z 1500/1524 00000KT P6SM OVC035 FM150400 13003KT P6SM VCSH OVC025 FM150800 08004KT P6SM -SHRA OVC015 T

Frequencies

REC - 120.67 MHz - ASOS
COM - 122.95 MHz - UNICOM
TWR - 125.10 MHz -
COM - 125.10 MHz - CTAF
GND - 121.70 MHz -
APP - 121.15 MHz - CLARKSBURG APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	150 ft	5,207 ft	172.42	ASPHALT	0 ft	0 ft
	46 m	1,587 m	181.76		0 m	0 m
36	150 ft	5,207 ft	352.42	ASPHALT	0 ft	0 ft
	46 m	1,587 m	1.76		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	IMGW	108.50 MHz	18 nm	172.42	-	1,238 ft
				33 km	181.76		1,238 m
18	GS	IMGW	108.50 MHz	10 nm	172.84	3.00	1,234 ft
				19 km	182.18		1,234 m

KBKW

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 2,504 ft / 763 m
Location: 37.786400 -81.124100
Magnetic Var: 8.299 W

METAR

KBKW 150151Z AUTO 11007KT 10SM BKN012 OVC020 16/13 A2982 RMK A02 RAE01B27E40 SLP078 P0000 T01560133 VISNO RWY19 S

TAF

TAF KBKW 142320Z 1500/1524 12007KT P6SM VCTS BKN015CB FM150500 14005KT P6SM BKN003 TEMPO 1505/1506 4SM -SHRA BR OV

Frequencies

REC - 121.55 MHz - ASOS
COM - 123.00 MHz - CTAF/UNICOM

REC - 124.65 MHz - AWOS 3
APP - 118.95 MHz - CHARLESTON APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	150 ft	6,762 ft	7.46	ASPHALT	0 ft	0 ft
	46 m	2,061 m	15.76		0 m	0 m
19	150 ft	6,762 ft	187.46	ASPHALT	0 ft	0 ft
	46 m	2,061 m	195.76		0 m	0 m
10	100 ft	4,959 ft	94.06	ASPHALT	0 ft	0 ft
	30 m	1,511 m	102.36		0 m	0 m
28	100 ft	4,959 ft	274.07	ASPHALT	0 ft	0 ft
	30 m	1,511 m	282.37		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	LOC-ILS	IMQU	111.70 MHz	18 nm	187.46	-	2,504 ft
				33 km	195.76		2,504 m
19	GS	IMQU	111.70 MHz	10 nm	187.92	3.00	2,454 ft
				19 km	196.22		2,454 m