


2024/05/29 0154Z

EGSS SITET **UN859** LGL **A34** BENAR **UN859** BALAN **UL152** LMG **A34** AGN **UN860** GRAUS **A34** SEROX **UN860** MLA LEVC

757.74 nm / 1403.34 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGSS	-	51.88510	0 ft	-	Stansted
APT	-	0.23499	0 m		
SITET	-	50.10000	35,000 ft	107	-
FIX	-	0.00000	10,668 m		
ETRAT	UN859	49.68330	35,000 ft	25	-
FIX	AWY-HI	0.16333	10,668 m		
DVL	UN859	49.31070	35,000 ft	23	DEAUVILLE NORMANDIE
VOR	AWY-HI	0.31272	10,668 m		
LGL	UN859	48.79060	35,000 ft	32	L'AIGLE
VOR	AWY-HI	0.53028	10,668 m		
BOBSA	A34	48.49580	35,000 ft	18	-
FIX	AWY-LO	0.64833	10,668 m		
BENAR	A34	48.25310	35,000 ft	15	-
FIX	AWY-LO	0.74444	10,668 m		
VANAD	UN859	47.83720	35,000 ft	25	-
FIX	AWY-HI	0.90722	10,668 m		
AMB	UN859	47.42890	35,000 ft	25	AMBOISE
VOR	AWY-HI	1.06444	10,668 m		
BALAN	UN859	46.51610	35,000 ft	54	-
FIX	AWY-HI	1.03333	10,668 m		
LMG	UL152	45.81590	35,000 ft	42	LIMOGES
VOR	AWY-HI	1.02558	10,668 m		
MAVAC	A34	45.51640	35,000 ft	18	-
FIX	AWY-LO	1.00194	10,668 m		
PERIG	A34	45.11720	35,000 ft	24	-
FIX	AWY-LO	0.96944	10,668 m		
BUGUS	A34	45.00000	35,000 ft	7	-
FIX	AWY-LO	0.96056	10,668 m		
RUMEL	A34	44.50000	35,000 ft	30	-
FIX	AWY-LO	0.92050	10,668 m		
LACOU	A34	44.29680	35,000 ft	12	-
FIX	AWY-LO	0.90439	10,668 m		
AGN	A34	43.88800	35,000 ft	24	AGEN
VOR	AWY-LO	0.87286	10,668 m		
ANETO	UN860	42.69300	35,000 ft	73	-
FIX	AWY-HI	0.55844	10,668 m		
TURUV	UN860	42.36750	35,000 ft	19	-
FIX	AWY-HI	0.47497	10,668 m		
GRAUS	UN860	41.97900	33,100 ft	23	-
FIX	AWY-HI	0.37644	10,089 m		
SEROX	A34	41.34670	24,800 ft	38	-
FIX	AWY-LO	0.21869	7,559 m		
CASPE	UN860	41.26840	23,800 ft	4	-
FIX	AWY-HI	0.19939	7,254 m		
MLA	UN860	41.12960	22,000 ft	8	MAELLA
VOR	AWY-HI	0.16525	6,706 m		
LEVC	-	39.49000	0 ft	102	Valencia
APT	-	-0.48335	0 m		

EGSS

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 348 ft / 106 m
Location: 51.885100 0.234989
Magnetic Var: 0.585 E

METAR

EGSS 290120Z AUTO 25009KT 9999 FEW014 12/11 Q1008

TAF

TAF EGSS 282303Z 2900/3006 24010KT 9999 BKN016 TEMPO 2900/2903 6000 SHRA BKN014 PROB30 TEMPO 2900/2903 BKN006 PROB30

Frequencies

DEP - 120.62 MHz - ESSEX RADAR	APP - 120.62 MHz - ESSEX RADAR
APP - 132.05 MHz - STANSTED APPROACH	CLD - 121.95 MHz - STANSTED CLEARANCE DELIVERY
GND - 121.72 MHz - STANSTED GROUND	TWR - 123.80 MHz - STANSTED TOWER
TWR - 125.55 MHz - STANSTED TOWER	APP - 136.20 MHz - STANSTED DIRECT
REC - 114.55 MHz - ATIS	REC - 127.17 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	9,984 ft	42.78	ASPHALT	974 ft	0 ft
	46 m	3,043 m	42.20		297 m	0 m
22	151 ft	9,984 ft	222.81	ASPHALT	0 ft	0 ft
	46 m	3,043 m	222.22		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	ISED	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
22	DME	ISX	110.50 MHz	18 nm	-	-	348 ft
				33 km	-		348 m
04	LOC-ILS	ISED	110.50 MHz	18 nm	42.80	-	348 ft
				33 km	42.21		348 m
22	LOC-ILS	ISX	110.50 MHz	18 nm	222.80	-	348 ft
				33 km	222.21		348 m
04	GS	ISED	110.50 MHz	10 nm	42.80	3.00	348 ft
				19 km	42.21		348 m
22	GS	ISX	110.50 MHz	10 nm	222.80	3.00	348 ft
				19 km	222.21		348 m

LEVC

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 240 ft / 73 m
Location: 39.490000 -0.483345
Magnetic Var: 0.917 E

METAR

LEVC 290130Z 27002KT CAVOK 18/14 Q1018 NOSIG

TAF

TAF LEVC 282300Z 2900/2924 VRB04KT 9999 FEW020 TX28/2912Z TN16/2906Z BECMG 2909/2911 10010KT BECMG 2921/2923 VRB0

Frequencies

REC - 121.07 MHz - ATIS	GND - 121.87 MHz - VALENCIA GROUND
TWR - 118.55 MHz - VALENCIA TOWER	TWR - 125.47 MHz - VALENCIA TOWER
CLD - 123.57 MHz - CLEARANCE DELIVERY	APP - 124.75 MHz - VALENCIA APPROACH
APP - 120.10 MHz - VALENCIA APPROACH	APP - 119.07 MHz - VALENCIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,528 ft	116.24	ASPHALT	0 ft	0 ft
	45 m	3,209 m	115.33		0 m	0 m
30	148 ft	10,528 ft	296.26	ASPHALT	968 ft	945 ft
	45 m	3,209 m	295.35		295 m	288 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	VLN	111.50 MHz	25 nm	-	-	256 ft
				46 km	-		256 m
30	DME	IVC	110.10 MHz	18 nm	-	-	203 ft
				33 km	-		203 m
12	LOC-ILS	VLN	111.50 MHz	18 nm	116.20	-	256 ft
				33 km	115.28		256 m
30	LOC-ILS	IVC	110.10 MHz	18 nm	296.19	-	225 ft
				33 km	295.28		225 m
12	GS	VLN	111.50 MHz	10 nm	116.40	3.00	256 ft
				19 km	115.48		256 m
30	GS	IVC	110.10 MHz	10 nm	296.52	3.00	225 ft
				19 km	295.61		225 m