

# SBPA

Salgado Filho Intl


# SUMU

Carrasco/Cesareo L. Berisso Intl

2024/06/07 0634Z

SBPA ARSAG **A309** PTS **UA305** TODAY **UM661** KILUM SUMU

385.47 nm / 713.89 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBPA	-	-29.99460	0 ft	-	Salgado Filho Intl
APT	-	-51.17120	0 m	-	
ARSAG	-	-30.71920	17,800 ft	50	-
FIX	-	-51.64730	5,425 m	-	
PTS	A309	-31.71890	35,000 ft	69	PELOTAS
VOR	AWY-LO	-52.32740	10,668 m	-	
UGELO	UA305	-32.67830	35,000 ft	71	-
FIX	AWY-HI	-53.14670	10,668 m	-	
TODAX	UA305	-33.38810	30,400 ft	52	-
FIX	AWY-HI	-53.76720	9,266 m	-	
KILUM	UM661	-34.35360	10,200 ft	94	-
FIX	AWY-HI	-55.26060	3,109 m	-	
SUMU	-	-34.83360	0 ft	47	Carrasco/Cesareo L. Berisso Intl
APT	-	-56.02840	0 m	-	

## SBPA

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 1

Elevation: 12 ft / 4 m  
Location: -29.994600 -51.171200  
Magnetic Var: 17.893 W

## METAR

UNKNOWN

## TAF

TAF SBPA 070300Z 0706/0806 34004KT 4000 BR BKN004 TN13/0708Z TX25/0718Z PROB40 0709/0711 0500 FG VV002 BECMG 0711

## Frequencies

REC - 132.35 MHz - ATIS	CLD - 122.15 MHz - SALGADO FILHO CLEARANCE
GND - 121.90 MHz - SALGADO FILHO GROUND	TWR - 118.10 MHz - SALGADO FILHO TOWER
APP - 119.00 MHz - PORTO ALEGRE APPROACH	APP - 120.10 MHz - PORTO ALEGRE APPROACH
APP - 120.55 MHz - PORTO ALEGRE APPROACH	APP - 128.90 MHz - PORTO ALEGRE APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	7,478 ft	91.34	ASPHALT	0 ft	197 ft
	45 m	2,279 m	109.23		0 m	60 m
29	148 ft	7,478 ft	271.32	ASPHALT	0 ft	197 ft
	45 m	2,279 m	289.22		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IPA	110.30 MHz	18 nm	90.92	-	11 ft
				33 km	108.82		11 m
11	GS	IPA	110.30 MHz	10 nm	92.19	3.00	11 ft
				19 km	110.09		11 m

## SUMU

Region: URUGUAY  
Timezone: AMERICA/MONTEVIDEO  
Runways: 2

Elevation: 104 ft / 32 m  
Location: -34.833600 -56.028400  
Magnetic Var: 11.884 W

## METAR

SUMU 070600Z 00000KT 2000 BR NSC 10/10 Q1018 TEMPO FG

## TAF

TAF SUMU 070530Z 0706/0806 31005KT 3000 BR SCT003 TX19/0718Z TN11/0710Z TEMPO 0706/0710 0600 FG OVC003 BECMG 0712

## Frequencies

TWR - 118.10 MHz - CARRASCO TOWER  
APP - 119.20 MHz - CARRASCO APPROACH  
COM - 122.80 MHz - UNICOM

TWR - 121.80 MHz - CARRASCO TOWER  
APP - 120.20 MHz - CARRASCO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	10,493 ft	53.43	ASPHALT	1,148 ft	194 ft
	45 m	3,198 m	65.32		350 m	59 m
24	148 ft	10,493 ft	233.42	ASPHALT	489 ft	194 ft
	45 m	3,198 m	245.30		149 m	59 m
01	148 ft	7,397 ft	359.40	ASPHALT	0 ft	194 ft
	45 m	2,255 m	11.29		0 m	59 m
19	148 ft	7,397 ft	179.40	ASPHALT	0 ft	197 ft
	45 m	2,255 m	191.29		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	DME	IMVD	111.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
19	LOC-ILS	IMVD	111.10 MHz	18 nm	179.40	-	104 ft
				33 km	191.28		104 m
24	LOC-ILS	ICAR	109.90 MHz	18 nm	233.42	-	104 ft
				33 km	245.30		104 m
19	GS	IMVD	111.10 MHz	10 nm	179.40	3.00	104 ft
				19 km	191.28		104 m
24	GS	ICAR	109.90 MHz	10 nm	233.42	3.00	104 ft
				19 km	245.30		104 m