


2024/05/01 0816Z

KRSN JUSGA KLIT

134.26 nm / 248.64 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KRSN	-	32.51460	0 ft	-	RUSTON RGNL	
APT	-	-92.58830	0 m			
JUSGA	-	33.68300	13,500 ft	70	-	
FIX	-	-92.39450	4,115 m			
KLIT	-	34.72960	0 ft	63	Adams Field/Bill and Hillary Clinton National	
APT	-	-92.22590	0 m			

## KLIT

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 3

Elevation: 266 ft / 81 m  
Location: 34.729600 -92.225900  
Magnetic Var: 0.414 W

## METAR

KLIT 010753Z 19004KT 10SM CLR 19/17 A2991 RMK A02 SLP128 T01890167

## TAF

TAF KLIT 010520Z 0106/0206 VRB03KT P6SM FEW250 FM011500 19005KT P6SM FEW250

## Frequencies

CLD - 118.95 MHz - ADAMS CLEARANCE DELIVERY	GND - 121.90 MHz - ADAMS GROUND
TWR - 118.70 MHz - ADAMS TOWER	REC - 125.65 MHz - ATIS
DEP - 119.50 MHz - LITTLE ROCK DEPARTURE	DEP - 135.40 MHz - LITTLE ROCK DEPARTURE
APP - 119.50 MHz - LITTLE ROCK APPROACH	APP - 135.40 MHz - LITTLE ROCK APPROACH
COM - 122.95 MHz - ADAMS UNICOM	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	151 ft	6,243 ft	181.51	CONCRETE	0 ft	0 ft
	46 m	1,903 m	181.92		0 m	0 m
36	151 ft	6,243 ft	1.51	CONCRETE	164 ft	194 ft
	46 m	1,903 m	1.92		50 m	59 m
04R	151 ft	8,259 ft	46.39	CONCRETE	1,056 ft	194 ft
	46 m	2,517 m	46.80		322 m	59 m
22L	151 ft	8,259 ft	226.40	CONCRETE	0 ft	400 ft
	46 m	2,517 m	226.81		0 m	122 m
04L	151 ft	8,282 ft	46.38	CONCRETE	305 ft	705 ft
	46 m	2,524 m	46.79		93 m	215 m
22R	151 ft	8,282 ft	226.39	CONCRETE	0 ft	200 ft
	46 m	2,524 m	226.80		0 m	61 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	ILIT	110.30 MHz	18 nm	-	-	265 ft
				33 km	-		265 m
04R	DME	ICNL	111.30 MHz	18 nm	-	-	254 ft
				33 km	-		254 m
22R	DME	IAAY	110.30 MHz	18 nm	-	-	265 ft
				33 km	-		265 m
04L	LOC-ILS	ILIT	110.30 MHz	18 nm	46.39	-	262 ft
				33 km	46.80		262 m
04R	LOC-ILS	ICNL	111.30 MHz	18 nm	46.39	-	262 ft
				33 km	46.80		262 m
22L	LOC-ILS	IBWY	110.70 MHz	18 nm	226.39	-	262 ft
				33 km	226.80		262 m
22R	LOC-ILS	IAAY	110.30 MHz	18 nm	226.39	-	262 ft
				33 km	226.80		262 m
04L	GS	ILIT	110.30 MHz	10 nm	46.39	3.00	262 ft
				19 km	46.80		262 m
04R	GS	ICNL	111.30 MHz	10 nm	46.39	3.00	262 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	46.80		262 m
22L	GS	IBWY	110.70 MHz	10 nm	226.39	3.00	262 ft
				19 km	226.80		262 m
22R	GS	IAAY	110.30 MHz	10 nm	226.39	3.00	262 ft
				19 km	226.80		262 m