

LIBD

Bari-Palese "Karol Wojtyła"


LFOB

Beauvais Tille

2024/05/06 0328Z

LIBD URIPI **M872** LIKNO **Q95** TZO **Z982** SRN **L153** PUNSA **UL153** GIVRI **UM982** URELO LFOB

802.05 nm / 1485.39 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIBD	-	41.13790	0 ft	-	Bari-Palese "Karol Wojtyla"
APT	-	16.75830	0 m		
URIPI	-	41.87580	29,800 ft	83	-
FIX	-	15.18470	9,083 m		
PES	M872	42.43580	35,000 ft	55	PESCARA
VOR	AWY-HI	14.18420	10,668 m		
AMGOK	M872	42.65500	35,000 ft	18	-
FIX	AWY-HI	13.89610	10,668 m		
GUPO	M872	42.80810	35,000 ft	12	-
FIX	AWY-HI	13.69280	10,668 m		
NORKI	M872	43.07970	35,000 ft	22	-
FIX	AWY-HI	13.32860	10,668 m		
ERDON	M872	43.29500	35,000 ft	18	-
FIX	AWY-HI	13.03670	10,668 m		
GUBIN	M872	43.48690	35,000 ft	16	-
FIX	AWY-HI	12.77420	10,668 m		
LIKNO	M872	43.79390	35,000 ft	26	-
FIX	AWY-HI	12.34830	10,668 m		
PELEG	Q95	44.22780	35,000 ft	37	-
FIX	AWY-HI	11.73530	10,668 m		
PETAS	Q95	44.34810	35,000 ft	10	-
FIX	AWY-HI	11.56310	10,668 m		
PIGAK	Q95	44.38640	35,000 ft	3	-
FIX	AWY-HI	11.50810	10,668 m		
LUTOR	Q95	44.48810	35,000 ft	8	-
FIX	AWY-HI	11.36080	10,668 m		
BOA	Q95	44.53700	35,000 ft	4	BOLOGNA
VOR	AWY-HI	11.29070	10,668 m		
IBTOK	Q95	44.91190	35,000 ft	35	-
FIX	AWY-HI	10.64970	10,668 m		
BAPLU	Q95	45.15500	35,000 ft	23	-
FIX	AWY-HI	10.22810	10,668 m		
TZO	Q95	45.55920	35,000 ft	38	TREZZO
VOR	AWY-HI	9.50700	10,668 m		
SRN	Z982	45.64600	35,000 ft	21	SARONNO
VOR	AWY-HI	9.02158	10,668 m		
IXORA	L153	45.83670	35,000 ft	21	-
FIX	AWY-HI	8.58889	10,668 m		
ARLES	L153	45.92940	35,000 ft	10	-
FIX	AWY-HI	8.37500	10,668 m		
PUNSA	L153	46.07860	35,000 ft	17	-
FIX	AWY-HI	8.02583	10,668 m		
SOSAL	UL153	46.55810	35,000 ft	55	-
FIX	AWY-HI	6.88444	10,668 m		
VADEM	UL153	46.72170	35,000 ft	19	-
FIX	AWY-HI	6.48361	10,668 m		
BIBOT	UL153	46.75140	35,000 ft	3	-
FIX	AWY-HI	6.41028	10,668 m		
IBODI	UL153	46.95360	35,000 ft	24	-
FIX	AWY-HI	5.90000	10,668 m		
GIVRI	UL153	47.29190	35,000 ft	30	-
FIX	AWY-HI	5.34222	10,668 m		
TINIL	UM982	47.58890	35,000 ft	20	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	5.09861	10,668 m		
ERTIP	UM982	48.13440	25,800 ft	43	-
FIX	AWY-HI	4.40667	7,864 m		
NANOP	UM982	48.26190	23,600 ft	10	-
FIX	AWY-HI	4.23944	7,193 m		
URELO	UM982	48.53880	18,000 ft	26	-
FIX	AWY-HI	3.73203	5,486 m		
LFOB	-	49.45600	0 ft	84	Beauvais Tille
APT	-	2.11893	0 m		

LIBD

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 173 ft / 53 m
Location: 41.137900 16.758300
Magnetic Var: 4.390 E

METAR

LIBD 060220Z 22005KT CAVOK 13/07 Q1015

TAF

TAF LIBD 052300Z 0600/0624 VRB05KT CAVOK BECMG 0609/0611 10012KT BECMG 0616/0618 18010KT BECMG 0621/0623 VRB05KT

Frequencies

REC - 124.05 MHz - ATIS
TWR - 122.10 MHz - BARI TOWER

TWR - 118.30 MHz - BARI TOWER
APP - 136.10 MHz - BARI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	9,260 ft	69.40	ASPHALT	1,240 ft	0 ft
	45 m	2,823 m	65.00		378 m	0 m
25	148 ft	9,260 ft	249.42	ASPHALT	0 ft	0 ft
	45 m	2,823 m	245.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	BAP	111.35 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
07	LOC-ILS	BAP	111.35 MHz	18 nm	69.39	-	175 ft
				33 km	65.00		175 m
07	GS	BAP	111.35 MHz	10 nm	69.39	3.32	175 ft
				19 km	65.00		175 m

LFOB

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 359 ft / 109 m
Location: 49.456000 2.118930
Magnetic Var: 1.340 E

METAR

LFOB 060300Z AUTO 11003KT 8000 BKN004/// OVC017/// ///CB 12/11 Q1005 TEMPO 2500 SHRA

TAF

TAF AMD LFOB 060156Z 0601/0624 10005KT 9999 BKN020 BKN040 TEMPO 0601/0608 4000 -SHRA SCT007 BKN011 BKN020TCU PROB

Frequencies

REC - 120.00 MHz - ATIS	REC - 118.37 MHz - ATIS
TWR - 119.90 MHz - BEAUVAIS TOWER	TWR - 121.40 MHz - BEAUVAIS TOWER
APP - 119.90 MHz - BEAUVAIS APPROACH	APP - 121.40 MHz - BEAUVAIS APPROACH
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 133.35 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	7,952 ft	123.73	ASPHALT	144 ft	0 ft
	45 m	2,424 m	122.39		44 m	0 m
30	148 ft	7,952 ft	303.75	ASPHALT	0 ft	0 ft
	45 m	2,424 m	302.41		0 m	0 m
04	59 ft	2,320 ft	41.41	ASPHALT	0 ft	0 ft
	18 m	707 m	40.07		0 m	0 m
22	59 ft	2,320 ft	221.41	ASPHALT	0 ft	0 ft
	18 m	707 m	220.07		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BVT	111.15 MHz	18 nm	-	-	344 ft
				33 km	-		344 m
30	DME	BI	109.95 MHz	18 nm	-	-	303 ft
				33 km	-		303 m
12	LOC-ILS	BVT	111.15 MHz	18 nm	123.75	-	359 ft
				33 km	122.41		359 m
30	LOC-LOC	BI	109.95 MHz	18 nm	303.75	-	359 ft
				33 km	302.41		359 m
12	GS	BVT	111.15 MHz	10 nm	123.75	3.00	359 ft
				19 km	122.41		359 m