

EHAM

Amsterdam Schiphol


LPFR

Faro

2024/05/03 1122Z

EHAM DENOX **UN872** CIV CIV **UN872** LESDO **UM728** RESMI **UN857** DEPOM **G54** CTX **G28** LMG **UN10** SAU **UN857** PPN
UN10 VASUM **UN857** HIJ **UM30** OXACA **UN858** OSLEP LPFR

1108.49 nm / 2052.92 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.30810 4.76417	0 ft 0 m	-	Amsterdam Schiphol
DENOX FIX	-	50.87940 4.02778	32,100 ft 9,784 m	90	-
CIV VOR	UN872 AWY-HI	50.57400 3.83287	35,000 ft 10,668 m	19	CHIEVRES
CIV DME	-	50.57230 3.82183	35,000 ft 10,668 m	0	CHIEVRES TACAN
MEDIL FIX	UN872 AWY-HI	50.34210 3.67497	35,000 ft 10,668 m	14	-
LESDO FIX	UN872 AWY-HI	49.80830 3.31806	35,000 ft 10,668 m	34	-
KOVIN FIX	UM728 AWY-HI	49.48580 3.10639	35,000 ft 10,668 m	21	-
RESMI FIX	UM728 AWY-HI	48.56860 2.19194	35,000 ft 10,668 m	65	-
DEKOD FIX	UN857 AWY-HI	48.28330 2.10000	35,000 ft 10,668 m	17	-
DISAK FIX	UN857 AWY-HI	48.13330 2.13167	35,000 ft 10,668 m	9	-
DEPOM FIX	UN857 AWY-HI	47.31780 2.17917	35,000 ft 10,668 m	49	-
CTX NDB	G54 AWY-LO	46.93660 1.80114	35,000 ft 10,668 m	27	CHATEAUROUX DEOLS
GUSON FIX	G28 AWY-LO	46.47420 1.47778	35,000 ft 10,668 m	30	-
LMG VOR	G28 AWY-LO	45.81590 1.02558	35,000 ft 10,668 m	43	LIMOGES
VELIN FIX	UN10 AWY-HI	44.98000 0.15556	35,000 ft 10,668 m	62	-
SAU VOR	UN10 AWY-HI	44.67680 -0.15292	35,000 ft 10,668 m	22	SAUVETERRE DE GUYENNE
BEGUY FIX	UN857 AWY-HI	43.05830 -1.45083	35,000 ft 10,668 m	112	-
PPN VOR	UN857 AWY-HI	42.73370 -1.70200	35,000 ft 10,668 m	22	PAMPLONA
VASUM FIX	UN10 AWY-HI	42.27190 -2.01100	35,000 ft 10,668 m	30	-
BAN VOR	UN857 AWY-HI	41.32360 -2.62978	35,000 ft 10,668 m	63	BARAHONA
MITUM FIX	UN857 AWY-HI	40.64560 -3.24781	35,000 ft 10,668 m	49	-
BOSIO FIX	UN857 AWY-HI	40.34090 -3.52058	35,000 ft 10,668 m	22	-
GOTOR FIX	UN857 AWY-HI	40.11080 -3.72450	35,000 ft 10,668 m	16	-
KAMPO FIX	UN857 AWY-HI	39.73330 -4.05539	35,000 ft 10,668 m	27	-
MONTO FIX	UN857 AWY-HI	39.22180 -4.49683	35,000 ft 10,668 m	36	-
MOLIN FIX	UN857 AWY-HI	39.00000 -4.68575	35,000 ft 10,668 m	15	-
HIJ	UN857	38.50810	35,000 ft	35	HINOJOSA DEL DUQUE

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	-5.09969	10,668 m		
OXACA	UM30	37.95000	24,000 ft	54	-
FIX	AWY-HI	-6.00000	7,315 m		
OSLEP	UN858	37.16540	8,200 ft	73	-
FIX	AWY-HI	-7.19183	2,499 m		
LPFR	-	37.01530	0 ft	38	Faro
APT	-	-7.97232	0 m		

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.040 E

METAR

EHAM 031055Z 22015KT 190V250 9999 FEW009 BKN011 12/10 Q1007 NOSIG

TAF

TAF TAF EHAM 030521Z 0306/0412 23012KT 4000 BR BKN007 PROB40 TEMPO 0306/0309 2500 SHRA RADZ SCT004 BKN005 FEW050CB

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.20		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.20		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.18		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.18		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.15		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.15		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.85		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.16		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.84	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.18	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.15	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.16	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.75	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.18	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.20	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.84	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.18	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.15	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.16	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.75	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.18	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.20	3.00	-11 ft -11 m

LPFR

Region: PORTUGAL
Timezone: EUROPE/LISBON
Runways: 1

Elevation: 22 ft / 7 m
Location: 37.015300 -7.972320
Magnetic Var: 1.177 W

METAR

LPFR 031100Z 19007KT CAVOK 17/09 Q1022

TAF

TAF LPFR 030500Z 0306/0406 VRB02KT CAVOK BECMG 0310/0312 22008KT BECMG 0315/0317 25013KT BECMG 0320/0322 31008KT

Frequencies

REC - 124.20 MHz - ATIS
TWR - 120.75 MHz -

GND - 118.57 MHz -
APP - 119.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	8,179 ft	100.08	ASPHALT	148 ft	0 ft
	45 m	2,493 m	101.25		45 m	0 m
28	148 ft	8,179 ft	280.09	ASPHALT	144 ft	0 ft
	45 m	2,493 m	281.27		44 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	IIF	109.50 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
28	LOC-ILS	IIF	109.50 MHz	18 nm	280.08	-	22 ft
				33 km	281.26		22 m
28	GS	IIF	109.50 MHz	10 nm	280.17	3.00	24 ft
				19 km	281.35		24 m