

LKPR

Vaclav Havel Prague


LTBA

Istanbul Ataturk

2024/05/02 0952Z

LKPR BITS1 **L726** BNO **M748** ODNEM **A4** NIT **M748** ERGOM 4700N02000E INVED **L606** TIMUR **L867** RILEX **UL867**
ENESU LTBA

833.90 nm / 1544.39 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LKPR APT	-	50.10410 14.25670	0 ft 0 m	-	Vaclav Havel Prague
BITSI FIX	-	49.30830 16.23630	32,300 ft 9,845 m	90	-
BNO VOR	L726 AWY-HI	49.15010 16.69260	35,000 ft 10,668 m	20	BRNO
ODNEM FIX	M748 AWY-LO	48.85320 17.16780	35,000 ft 10,668 m	25	-
TUTPI FIX	A4 AWY-LO	48.71580 17.38610	35,000 ft 10,668 m	11	-
BERVA FIX	A4 AWY-LO	48.61750 17.54110	35,000 ft 10,668 m	8	-
NIT VOR	A4 AWY-LO	48.29060 18.05060	35,000 ft 10,668 m	28	NITRA
RUTOL FIX	M748 AWY-LO	47.95810 18.51000	35,000 ft 10,668 m	27	-
ERGOM FIX	M748 AWY-LO	47.80830 18.73310	35,000 ft 10,668 m	12	-
4700N02000E LATLON	-	47.00000 20.00000	35,000 ft 10,668 m	70	-
INVED FIX	-	46.15780 20.40140	35,000 ft 10,668 m	53	-
PADGU FIX	L606 AWY-HI	44.77860 22.61060	35,000 ft 10,668 m	124	-
OVDOT FIX	L606 AWY-HI	44.53890 22.97690	35,000 ft 10,668 m	21	-
NULGO FIX	L606 AWY-HI	44.04500 23.71720	35,000 ft 10,668 m	43	-
TIMUR FIX	L606 AWY-HI	43.68890 24.23920	35,000 ft 10,668 m	31	-
RILEX FIX	L867 AWY-HI	41.97110 26.76640	24,100 ft 7,346 m	151	-
ENESU FIX	UL867 AWY-HI	41.47540 27.33050	15,700 ft 4,785 m	39	-
LTBA APT	-	40.97610 28.81420	0 ft 0 m	73	Istanbul Ataturk

LKPR

Region: CZECH REPUBLIC
Timezone: EUROPE/PRAGUE
Runways: 2

Elevation: 1,247 ft / 380 m
Location: 50.104100 14.256700
Magnetic Var: 4.661 E

METAR

LKPR 020930Z 13020KT 9999 FEW042 20/09 Q1004 NOSIG

TAF

TAF LKPR 020800Z 0209/0315 12016KT CAVOK TEMPO 0210/0218 14018G28KT 9999 SCT040 PROB30 TEMPO 0212/0217 9000 -SHRA

Frequencies

REC - 122.15 MHz - ATIS	TWR - 118.10 MHz - RUZYNE TOWER
TWR - 134.55 MHz - RUZYNE TOWER	GND - 121.90 MHz - RUZYNE GROUND
GND - 131.95 MHz - RUZYNE GROUND	CLD - 120.05 MHz - CLEARANCE DELIVERY
APP - 136.07 MHz - PRAGUE APPROACH	APP - 127.57 MHz - PRAGUE APPROACH
APP - 120.52 MHz - PRAGUE APPROACH	APP - 119.00 MHz - PRAGUE APPROACH
REC - 118.30 MHz - RUZYNE INFORMATION	REC - 127.57 MHz - RUZYNE INFORMATION
REC - 136.07 MHz - RUZYNE INFORMATION	REC - 136.17 MHz - RUZYNE INFORMATION
APP - 120.52 MHz - PRAGUE RADAR	APP - 127.57 MHz - PRAGUE RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,674 ft	126.99	CONCRETE	0 ft	0 ft
	45 m	3,253 m	122.33		0 m	0 m
30	148 ft	10,674 ft	307.02	CONCRETE	0 ft	0 ft
	45 m	3,253 m	302.35		0 m	0 m
06	148 ft	12,198 ft	64.93	CONCRETE	0 ft	0 ft
	45 m	3,718 m	60.26		0 m	0 m
24	148 ft	12,198 ft	244.96	CONCRETE	0 ft	0 ft
	45 m	3,718 m	240.30		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	PH	111.15 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
12	DME	PA	109.95 MHz	18 nm	-	-	1,246 ft
				33 km	-		1,246 m
24	DME	PR	109.10 MHz	18 nm	-	-	1,175 ft
				33 km	-		1,175 m
30	DME	PG	109.50 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
06	LOC-ILS	PH	111.15 MHz	18 nm	64.94	-	1,202 ft
				33 km	60.28		1,202 m
12	LOC-ILS	PA	109.95 MHz	18 nm	127.00	-	1,246 ft
				33 km	122.34		1,246 m
24	LOC-ILS	PR	109.10 MHz	18 nm	244.95	-	1,156 ft
				33 km	240.29		1,156 m
30	LOC-ILS	PG	109.50 MHz	18 nm	307.08	-	1,234 ft
				33 km	302.42		1,234 m
06	GS	PH	111.15 MHz	10 nm	65.88	3.00	1,202 ft
				19 km	61.22		1,202 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	PA	109.95 MHz	10 nm	127.00	3.00	1,246 ft
				19 km	122.34		1,246 m
24	GS	PR	109.10 MHz	10 nm	245.88	3.00	1,156 ft
				19 km	241.22		1,156 m
30	GS	PG	109.50 MHz	10 nm	307.00	3.00	1,234 ft
				19 km	302.34		1,234 m

LTBA

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 163 ft / 50 m
Location: 40.976100 28.814200
Magnetic Var: 6.064 E

METAR

LTBA 020920Z 25007KT 9999 BKN017 BKN027 14/13 Q1012 RMK RWY23 25010KT

TAF

TAF LTBA 020440Z 0206/0306 33004KT 9999 SCT010 BKN025 BECMG 0207/0210 25010KT TEMPO 0214/0218 -SHRA BKN013 BKN025

Frequencies

REC - 130.25 MHz - D-ATIS ARRIVAL	REC - 128.20 MHz - D-ATIS DEPARTURE
TWR - 118.02 MHz - YESILKOY TOWER	TWR - 118.10 MHz - YESILKOY TOWER
TWR - 118.17 MHz - YESILKOY TOWER	TWR - 118.37 MHz - YESILKOY TOWER
TWR - 119.80 MHz - YESILKOY TOWER	TWR - 121.35 MHz - YESILKOY TOWER
TWR - 121.60 MHz - YESILKOY TOWER	TWR - 121.97 MHz - YESILKOY TOWER
TWR - 123.52 MHz - YESILKOY TOWER	TWR - 125.30 MHz - YESILKOY TOWER
TWR - 125.90 MHz - YESILKOY TOWER	TWR - 126.05 MHz - YESILKOY TOWER
TWR - 126.80 MHz - YESILKOY TOWER	APP - 118.95 MHz - YESILKOY APPROACH
APP - 119.35 MHz - YESILKOY APPROACH	APP - 119.47 MHz - YESILKOY APPROACH
APP - 120.12 MHz - YESILKOY APPROACH	APP - 120.45 MHz - YESILKOY APPROACH
APP - 120.50 MHz - YESILKOY APPROACH	APP - 120.70 MHz - YESILKOY APPROACH
APP - 121.10 MHz - YESILKOY APPROACH	APP - 121.25 MHz - YESILKOY APPROACH
APP - 122.47 MHz - YESILKOY APPROACH	APP - 122.57 MHz - YESILKOY APPROACH
APP - 122.67 MHz - YESILKOY APPROACH	APP - 124.45 MHz - YESILKOY APPROACH
APP - 126.42 MHz - YESILKOY APPROACH	APP - 127.10 MHz - YESILKOY APPROACH
APP - 127.82 MHz - YESILKOY APPROACH	APP - 128.72 MHz - YESILKOY APPROACH
APP - 130.30 MHz - YESILKOY APPROACH	APP - 131.12 MHz - YESILKOY APPROACH
APP - 132.05 MHz - YESILKOY APPROACH	APP - 132.32 MHz - YESILKOY APPROACH
APP - 132.47 MHz - YESILKOY APPROACH	APP - 132.77 MHz - YESILKOY APPROACH
APP - 132.95 MHz - YESILKOY APPROACH	APP - 133.07 MHz - YESILKOY APPROACH
APP - 133.22 MHz - YESILKOY APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	197 ft	8,513 ft	58.45	ASPHALT	492 ft	207 ft
	60 m	2,595 m	52.39		150 m	63 m
23	197 ft	8,513 ft	238.47	ASPHALT	0 ft	197 ft
	60 m	2,595 m	232.40		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IIST	110.30 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
23	DME	IATA	111.90 MHz	18 nm	-	-	163 ft
				33 km	-		163 m
05	LOC-ILS	IIST	110.30 MHz	18 nm	58.46	-	163 ft
				33 km	52.40		163 m
23	LOC-ILS	IATA	111.90 MHz	18 nm	238.46	-	163 ft
				33 km	232.40		163 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	GS	IIST	110.30 MHz	10 nm	58.46	3.00	163 ft
				19 km	52.40		163 m
23	GS	IATA	111.90 MHz	10 nm	238.46	3.20	163 ft
				19 km	232.40		163 m