

EDLW

Dortmund-Wickede


EDDV

Hannover

2024/05/29 1206Z

EDLW DENOL EDDV

95.16 nm / 176.24 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDLW	-	51.51910	0 ft	-	Dortmund-Wickede
APT	-	7.61445	0 m		
DENOL	-	51.98330	10,000 ft	48	-
FIX	-	8.67278	3,048 m		
EDDV	-	52.46020	0 ft	46	Hannover
APT	-	9.68352	0 m		

EDLW

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 1

Elevation: 422 ft / 129 m
Location: 51.519100 7.614450
Magnetic Var: 2.935 E

METAR

EDLW 291120Z 21013KT 9999 BKN025 18/12 Q1009

TAF

TAF EDLW 291100Z 2912/3012 23011KT 9999 BKN025 TEMPO 2912/2918 SHRA BKN020TCU PROB30 TEMPO 2912/2918 23015G25KT 4

Frequencies

REC - 125.12 MHz - ATIS
TWR - 129.87 MHz - LANGEN INFO
APP - 125.22 MHz - LANGEN RADAR
GND - 121.82 MHz -
TWR - 134.17 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	6,546 ft	60.50	ASPHALT	984 ft	197 ft
	45 m	1,995 m	57.57		300 m	60 m
24	148 ft	6,546 ft	240.52	ASPHALT	984 ft	197 ft
	45 m	1,995 m	237.59		300 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IDWE	109.15 MHz	18 nm	60.51	-	422 ft
				33 km	57.58		422 m
24	LOC-ILS	IDWW	111.30 MHz	18 nm	240.51	-	425 ft
				33 km	237.58		425 m
06	GS	IDWE	109.15 MHz	10 nm	60.51	3.00	422 ft
				19 km	57.58		422 m
24	GS	IDWW	111.30 MHz	10 nm	240.51	3.00	425 ft
				19 km	237.58		425 m

EDDV

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 3

Elevation: 183 ft / 56 m
Location: 52.460200 9.683520
Magnetic Var: 3.565 E

METAR

EDDV 291120Z AUTO 21009KT 180V250 9999 4100 SHRA FEW021 BKN030 BKN039 FEW///TCU 17/13 Q1009 TEMPO 22015G25KT 4500

TAF

TAF TAF EDDV 291100Z 2912/3012 21010KT 9999 BKN030 TEMPO 2912/2920 SHRA BKN015CB PROB30 TEMPO 2912/2914 22015G25K

Frequencies

REC - 136.57 MHz - HANNOVER ATIS
APP - 118.05 MHz - BREMEN RADAR
TWR - 120.17 MHz - HANNOVER TOWER
APP - 131.32 MHz - BREMEN RADAR
DEP - 119.60 MHz - HANNOVER DIRECTOR
GND - 121.95 MHz - HANNOVER GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09C	75 ft	2,557 ft	92.64	ASPHALT	197 ft	0 ft
	23 m	779 m	89.07		60 m	0 m
27C	75 ft	2,557 ft	272.65	ASPHALT	558 ft	0 ft
	23 m	779 m	269.08		170 m	0 m
09R	148 ft	7,669 ft	92.60	CONCRETE	0 ft	0 ft
	45 m	2,338 m	89.04		0 m	0 m
27L	148 ft	7,669 ft	272.63	CONCRETE	0 ft	0 ft
	45 m	2,338 m	269.06		0 m	0 m
09L	148 ft	10,509 ft	92.57	CONCRETE	0 ft	0 ft
	45 m	3,203 m	89.01		0 m	0 m
27R	148 ft	10,509 ft	272.61	CONCRETE	0 ft	0 ft
	45 m	3,203 m	269.04		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	LOC-ILS	IHNE	108.30 MHz	18 nm	92.59	-	187 ft
				33 km	89.03		187 m
09R	LOC-ILS	IHSE	108.70 MHz	18 nm	92.62	-	183 ft
				33 km	89.06		183 m
27L	LOC-ILS	IHSW	109.50 MHz	18 nm	272.62	-	183 ft
				33 km	269.06		183 m
27R	LOC-ILS	IHNW	108.90 MHz	18 nm	272.59	-	183 ft
				33 km	269.03		183 m
09L	GS	IHNE	108.30 MHz	10 nm	92.59	3.00	187 ft
				19 km	89.03		187 m
09R	GS	IHSE	108.70 MHz	10 nm	92.62	3.00	183 ft
				19 km	89.06		183 m
27L	GS	IHSW	109.50 MHz	10 nm	272.62	3.00	183 ft
				19 km	269.06		183 m
27R	GS	IHNW	108.90 MHz	10 nm	272.59	3.00	183 ft
				19 km	269.03		183 m