


2024/05/08 0024Z

LIPE PEMAR DELER SOBRI RCA NATOV LICC

482.40 nm / 893.40 km



Notes

Requested: LIPE GAVRA M726 PEMAR DELER SOBRI Q58 RCA NATOV LICC

Unmatched points: GAVRA M726 Q58

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIPE	-	44.53545	0 ft	-	BOLOGNA
APT	-	11.28866	0 m		
PEMAR	-	42.02972	0 ft	166	-
FIX	-	12.91944	0 m		
DELER	-	40.18500	0 ft	123	-
FIX	-	14.14917	0 m		
SOBRI	-	39.08444	0 ft	80	-
FIX	-	15.13000	0 m		
RCA	-	38.07610	0 ft	65	REGGIO CALABRIA VOR-DME
VOR	-	15.64527	0 m		
NATOV	-	37.84389	0 ft	15	-
FIX	-	15.52694	0 m		
LICC	-	37.46678	0 ft	31	Catania Fontanarossa
APT	-	15.06640	0 m		

LIPE

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 123 ft / 37 m
Location: 44.535600 11.288300
Magnetic Var: 3.631 E

METAR

LIPE 072350Z 23003KT 9999 FEW010 SCT050 13/12 Q1015

TAF

TAF LIPE 072300Z 0800/0824 VRB05KT 7000 BKN020 TEMPO 0800/0808 3000 -RA BR BKN005

Frequencies

REC - 134.87 MHz - ATIS
TWR - 120.80 MHz - BOLOGNA TOWER
APP - 129.90 MHz - BOLOGNA APPROACH
GND - 129.92 MHz - BOLOGNA GROUND
APP - 120.10 MHz - BOLOGNA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	9,206 ft	116.79	ASPHALT	1,017 ft	243 ft
	45 m	2,806 m	113.15		310 m	74 m
30	148 ft	9,206 ft	296.81	ASPHALT	1,188 ft	180 ft
	45 m	2,806 m	293.18		362 m	55 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BLN	108.90 MHz	18 nm	-	-	131 ft
				33 km	-		131 m
30	DME	IBBP	109.75 MHz	18 nm	-	-	123 ft
				33 km	-		123 m
12	LOC-ILS	BLN	108.90 MHz	18 nm	116.81	-	123 ft
				33 km	113.18		123 m
30	LOC-ILS	IBBP	109.75 MHz	18 nm	296.66	-	123 ft
				33 km	293.03		123 m
12	GS	BLN	108.90 MHz	10 nm	117.59	3.00	120 ft
				19 km	113.96		120 m
30	GS	IBBP	109.75 MHz	10 nm	297.75	3.50	123 ft
				19 km	294.12		123 m

LICC

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 39 ft / 12 m
Location: 37.466800 15.066400
Magnetic Var: 3.830 E

METAR

LICC 072350Z 03004KT 340V050 CAVOK 17/14 Q1014

TAF

TAF LICC 072300Z 0800/0824 28008KT 9999 SCT040 TEMPO 0806/0815 4000 TSRA BECMG 0809/0811 09010KT

Frequencies

GND - 129.72 MHz - CATANIA GROUND
APP - 120.80 MHz - CATANIA APPROACH
REC - 127.67 MHz - ATIS

TWR - 118.70 MHz - CATANIA TOWER
APP - 119.25 MHz - CATANIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	8,000 ft	83.93	ASPHALT	308 ft	0 ft
	45 m	2,438 m	80.10		94 m	0 m
26	148 ft	8,000 ft	263.95	ASPHALT	285 ft	0 ft
	45 m	2,438 m	260.12		87 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	CTN	109.90 MHz	18 nm	-	-	45 ft
				33 km	-		45 m
08	LOC-ILS	CTN	109.90 MHz	18 nm	83.95	-	39 ft
				33 km	80.12		39 m
08	GS	CTN	109.90 MHz	10 nm	83.95	3.00	39 ft
				19 km	80.12		39 m