

NTAA

Faaa


PHNL

Honolulu Intl

2024/06/08 1126Z

NTAA TAF **B595** IAI **V1** REEFS ROBYN **V20** FIRES PHNL

2414.49 nm / 4471.63 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 40000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NTAA	-	-17.55377	0 ft	-	Faaa
APT	-	-149.60726	0 m		
TAF	-	-17.54711	100 ft	0	TAHITI FAAA VOR-DME
VOR	-	-149.60150	30 m		
TIAMA	B595	-15.58333	35,000 ft	119	-
FIX	AWY-LO	-149.88333	10,668 m		
TAVAK	B595	-15.00000	35,000 ft	35	-
FIX	AWY-LO	-149.96667	10,668 m		
TAERO	B595	-10.00000	35,000 ft	303	-
FIX	AWY-LO	-150.73333	10,668 m		
TOPOM	B595	-5.00000	35,000 ft	303	-
FIX	AWY-LO	-151.50000	10,668 m		
TENOR	B595	-2.41667	35,000 ft	157	-
FIX	AWY-LO	-151.95000	10,668 m		
TORAM	B595	5.00000	35,000 ft	452	-
FIX	AWY-LO	-153.25000	10,668 m		
TACCO	B595	10.00000	35,000 ft	305	-
FIX	AWY-LO	-154.16667	10,668 m		
TUUTS	B595	17.42889	35,000 ft	453	-
FIX	AWY-LO	-155.58028	10,668 m		
IAI	B595	19.65447	31,600 ft	136	-
VOR	AWY-LO	-156.02480	9,632 m		
REEFS	V1	19.76928	29,700 ft	8	-
FIX	AWY-LO	-156.11621	9,053 m		
ROBYN	-	19.76366	29,700 ft	0	-
FIX	-	-156.11584	9,053 m		
ANDES	V20	19.82811	28,200 ft	6	-
FIX	AWY-LO	-156.21444	8,595 m		
AMERY	V20	19.95509	25,300 ft	13	-
FIX	AWY-LO	-156.40916	7,711 m		
TYPHO	V20	20.00105	24,300 ft	4	-
FIX	AWY-LO	-156.47981	7,407 m		
FIRES	V20	20.32001	17,600 ft	31	-
FIX	AWY-LO	-156.92173	5,364 m		
PHNL	-	21.31938	0 ft	82	Honolulu Intl
APT	-	-157.92128	0 m		

NTAA

Region: FRENCH POLYNESIA
Timezone: PACIFIC/TAHITI
Runways: 1

Elevation: 5 ft / 2 m
Location: -17.553700 -149.607000
Magnetic Var: 12.883 E

METAR

NTAA 081100Z VRB03KT 9999 FEW020 SCT066 BKN140 24/22 Q1012 WS ALL RWY TEMPO 18020G30KT 3000 SHRA SCT016CB BKN030

TAF

TAF NTAA 080500Z 0806/0912 VRB05KT 9999 FEW020TCU SCT045 BKN130 TEMPO 0806/0812 18025G35KT 2000 TSRA FEW010 SCT010

Frequencies

REC - 128.80 MHz - ATIS
TWR - 118.10 MHz - TAHITI TOWER

GND - 121.90 MHz - TAHITI GROUND
APP - 121.30 MHz - TAHITI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	11,238 ft	54.10	ASPHALT	1,037 ft	0 ft
	45 m	3,425 m	41.22		316 m	0 m
22	148 ft	11,238 ft	234.10	ASPHALT	577 ft	0 ft
	45 m	3,425 m	221.21		176 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	PT	109.90 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
04	LOC-ILS	PT	109.90 MHz	18 nm	54.05	-	20 ft
				33 km	41.17		20 m
04	GS	PT	109.90 MHz	10 nm	54.06	3.00	59 ft
				19 km	41.18		59 m

PHNL

Region: USA (HAWAII)
Timezone: PACIFIC/HONOLULU
Runways: 4

Elevation: 13 ft / 4 m
Location: 21.319400 -157.921000
Magnetic Var: 9.256 E

METAR

PHNL 081053Z 07005KT 10SM FEW025 24/20 A3012

TAF

PHNL 080901Z 0809/0912 06008KT P6SM FEW025 FEW040 FM081200 VRB05KT P6SM FEW025 FEW050 FM082000 11008KT P6SM FEW040

Frequencies

REC - 127.90 MHz - ATIS	TWR - 118.10 MHz - HONOLULU TOWER
TWR - 123.90 MHz - HONOLULU TOWER	GND - 121.90 MHz - HONOLULU GROUND
CLD - 121.40 MHz - CLEARANCE DELIVERY	APP - 118.30 MHz - HCF APPROACH
DEP - 124.80 MHz - HCF DEPARTURE	DEP - 124.80 MHz - HCF DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04L	150 ft	6,961 ft	52.84	ASPHALT	0 ft	0 ft
	46 m	2,122 m	43.59		0 m	0 m
22R	150 ft	6,961 ft	232.85	ASPHALT	0 ft	0 ft
	46 m	2,122 m	223.59		0 m	0 m
04R	150 ft	9,010 ft	52.85	ASPHALT	0 ft	194 ft
	46 m	2,746 m	43.59		0 m	59 m
22L	150 ft	9,010 ft	232.86	ASPHALT	0 ft	197 ft
	46 m	2,746 m	223.60		0 m	60 m
08R	200 ft	11,987 ft	90.01	ASPHALT	0 ft	558 ft
	61 m	3,654 m	80.75		0 m	170 m
26L	200 ft	11,987 ft	270.02	ASPHALT	0 ft	554 ft
	61 m	3,654 m	260.76		0 m	169 m
08L	150 ft	12,297 ft	90.00	ASPHALT	0 ft	469 ft
	46 m	3,748 m	80.74		0 m	143 m
26R	150 ft	12,297 ft	270.01	ASPHALT	0 ft	696 ft
	46 m	3,748 m	260.76		0 m	212 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	DME	IIUM	110.50 MHz	18 nm	-	-	21 ft
				33 km	-		21 m
26L	DME	IEPC	109.10 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
26L	LOC-LOC	IEPC	109.10 MHz	18 nm	304.00	-	13 ft
				33 km	294.74		13 m
04R	GS	IIUM	110.50 MHz	10 nm	52.85	3.00	13 ft
				19 km	43.59		13 m
08L	GS	IHNL	111.70 MHz	10 nm	90.01	3.01	13 ft
				19 km	80.75		13 m