

ZSPD

Shanghai Pudong Intl


WSSS

Singapore Changi Intl

2024/05/05 2021Z

ZSPD AND LJG MAGOG MEPUT EPDOS L642 CN MABLI N892 MABAL WSSS

2104.27 nm / 3897.10 km



Notes

Requested: ZSPD AND91D AND B221 LJG A470 MAGOG MEPUT W29 DAKTO EPDOS L642 CN L644 MABLI N892 MABAL MABA2A WSSS
Unmatched points: AND91D DAKTO MABA2A

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ZSPD	-	31.14150	0 ft	-	Shanghai Pudong Intl
APT	-	121.81300	0 m		
AND	-	30.25330	0 ft	61	ANDONG VOR-DME
DME	-	121.21800	0 m		
LJG	-	26.22000	0 ft	257	LIANJIANG VOR-DME
DME	-	119.54700	0 m		
MAGOG	-	22.29610	0 ft	311	-
FIX	-	115.82500	0 m		
MEPUT	-	21.63310	0 ft	40	-
FIX	-	115.75600	0 m		
EPDOS	-	19.00000	0 ft	200	-
FIX	-	113.55500	0 m		
ENBOK	L642	18.55670	0 ft	26	-
FIX	AWY-HI	113.49200	0 m		
EPKAL	L642	17.85830	0 ft	51	-
FIX	AWY-HI	112.95500	0 m		
EGEMU	L642	17.00000	0 ft	64	-
FIX	AWY-HI	112.28300	0 m		
EXOTO	L642	15.35830	0 ft	121	-
FIX	AWY-HI	111.05000	0 m		
VEPAM	L642	13.96670	0 ft	103	-
FIX	AWY-HI	110.00000	0 m		
KARAN	L642	12.64890	0 ft	93	-
FIX	AWY-HI	109.15700	0 m		
SOSPA	L642	11.83390	0 ft	57	-
FIX	AWY-HI	108.64100	0 m		
PTH	L642	10.92800	0 ft	63	PHANTHIEP
VOR	AWY-HI	108.07200	0 m		
RUTIT	L642	10.45420	0 ft	33	-
FIX	AWY-HI	107.75700	0 m		
ELSAS	L642	10.13670	0 ft	22	-
FIX	AWY-HI	107.54800	0 m		
CN	L642	8.73278	0 ft	100	CON SON
NDB	AWY-HI	106.62600	0 m		
MABLI	-	4.28806	0 ft	268	-
FIX	-	106.21300	0 m		
MUMSO	N892	3.73889	0 ft	52	-
FIX	AWY-HI	105.53700	0 m		
MABAL	N892	3.47389	0 ft	25	-
FIX	AWY-HI	105.21000	0 m		
WSSS	-	1.35551	0 ft	146	Singapore Changi Intl
APT	-	103.98800	0 m		

ZSPD

Region: CHINA
Timezone: ASIA/SHANGHAI
Runways: 5

Elevation: 13 ft / 4 m
Location: 31.141500 121.813000
Magnetic Var: 6.477 W

METAR

ZSPD 052000Z 28003MPS 8000 OVC040 19/16 Q1011 NOSIG

TAF

TAF ZSPD 051507Z 0518/0618 28004MPS 6000 BKN015 TX26/0606Z TN16/0521Z BECMG 0607/0608 19004MPS

Frequencies

REC - 131.45 MHz - ATIS	REC - 127.85 MHz - ATIS
TWR - 118.40 MHz - PUDONG TOWER	TWR - 118.57 MHz - PUDONG TOWER
TWR - 118.80 MHz - PUDONG TOWER	TWR - 124.35 MHz - PUDONG TOWER
TWR - 118.72 MHz - PUDONG SECONDARY TOWER	TWR - 118.32 MHz - PUDONG SECONDARY TOWER
GND - 121.62 MHz - PUDONG GROUND	GND - 121.80 MHz - PUDONG GROUND
GND - 121.87 MHz - PUDONG GROUND	GND - 121.70 MHz - PUDONG GROUND
GND - 122.70 MHz - PUDONG APRON RAMP/TAXI	GND - 122.60 MHz - PUDONG APRON RAMP/TAXI
GND - 122.65 MHz - PUDONG APRON RAMP/TAXI	GND - 122.97 MHz - PUDONG APRON RAMP/TAXI
CLD - 121.95 MHz - PUDONG CLEARANCE DELIVERY	CLD - 121.67 MHz -
APP - 121.10 MHz - SHANGHAI APPROACH	PUDONG SECONDARY CLEARANCE DELIVERY
APP - 120.30 MHz - SHANGHAI APPROACH	APP - 125.40 MHz - SHANGHAI APPROACH
APP - 125.85 MHz - SHANGHAI APPROACH	APP - 125.62 MHz - SHANGHAI APPROACH
APP - 126.65 MHz - SHANGHAI APPROACH	APP - 126.30 MHz - SHANGHAI APPROACH
APP - 121.37 MHz - SHANGHAI APPROACH	APP - 123.80 MHz - SHANGHAI APPROACH
APP - 120.65 MHz - SHANGHAI SECONDARY APPROACH	APP - 119.75 MHz - SHANGHAI SECONDARY APPROACH
APP - 124.05 MHz - SHANGHAI SECONDARY APPROACH	APP - 128.05 MHz - SHANGHAI SECONDARY APPROACH
	APP - 119.20 MHz - SHANGHAI SECONDARY APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	144 ft	11,192 ft	162.14	CONCRETE	0 ft	197 ft
	44 m	3,411 m	168.62		0 m	60 m
33	144 ft	11,192 ft	342.15	CONCRETE	0 ft	194 ft
	44 m	3,411 m	348.62		0 m	59 m
16L	197 ft	12,505 ft	162.10	CONCRETE	0 ft	0 ft
	60 m	3,812 m	168.58		0 m	0 m
34R	197 ft	12,505 ft	342.11	CONCRETE	0 ft	0 ft
	60 m	3,812 m	348.59		0 m	0 m
16R	197 ft	12,505 ft	162.09	CONCRETE	0 ft	0 ft
	60 m	3,812 m	168.56		0 m	0 m
34L	197 ft	12,505 ft	342.09	CONCRETE	0 ft	0 ft
	60 m	3,812 m	348.57		0 m	0 m
17L	197 ft	13,155 ft	162.08	CONCRETE	0 ft	0 ft
	60 m	4,010 m	168.56		0 m	0 m
35R	197 ft	13,155 ft	342.08	CONCRETE	0 ft	0 ft
	60 m	4,010 m	348.56		0 m	0 m
17R	197 ft	11,183 ft	162.08	CONCRETE	0 ft	0 ft
	60 m	3,409 m	168.56		0 m	0 m
35L	197 ft	11,183 ft	342.09	CONCRETE	0 ft	0 ft
	60 m	3,409 m	348.56		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	DME	IZZ	108.70 MHz	18 nm	-	-	12 ft
				33 km	-		12 m
17L	DME	IPD	110.70 MHz	18 nm	-	-	11 ft
				33 km	-		11 m
34L	DME	IDD	108.30 MHz	18 nm	-	-	12 ft
				33 km	-		12 m
16L	LOC-ILS	IHL	111.50 MHz	18 nm	162.11	-	13 ft
				33 km	168.59		13 m
16R	LOC-ILS	IZZ	108.70 MHz	18 nm	162.09	-	13 ft
				33 km	168.57		13 m
17L	LOC-ILS	IPD	110.70 MHz	18 nm	162.08	-	13 ft
				33 km	168.56		13 m
17R	LOC-ILS	IKM	111.10 MHz	18 nm	162.09	-	13 ft
				33 km	168.57		13 m
34L	LOC-ILS	IDD	108.30 MHz	18 nm	342.09	-	13 ft
				33 km	348.57		13 m
34R	LOC-ILS	IPR	108.90 MHz	18 nm	342.11	-	13 ft
				33 km	348.59		13 m
35L	LOC-ILS	IBD	108.10 MHz	18 nm	342.09	-	13 ft
				33 km	348.57		13 m
35R	LOC-ILS	INN	111.90 MHz	18 nm	342.08	-	13 ft
				33 km	348.56		13 m
16L	GS	IHL	111.50 MHz	10 nm	162.11	3.00	13 ft
				19 km	168.59		13 m
16R	GS	IZZ	108.70 MHz	10 nm	162.09	3.00	13 ft
				19 km	168.57		13 m
17L	GS	IPD	110.70 MHz	10 nm	162.08	3.00	13 ft
				19 km	168.56		13 m
17R	GS	IKM	111.10 MHz	10 nm	162.09	3.00	13 ft
				19 km	168.57		13 m
34L	GS	IDD	108.30 MHz	10 nm	342.09	3.00	13 ft
				19 km	348.57		13 m
34R	GS	IPR	108.90 MHz	10 nm	342.11	3.00	13 ft
				19 km	348.59		13 m
35L	GS	IBD	108.10 MHz	10 nm	342.09	3.00	13 ft
				19 km	348.57		13 m
35R	GS	INN	111.90 MHz	10 nm	342.08	3.00	13 ft
				19 km	348.56		13 m

WSSS

Region: SINGAPORE

Timezone: ASIA/SINGAPORE

Runways: 2

Elevation: 20 ft / 6 m

Location: 1.355510 103.988000

Magnetic Var: 0.198 E

METAR

WSSS 052000Z 00000KT 9999 FEW016 BKN300 28/26 Q1008 NOSIG

TAF

TAF WSSS 051700Z 0518/0700 18007KT 9999 FEW015 SCT020 TEMPO 0606/0609 3000 TSRA FEW012CB BKN015

Frequencies

DEP - 123.70 MHz - SINGAPORE RADAR	DEP - 127.30 MHz - SINGAPORE RADAR
DEP - 133.80 MHz - SINGAPORE RADAR	DEP - 133.25 MHz - SINGAPORE RADAR
DEP - 135.80 MHz - SINGAPORE RADAR	DEP - 134.20 MHz - SINGAPORE RADAR
DEP - 133.35 MHz - SINGAPORE RADAR	DEP - 134.40 MHz - SINGAPORE RADAR
DEP - 128.10 MHz - SINGAPORE RADAR	DEP - 255.40 MHz - SINGAPORE RADAR
DEP - 124.05 MHz - SINGAPORE RADAR	APP - 120.30 MHz - SINGAPORE APPROACH
APP - 124.60 MHz - SINGAPORE APPROACH	APP - 119.30 MHz - SINGAPORE ARRIVAL
TWR - 118.60 MHz - SINGAPORE TOWER	TWR - 118.25 MHz - SINGAPORE TOWER
GND - 124.30 MHz - SINGAPORE GROUND	GND - 121.72 MHz - SINGAPORE GROUND
GND - 121.85 MHz - SINGAPORE GROUND	GND - 121.00 MHz - SINGAPORE GROUND EMERGENCY
GND - 122.55 MHz - SINGAPORE GROUND	CLD - 121.65 MHz - SINGAPORE DELIVERY
CLD - 119.60 MHz - SINGAPORE DELIVERY	REC - 128.60 MHz -
REC - 128.02 MHz -	CHANGI AIRPORT INFORMATION (D-ATIS)
CHANGI AIRPORT ARRIVAL INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02L	197 ft	13,187 ft	22.88	ASPHALT	0 ft	0 ft
	60 m	4,020 m	22.68		0 m	0 m
20R	197 ft	13,187 ft	202.88	ASPHALT	2,428 ft	390 ft
	60 m	4,020 m	202.68		740 m	119 m
02C	197 ft	13,187 ft	22.88	ASPHALT	0 ft	0 ft
	60 m	4,020 m	22.68		0 m	0 m
20C	197 ft	13,187 ft	202.88	ASPHALT	0 ft	0 ft
	60 m	4,020 m	202.68		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02C	DME	ICE	108.30 MHz	18 nm	-	-	15 ft
				33 km	-		15 m
02L	DME	ICW	110.90 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
20C	DME	ICC	109.70 MHz	18 nm	-	-	15 ft
				33 km	-		15 m
20R	DME	ICH	108.90 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
02C	LOC-ILS	ICE	108.30 MHz	18 nm	22.88	-	20 ft
				33 km	22.68		20 m
02L	LOC-ILS	ICW	110.90 MHz	18 nm	22.88	-	20 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	22.68		20 m
20C	LOC-ILS	ICC	109.70 MHz	18 nm	202.88	-	20 ft
				33 km	202.68		20 m
20R	LOC-ILS	ICH	108.90 MHz	18 nm	202.88	-	20 ft
				33 km	202.68		20 m
02C	GS	ICE	108.30 MHz	10 nm	22.88	3.00	20 ft
				19 km	22.68		20 m
02L	GS	ICW	110.90 MHz	10 nm	22.88	3.00	20 ft
				19 km	22.68		20 m
20C	GS	ICC	109.70 MHz	10 nm	202.88	3.00	20 ft
				19 km	202.68		20 m
20R	GS	ICH	108.90 MHz	10 nm	202.88	3.00	20 ft
				19 km	202.68		20 m