


2024/06/05 0254Z

ORBI DENKI **P975** SIDAD **R784** IMDAT **B416** DURS **Z350** LVA OIBK

659.18 nm / 1220.81 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ORBI	-	33.26200	0 ft	-	Baghdad Intl
APT	-	44.23380	0 m	-	
DENKI	-	32.37440	34,800 ft	97	-
FIX	-	45.85610	10,607 m	-	-
ILMAP	P975	31.35920	35,000 ft	82	-
FIX	AWY-HI	46.95060	10,668 m	-	-
PEBAD	P975	30.83970	35,000 ft	42	-
FIX	AWY-HI	47.49940	10,668 m	-	-
SIDAD	P975	29.87530	35,000 ft	77	-
FIX	AWY-HI	48.49560	10,668 m	-	-
DESLU	R784	29.46670	35,000 ft	37	-
FIX	AWY-HI	49.03060	10,668 m	-	-
NANPI	R784	29.08250	35,000 ft	34	-
FIX	AWY-HI	49.53250	10,668 m	-	-
ALNIN	R784	28.55170	35,000 ft	46	-
FIX	AWY-HI	50.17670	10,668 m	-	-
IMDAT	R784	27.68330	35,000 ft	74	-
FIX	AWY-HI	51.18330	10,668 m	-	-
DURSI	B416	27.20530	24,000 ft	53	-
FIX	AWY-HI	52.02890	7,315 m	-	-
LVA	Z350	26.81210	8,000 ft	74	LAVAN ISLAND
VOR	AWY-HI	53.35590	2,438 m	-	-
OIBK	-	26.52700	0 ft	37	Kish Island
APT	-	53.98020	0 m	-	

ORBI

Region: IRAQ
Timezone: ASIA/BAGHDAD
Runways: 2

Elevation: 114 ft / 35 m
Location: 33.262000 44.233800
Magnetic Var: 5.043 E

METAR

ORBI 050200Z 31003KT CAVOK 24/09 Q1004 NOSIG

TAF

TAF TAF ORBI 042330Z 0500/0524 33008KT 7000 NSC PROB40 0508/0516 G20KT 4000 BLDU

Frequencies

REC - 122.92 MHz - ATIS
TWR - 118.90 MHz - BAGHDAD TOWER
APP - 122.40 MHz - BAGHDAD APPROACH
GND - 121.40 MHz - BAGHDAD GROUND
DEP - 128.20 MHz - BAGHDAD DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15R	148 ft	10,840 ft	150.15	CONCRETE	0 ft	194 ft
	45 m	3,304 m	145.10		0 m	59 m
33L	148 ft	10,840 ft	330.15	CONCRETE	0 ft	210 ft
	45 m	3,304 m	325.11		0 m	64 m
15L	197 ft	13,135 ft	150.10	CONCRETE	0 ft	0 ft
	60 m	4,004 m	145.05		0 m	0 m
33R	197 ft	13,135 ft	330.11	CONCRETE	0 ft	417 ft
	60 m	4,004 m	325.06		0 m	127 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15L	LOC-ILS	IYDB	110.70 MHz	18 nm	150.11	-	114 ft
				33 km	145.07		114 m
33R	LOC-ILS	IYCA	110.10 MHz	18 nm	330.11	-	114 ft
				33 km	325.07		114 m
15L	GS	IYDB	110.70 MHz	10 nm	150.11	3.00	114 ft
				19 km	145.07		114 m
33R	GS	IYCA	110.10 MHz	10 nm	330.11	3.00	114 ft
				19 km	325.07		114 m