

LFPG

Paris Charles De Gaulle


LEAL

Alicante-Elche "El Altet"

2024/05/15 1853Z

LFPG DEPOM **G54** CTX **G28** LMG **A34** AGN **UN860** GRAUS **A34** SEROX **UN860** TATOS LEAL

664.35 nm / 1230.38 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG	-	49.00970	0 ft	-	Paris Charles De Gaulle
APT	-	2.56257	0 m		
DEPOM	-	47.31780	35,000 ft	102	-
FIX	-	2.17917	10,668 m		
CTX	G54	46.93660	35,000 ft	27	CHATEAUROUX DEOLS
NDB	AWY-LO	1.80114	10,668 m		
GUSON	G28	46.47420	35,000 ft	30	-
FIX	AWY-LO	1.47778	10,668 m		
LMG	G28	45.81590	35,000 ft	43	LIMOGES
VOR	AWY-LO	1.02558	10,668 m		
MAVAC	A34	45.51640	35,000 ft	18	-
FIX	AWY-LO	1.00194	10,668 m		
PERIG	A34	45.11720	35,000 ft	24	-
FIX	AWY-LO	0.96944	10,668 m		
BUGUS	A34	45.00000	35,000 ft	7	-
FIX	AWY-LO	0.96056	10,668 m		
RUMEL	A34	44.50000	35,000 ft	30	-
FIX	AWY-LO	0.92050	10,668 m		
LACOU	A34	44.29680	35,000 ft	12	-
FIX	AWY-LO	0.90439	10,668 m		
AGN	A34	43.88800	35,000 ft	24	AGEN
VOR	AWY-LO	0.87286	10,668 m		
ANETO	UN860	42.69300	35,000 ft	73	-
FIX	AWY-HI	0.55844	10,668 m		
TURUV	UN860	42.36750	35,000 ft	19	-
FIX	AWY-HI	0.47497	10,668 m		
GRAUS	UN860	41.97900	35,000 ft	23	-
FIX	AWY-HI	0.37644	10,668 m		
SEROX	A34	41.34670	35,000 ft	38	-
FIX	AWY-LO	0.21869	10,668 m		
CASPE	UN860	41.26840	35,000 ft	4	-
FIX	AWY-HI	0.19939	10,668 m		
MLA	UN860	41.12960	35,000 ft	8	MAELLA
VOR	AWY-HI	0.16525	10,668 m		
CRETA	UN860	40.87230	34,000 ft	16	-
FIX	AWY-HI	0.06156	10,363 m		
RIMES	UN860	40.55790	29,700 ft	19	-
FIX	AWY-HI	-0.06394	9,053 m		
SAURA	UN860	40.25600	25,700 ft	18	-
FIX	AWY-HI	-0.18336	7,833 m		
TATOS	UN860	40.00000	22,200 ft	16	-
FIX	AWY-HI	-0.28375	6,767 m		
LEAL	-	38.28220	0 ft	103	Alicante-Elche "El Altet"
APT	-	-0.55811	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.497 E

METAR

LFPG 151830Z 13009KT 6000 -SHRA FEW046 FEW066CB BKN070 16/10 Q1005 TEMPO 4000 SHRA SCT020CB

TAF

TAF LFPG 151700Z 1518/1624 13005KT 9999 SCT040 TX19/1615Z TN12/1606Z TEMPO 1518/1603 4000 -SHRA SCT030TCU PROB40

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m

LEAL

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 142 ft / 43 m
Location: 38.282200 -0.558114
Magnetic Var: 0.888 E

METAR

LEAL 151830Z 11005KT 060V170 CAVOK 21/12 Q1006 NOSIG

TAF

TAF TAF LEAL 151700Z 1518/1618 18010KT CAVOK TX26/1615Z TN15/1604Z BECMG 1518/1521 VRB04KT BECMG 1605/1607 30012K

Frequencies

REC - 120.05 MHz - ATIS	TWR - 118.15 MHz - ALICANTE TOWER
TWR - 125.15 MHz - ALICANTE TOWER	GND - 130.65 MHz - ALICANTE GROUND
CLD - 119.85 MHz - CLEARANCE DELIVERY	APP - 119.07 MHz - VALENCIA APPROACH
APP - 120.40 MHz - VALENCIA APPROACH	APP - 118.80 MHz - VALENCIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,828 ft	100.08	ASPHALT	0 ft	0 ft
	45 m	2,996 m	99.19		0 m	0 m
28	148 ft	9,828 ft	280.10	ASPHALT	0 ft	0 ft
	45 m	2,996 m	279.21		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IAT	110.30 MHz	18 nm	-	-	129 ft
				33 km	-		129 m
10	LOC-ILS	IAT	110.30 MHz	18 nm	100.09	-	29 ft
				33 km	99.20		29 m
10	GS	IAT	110.30 MHz	10 nm	100.19	3.00	129 ft
				19 km	99.30		129 m