


2024/06/05 1227Z

HECA CVO MENKU AMAXI VEGES DIRMI RESTI ALANI KOR RIMAX XANIS YNN DIMIS TRAUN MANAL DITON ROTOS
LUTIX BENOT NEMOS VADAR SPR LSGG

1684.65 nm / 3119.97 km



Notes

Requested: HECA CVO MENKU AMAXI VEGES DIRMI RESTI ALANI KOR RIMAX XANIS YNN DIMIS TRN1 TRAUN ATLLOL MANAL DITON ROTOS

Unmatched points: TRN1 ATLLOL

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
HECA	-	30.11140	0 ft	-	Cairo Intl
APT	-	31.41390	0 m		
CVO	-	30.09230	0 ft	1	CAIRO
VOR	-	31.38840	0 m		
MENKU	-	31.09190	0 ft	82	-
FIX	-	30.30170	0 m		
AMAXI	-	35.09780	0 ft	330	-
FIX	-	25.78280	0 m		
VEGES	-	35.20890	0 ft	8	-
FIX	-	25.67560	0 m		
DIRMI	-	36.05610	0 ft	64	-
FIX	-	24.84970	0 m		
RESTI	-	36.46780	0 ft	31	-
FIX	-	24.43970	0 m		
ALANI	-	36.91110	0 ft	34	-
FIX	-	23.99170	0 m		
KOR	-	37.93040	0 ft	79	KORINTHOS
NDB	-	22.93590	0 m		
RIMAX	-	38.11860	0 ft	15	-
FIX	-	22.71690	0 m		
XANIS	-	38.57220	0 ft	36	-
FIX	-	22.18580	0 m		
YNN	-	39.70000	0 ft	92	IOANNINA
VOR	-	20.82130	0 m		
DIMIS	-	40.07250	0 ft	24	-
FIX	-	20.59470	0 m		
TRAUN	-	47.97470	0 ft	586	-
FIX	-	12.58750	0 m		
MANAL	-	47.89940	0 ft	32	-
FIX	-	11.80000	0 m		
DITON	-	47.30220	0 ft	144	-
FIX	-	8.33333	0 m		
ROTOS	-	47.18990	0 ft	25	-
FIX	-	7.72517	0 m		
LUTIX	-	47.16500	0 ft	14	-
FIX	-	7.37056	0 m		
BENOT	-	47.05770	0 ft	10	-
FIX	-	7.17281	0 m		
NEMOS	-	46.91190	0 ft	13	-
FIX	-	6.90656	0 m		
VADAR	-	46.65720	0 ft	16	-
FIX	-	6.75361	0 m		
SPR	-	46.46870	0 ft	16	ST PREX
VOR	-	6.44806	0 m		
LSGG	-	46.23810	0 ft	19	Geneva
APT	-	6.10901	0 m		

HECA

Region: EGYPT
Timezone: AFRICA/CAIRO
Runways: 3

Elevation: 466 ft / 142 m
Location: 30.111400 31.413900
Magnetic Var: 4.957 E

METAR

HECA 051230Z 32010KT CAVOK 38/11 Q1008 NOSIG

TAF

TAF HECA 051100Z 0512/0618 01010KT CAVOK TEMPO 0600/0608 VRB02KT 4000 HZ NSC

Frequencies

REC - 122.60 MHz - ATIS
GND - 121.90 MHz - CAIRO GROUND NORTH
APP - 119.05 MHz - CAIRO APPROACH
GND - 120.40 MHz - CAIRO GROUND SOUTH
TWR - 118.10 MHz - CAIRO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	197 ft	13,135 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,004 m	44.08		0 m	66 m
23L	197 ft	13,135 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,004 m	224.10		0 m	69 m
05C	197 ft	13,132 ft	49.04	ASPHALT	0 ft	217 ft
	60 m	4,003 m	44.08		0 m	66 m
23C	197 ft	13,132 ft	229.05	ASPHALT	0 ft	226 ft
	60 m	4,003 m	224.10		0 m	69 m
05L	197 ft	10,840 ft	49.29	ASPHALT	0 ft	184 ft
	60 m	3,304 m	44.33		0 m	56 m
23R	197 ft	10,840 ft	229.30	ASPHALT	0 ft	184 ft
	60 m	3,304 m	224.35		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05L	DME	CRL	110.90 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05R	DME	IROT	109.90 MHz	18 nm	-	-	430 ft
				33 km	-		430 m
23L	DME	ILOT	109.50 MHz	18 nm	-	-	420 ft
				33 km	-		420 m
23R	DME	CRR	110.30 MHz	18 nm	-	-	230 ft
				33 km	-		230 m
05L	LOC-ILS	IZFL	110.90 MHz	18 nm	49.30	-	466 ft
				33 km	44.34		466 m
05C	LOC-ILS	IZFC	109.90 MHz	18 nm	49.04	-	466 ft
				33 km	44.08		466 m
05R	LOC-ILS	IZFR	108.90 MHz	18 nm	49.05	-	466 ft
				33 km	44.09		466 m
23L	LOC-ILS	ITTL	108.70 MHz	18 nm	229.05	-	466 ft
				33 km	224.09		466 m
23C	LOC-ILS	ITTC	109.50 MHz	18 nm	229.04	-	466 ft
				33 km	224.08		466 m
23R	LOC-ILS	ITTR	110.30 MHz	18 nm	229.30	-	466 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	224.34		466 m
05L	GS	IZFL	110.90 MHz	10 nm	49.30	3.00	466 ft
				19 km	44.34		466 m
05C	GS	IZFC	109.90 MHz	10 nm	49.04	3.00	466 ft
				19 km	44.08		466 m
05R	GS	IZFR	108.90 MHz	10 nm	49.05	3.00	466 ft
				19 km	44.09		466 m
23L	GS	ITTL	108.70 MHz	10 nm	229.05	3.00	466 ft
				19 km	224.09		466 m
23C	GS	ITTC	109.50 MHz	10 nm	229.04	3.00	466 ft
				19 km	224.08		466 m
23R	GS	ITTR	110.30 MHz	10 nm	229.30	3.00	466 ft
				19 km	224.34		466 m

LSGG

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 1,411 ft / 430 m
Location: 46.238100 6.109010
Magnetic Var: 2.519 E

METAR

LSGG 051220Z AUTO 23011KT 9999 FEW045 24/13 Q1015 NOSIG

TAF

TAF TAF LSGG 051125Z 0512/0618 23012KT 9999 FEW050 TX26/0515Z TN14/0605Z TX26/0614Z BECMG 0518/0520 VRB02KT BECMG

Frequencies

REC - 124.75 MHz - ATIS	REC - 135.57 MHz - ATIS
GND - 121.75 MHz - GENEVA APRON	GND - 121.85 MHz - GENEVA APRON
GND - 121.67 MHz - GENEVA GROUND	GND - 119.70 MHz - GENEVA GROUND
TWR - 118.70 MHz - GENEVA TOWER	TWR - 119.90 MHz - GENEVA TOWER
DEP - 131.32 MHz - GENEVA DEPARTURE	DEP - 119.52 MHz - GENEVA DEPARTURE
APP - 136.45 MHz - GENEVA TRANSIT	APP - 136.25 MHz - GENEVA ARRIVAL
APP - 130.55 MHz - GENEVA APPROACH	APP - 120.30 MHz - GENEVA FINAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	164 ft	12,806 ft	45.42	CONCRETE	1,076 ft	0 ft
	50 m	3,903 m	42.90		328 m	0 m
22	164 ft	12,806 ft	225.45	CONCRETE	0 ft	0 ft
	50 m	3,903 m	222.93		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	LOC-ILS	INE	110.90 MHz	18 nm	45.44	-	1,411 ft
				33 km	42.92		1,411 m
22	LOC-ILS	ISW	109.90 MHz	18 nm	225.44	-	1,411 ft
				33 km	222.92		1,411 m
04	GS	INE	110.90 MHz	10 nm	45.44	3.00	1,411 ft
				19 km	42.92		1,411 m
22	GS	ISW	109.90 MHz	10 nm	225.44	3.00	1,411 ft
				19 km	222.92		1,411 m