


2024/05/10 0716Z

GGOV ERIDI **UR620** VOTAB **UM974** BIGET OPARA ONTOL **UB735F** SOLMA UBAMI **UG852F** LISUR **G852** RGN NSL **J41**
IMN **A18D** DERJE **A18** KDR LIBDA **V300** MIS **UZ350** RAMLI **UP32** NEVIK **P32** PIDAS **UP32** SOKRI **R32** RAPOS **UR32**
RIPLI **R32** HALIL LTAC

3363.43 nm / 6229.07 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GGOV APT	-	11.89017 -15.64883	0 ft 0 m	-	BISSAU OSWALDO VIEIRA INTL
ERIDI FIX	-	13.19333 -15.13028	29,900 ft 9,114 m	83	-
DISNO FIX	UR620 AWY-HI	14.04361 -14.81945	35,000 ft 10,668 m	54	-
VOTAB FIX	UR620 AWY-HI	14.76333 -14.62917	35,000 ft 10,668 m	44	-
XUKON FIX	UM974 AWY-HI	14.76139 -13.57444	35,000 ft 10,668 m	61	-
UBATA FIX	UM974 AWY-HI	14.75361 -12.43472	35,000 ft 10,668 m	66	-
MISKI FIX	UM974 AWY-HI	14.74861 -11.93861	35,000 ft 10,668 m	28	-
AMTAK FIX	UM974 AWY-HI	14.73611 -10.99806	35,000 ft 10,668 m	54	-
BIGET FIX	UM974 AWY-HI	14.69306 -8.83944	35,000 ft 10,668 m	125	-
OPARA FIX	-	14.67306 -8.08833	35,000 ft 10,668 m	43	-
ONTOL FIX	-	16.25000 -6.27167	35,000 ft 10,668 m	141	-
SOLMA FIX	UB735F AWY-HI	19.38417 -4.81389	35,000 ft 10,668 m	205	-
UBAMI FIX	-	20.68222 -3.35472	35,000 ft 10,668 m	113	-
LISUR FIX	UG852F AWY-HI	23.11667 -1.88333	35,000 ft 10,668 m	167	-
CHECH FIX	G852 AWY-LO	25.51389 -0.47000	35,000 ft 10,668 m	163	-
RGN NDB	G852 AWY-LO	26.68389 0.28250	35,000 ft 10,668 m	81	REGGAN NDB
NSL VOR	-	27.23667 2.49250	35,000 ft 10,668 m	122	IN SALAH VOR-DME
OUCIF FIX	J41 AWY-LO	27.73333 5.00000	35,000 ft 10,668 m	136	-
BOD VOR	J41 AWY-LO	28.13306 6.83917	35,000 ft 10,668 m	100	BORDJ OMAR DRISS VOR-DME
NAGAH FIX	J41 AWY-LO	28.10000 8.61667	35,000 ft 10,668 m	94	-
IMN VOR	J41 AWY-LO	28.07000 9.66528	35,000 ft 10,668 m	55	ZARZAITINE VOR-DME
DERJE FIX	A18D AWY-LO	29.79546 11.31601	35,000 ft 10,668 m	135	-
IZD NDB	A18 AWY-LO	31.44611 12.97361	35,000 ft 10,668 m	131	MIZDA NDB
JIBAL FIX	A18 AWY-LO	32.08285 13.41678	35,000 ft 10,668 m	44	-
KDR NDB	A18 AWY-LO	32.36667 13.61667	35,000 ft 10,668 m	19	KADRA NDB
LIBDA FIX	-	32.51358 14.00000	35,000 ft 10,668 m	21	-
MIS	V300	32.31667	35,000 ft	55	MISURATA VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-LO	15.06667	10,668 m		
CIBIA	UZ350	32.67000	35,000 ft	52	-
FIX	AWY-HI	16.02056	10,668 m		
SOLUN	UZ350	32.98694	35,000 ft	52	-
FIX	AWY-HI	17.00000	10,668 m		
DOLFI	UZ350	33.21333	35,000 ft	38	-
FIX	AWY-HI	17.72000	10,668 m		
TUNAR	UZ350	33.41361	35,000 ft	34	-
FIX	AWY-HI	18.37056	10,668 m		
FARUJ	UZ350	33.52306	35,000 ft	19	-
FIX	AWY-HI	18.73222	10,668 m		
RAMLI	UZ350	33.71667	35,000 ft	34	-
FIX	AWY-HI	19.38333	10,668 m		
EKLIS	UP32	34.33333	35,000 ft	65	-
FIX	AWY-LO	20.48083	10,668 m		
VANIX	UP32	34.82944	35,000 ft	53	-
FIX	AWY-HI	21.38917	10,668 m		
AMIBO	UP32	34.97389	35,000 ft	15	-
FIX	AWY-HI	21.65806	10,668 m		
NEVIK	UP32	35.13444	35,000 ft	17	-
FIX	AWY-HI	21.95944	10,668 m		
PIDAS	P32	35.37694	35,000 ft	27	-
FIX	AWY-LO	22.43833	10,668 m		
LEGRA	UP32	35.67028	35,000 ft	24	-
FIX	AWY-HI	22.77861	10,668 m		
LIDRI	UP32	35.86528	35,000 ft	16	-
FIX	AWY-HI	23.00694	10,668 m		
ESODO	UP32	36.02722	35,000 ft	13	-
FIX	AWY-HI	23.19806	10,668 m		
SOKRI	UP32	36.25778	35,000 ft	19	-
FIX	AWY-HI	23.47194	10,668 m		
MIL	R32	36.74752	35,000 ft	58	MILOS VOR-DME
VOR	AWY-LO	24.51945	10,668 m		
GENDO	R32	36.92139	35,000 ft	16	-
FIX	AWY-LO	24.79472	10,668 m		
LIKNI	R32	36.96806	35,000 ft	4	-
FIX	AWY-LO	24.86861	10,668 m		
RAPOS	R32	37.13472	35,000 ft	16	-
FIX	AWY-LO	25.13556	10,668 m		
RIPLI	UR32	37.27583	35,000 ft	13	-
FIX	AWY-HI	25.36278	10,668 m		
LETSO	R32	37.45650	35,000 ft	17	-
FIX	AWY-LO	25.65776	10,668 m		
ERIMA	R32	37.74707	35,000 ft	28	-
FIX	AWY-LO	26.13388	10,668 m		
IKARO	R32	37.86639	35,000 ft	11	-
FIX	AWY-LO	26.33111	10,668 m		
NISOS	R32	37.91917	35,000 ft	5	-
FIX	AWY-LO	26.41889	10,668 m		
REDRA	R32	37.98222	35,000 ft	6	-
FIX	AWY-LO	26.52444	10,668 m		
IMR	R32	38.31722	35,000 ft	30	IZMIR VOR-DME
VOR	AWY-LO	27.00722	10,668 m		
KULAR	R32	38.58222	35,000 ft	78	-
FIX	AWY-LO	28.63278	10,668 m		
NESET	R32	38.63139	35,000 ft	23	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	29.11972	10,668 m		
TUMER	R32	38.66556	35,000 ft	16	-
FIX	AWY-LO	29.47028	10,668 m		
KINIK	R32	38.73222	35,000 ft	25	-
FIX	AWY-LO	29.99944	10,668 m		
KFK	R32	38.80389	30,900 ft	25	AFYON NDB
NDB	AWY-LO	30.54694	9,418 m		
HALIL	R32	39.39056	11,300 ft	91	-
FIX	AWY-LO	32.35778	3,444 m		
LTAC	-	40.12828	0 ft	53	ESENBGA
APT	-	32.99540	0 m		

GGOV

Region: GUINEA BISSAU
Timezone: AFRICA/BISSAU
Runways: 1

Elevation: 129 ft / 39 m
Location: 11.894900 -15.653700
Magnetic Var: 6.526 W

METAR

GGOV 100700Z VRB02KT 8000 NSC 26/23 Q1008 NOSIG

TAF

TAF GGOV 092300Z 1000/1024 VRB04KT 8000 NSC

Frequencies

TWR - 124.30 MHz -

APP - 123.90 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	10,540 ft	18.57	ASPHALT	0 ft	358 ft
	45 m	3,213 m	25.10		0 m	109 m
21	148 ft	10,540 ft	198.58	ASPHALT	0 ft	328 ft
	45 m	3,213 m	205.10		0 m	100 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	LOC-ILS	IBS	109.30 MHz	18 nm	198.58	-	129 ft
				33 km	205.11		129 m
21	GS	IBS	109.30 MHz	10 nm	198.58	3.00	129 ft
				19 km	205.11		129 m

LTAC

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 2

Elevation: 3,125 ft / 953 m
Location: 40.128100 32.995000
Magnetic Var: 6.320 E

METAR

LTAC 100650Z 05007KT 360V090 9999 FEW040 BKN100 19/06 Q1014 NOSIG

TAF

TAF LTAC 100440Z 1006/1106 VRB02KT 9999 SCT040 BKN100 TEMPO 1009/1013 17012KT BECMG 1015/1017 03012KT TEMPO 1017/

Frequencies

REC - 123.60 MHz - D-ATIS
GND - 121.90 MHz - ESENBOA GROUND

TWR - 118.10 MHz - ESENBOA TOWER
APP - 119.10 MHz - ESENBOA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03L	148 ft	11,128 ft	36.04	CONCRETE	0 ft	0 ft
	45 m	3,392 m	29.72		0 m	0 m
21R	148 ft	11,128 ft	216.06	CONCRETE	0 ft	0 ft
	45 m	3,392 m	209.74		0 m	0 m
03R	197 ft	12,316 ft	36.10	CONCRETE	0 ft	0 ft
	60 m	3,754 m	29.78		0 m	0 m
21L	197 ft	12,316 ft	216.12	CONCRETE	0 ft	0 ft
	60 m	3,754 m	209.79		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	LOC-ILS	IAKR	108.90 MHz	18 nm	35.62	-	3,125 ft
				33 km	29.30		3,125 m
03R	LOC-ILS	IANK	110.30 MHz	18 nm	35.48	-	3,125 ft
				33 km	29.15		3,125 m
21L	LOC-ILS	IESB	108.10 MHz	18 nm	216.08	-	3,097 ft
				33 km	209.76		3,097 m
21R	LOC-ILS	IEBG	108.30 MHz	18 nm	217.00	-	3,125 ft
				33 km	210.68		3,125 m
03L	GS	IAKR	108.90 MHz	10 nm	36.40	3.00	3,125 ft
				19 km	30.08		3,125 m
03R	GS	IANK	110.30 MHz	10 nm	35.60	3.00	3,125 ft
				19 km	29.28		3,125 m
21L	GS	IESB	108.10 MHz	10 nm	215.60	3.00	3,125 ft
				19 km	209.28		3,125 m
21R	GS	IEBG	108.30 MHz	10 nm	216.40	3.00	3,125 ft
				19 km	210.08		3,125 m