


2024/05/06 1743Z

KTEB ZIMMZ 69N

70.13 nm / 129.88 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 80kts
- Cruise Altitude: 35000ft
- Cruise Speed: 123kts
- Descent Rate: 1500ft/min
- Descent Speed: 80kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KTEB	-	40.85030	0 ft	-	Teterboro
APT	-	-74.06090	0 m		
ZIMMZ	-	40.80310	15,900 ft	48	-
FIX	-	-75.12360	4,846 m		
69N	-	40.76680	0 ft	21	Slatington
APT	-	-75.59960	0 m		

KTEB

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 8 ft / 2 m
Location: 40.850300 -74.060900
Magnetic Var: 12.731 W

METAR

KTEB 061658Z 00000KT 10SM BR BKN018 OVC026 19/15 A2997 RMK A02 T01890150

TAF

TAF AMD KTEB 061455Z 0615/0718 VRB03KT 3SM BR OVC006 TEMPO 0616/0617 BKN008 FM061700 26004KT P6SM SCT008 BKN012 FM

Frequencies

REC - 132.02 MHz - ATIS	CLD - 128.05 MHz - CLEARANCE DELIVERY
GND - 121.90 MHz - TETERBORO GROUND	TWR - 125.10 MHz - TETERBORO TOWER
TWR - 119.50 MHz - TETERBORO TOWER	APP - 127.60 MHz - NEW YORK APPROACH
DEP - 119.20 MHz - NEW YORK DEPARTURE	DEP - 126.70 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	150 ft	7,011 ft	3.17	ASPHALT	771 ft	381 ft
	46 m	2,137 m	15.90		235 m	116 m
19	150 ft	7,011 ft	183.17	ASPHALT	768 ft	105 ft
	46 m	2,137 m	195.90		234 m	32 m
06	150 ft	6,009 ft	48.03	ASPHALT	184 ft	377 ft
	46 m	1,832 m	60.76		56 m	115 m
24	150 ft	6,009 ft	228.04	ASPHALT	0 ft	292 ft
	46 m	1,832 m	240.77		0 m	89 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19	DME	ITJL	110.15 MHz	18 nm	-	-	6 ft
				33 km	-		6 m
06	LOC-ILS	ITEB	108.90 MHz	18 nm	48.04	-	8 ft
				33 km	60.77		8 m
19	LOC-ILS	ITJL	110.15 MHz	18 nm	183.17	-	8 ft
				33 km	195.90		8 m
06	GS	ITEB	108.90 MHz	10 nm	48.04	3.00	8 ft
				19 km	60.77		8 m
19	GS	ITJL	110.15 MHz	10 nm	183.17	3.00	8 ft
				19 km	195.90		8 m