


2024/06/04 0659Z

CYVR HE **J500** YXC **V300** YQL **T628** YYN **J500** VLN **J504** YDR CYBR

912.44 nm / 1689.84 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYVR	-	49.19400	0 ft	-	Vancouver
APT	-	-123.18500	0 m		
HE	-	49.38640	24,900 ft	69	HOPE
NDB	-	-121.42400	7,590 m		
YDC	J500	49.38150	35,000 ft	41	PRINCETON
VOR	AWY-HI	-120.37400	10,668 m		
EMETO	J500	49.41330	35,000 ft	22	-
FIX	AWY-HI	-119.79100	10,668 m		
SENSA	J500	49.47320	35,000 ft	46	-
FIX	AWY-HI	-118.59200	10,668 m		
DASBI	J500	49.49330	35,000 ft	20	-
FIX	AWY-HI	-118.06200	10,668 m		
LOCAN	J500	49.51240	35,000 ft	19	-
FIX	AWY-HI	-117.55200	10,668 m		
ERVYN	J500	49.53000	35,000 ft	19	-
FIX	AWY-HI	-117.04200	10,668 m		
YXC	J500	49.55430	35,000 ft	37	CRANBROOK
VOR	AWY-HI	-116.08800	10,668 m		
FIRNI	V300	49.58670	35,000 ft	37	-
FIX	AWY-LO	-115.13900	10,668 m		
COWLE	V300	49.61470	35,000 ft	42	-
FIX	AWY-LO	-114.03800	10,668 m		
YQL	V300	49.63440	35,000 ft	53	LETHBRIDGE
VOR	AWY-LO	-112.66800	10,668 m		
YYN	T628	50.29700	35,000 ft	196	SWIFT CURRENT
VOR	AWY-LO	-107.69100	10,668 m		
ODGOV	J500	50.59890	35,000 ft	88	-
FIX	AWY-HI	-105.42900	10,668 m		
VLN	J500	50.66690	35,000 ft	20	LUMSDEN
VOR	AWY-HI	-104.89000	10,668 m		
YDR	J504	50.36290	22,100 ft	91	BROADVIEW
VOR	AWY-HI	-102.54000	6,736 m		
CYBR	-	49.90890	0 ft	103	Brandon Municipal Airport
APT	-	-99.94730	0 m		

CYVR

Region: CANADA
Timezone: AMERICA/VANCOUVER
Runways: 3

Elevation: 13 ft / 4 m
Location: 49.194000 -123.185000
Magnetic Var: 15.257 E

METAR

CYVR 040600Z 10008KT 10SM -RA FEW043 OVC061 11/10 A2987 RMK SC2SC6 SLP116

TAF

TAF CYVR 040540Z 0406/0512 14010KT P6SM SCT015 OVC060 TEMPO 0406/0409 6SM -SHRA BR BKN015 OVC040 BECMG 0406/0408 1

Frequencies

REC - 124.60 MHz - ATIS	CLD - 121.40 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - VANCOUVER GROUND	GND - 127.50 MHz - VANCOUVER GROUND
TWR - 118.70 MHz - VANCOUVER TOWER	TWR - 119.55 MHz - VANCOUVER TOWER
APP - 128.60 MHz - VANCOUVER APPROACH	APP - 133.10 MHz - VANCOUVER APPROACH
DEP - 126.12 MHz - VANCOUVER DEPARTURE	DEP - 132.30 MHz - VANCOUVER DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	200 ft	10,777 ft	99.88	ASPHALT	0 ft	0 ft
	61 m	3,285 m	84.62		0 m	0 m
26L	200 ft	10,777 ft	279.91	ASPHALT	0 ft	0 ft
	61 m	3,285 m	264.65		0 m	0 m
13	200 ft	7,294 ft	141.92	ASPHALT	0 ft	0 ft
	61 m	2,223 m	126.66		0 m	0 m
31	200 ft	7,294 ft	321.93	ASPHALT	0 ft	0 ft
	61 m	2,223 m	306.68		0 m	0 m
08L	200 ft	9,916 ft	99.89	CONCRETE	0 ft	0 ft
	61 m	3,022 m	84.63		0 m	0 m
26R	200 ft	9,916 ft	279.92	CONCRETE	0 ft	0 ft
	61 m	3,022 m	264.66		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ITL	110.55 MHz	18 nm	-	-	1 ft
				33 km	-		1 m
08R	DME	IVR	109.50 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
26L	DME	IFZ	111.95 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
26R	DME	IRD	110.70 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
08L	LOC-ILS	ITL	110.55 MHz	18 nm	99.90	-	13 ft
				33 km	84.64		13 m
08R	LOC-ILS	IVR	109.50 MHz	18 nm	99.89	-	13 ft
				33 km	84.63		13 m
13	LOC-ILS	IMK	111.10 MHz	18 nm	141.93	-	13 ft
				33 km	126.67		13 m
26L	LOC-ILS	IFZ	110.70 MHz	18 nm	279.89	-	13 ft
				33 km	264.63		13 m
26R	LOC-ILS	IRD	111.95 MHz	18 nm	279.90	-	13 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	264.64		13 m
08L	GS	ITL	110.55 MHz	10 nm	99.90	3.00	13 ft
				19 km	84.64		13 m
08R	GS	IVR	109.50 MHz	10 nm	99.89	3.00	13 ft
				19 km	84.63		13 m
13	GS	IMK	111.10 MHz	10 nm	141.93	3.00	13 ft
				19 km	126.67		13 m
26L	GS	IFZ	110.70 MHz	10 nm	279.89	3.00	13 ft
				19 km	264.63		13 m
26R	GS	IRD	111.95 MHz	10 nm	279.90	3.00	13 ft
				19 km	264.64		13 m

CYBR

Region: CANADA
Timezone: AMERICA/WINNIPEG
Runways: 2

Elevation: 1,342 ft / 409 m
Location: 49.908900 -99.947300
Magnetic Var: 4.734 E

METAR

CYBR 040633Z 11009KT 12SM -RA OVC060 15/15 A2951 RMK SC8 SLP998 DENSITY ALT 2100FT

TAF

TAF CYBR 040540Z 0406/0418 10012KT P6SM -SHRA OVC070 BECMG 0406/0408 5SM SHRA BR OVC012 FM040800 10012KT P6SM -SHR

Frequencies

TWR - 122.10 MHz - CTAF
APP - 285.40 MHz - WINNIPEG CENTER
APP - 132.25 MHz - WINNIPEG CENTER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft	6,489 ft	90.34	ASPHALT	0 ft	0 ft
	46 m	1,978 m	85.61		0 m	0 m
26	150 ft	6,489 ft	270.37	ASPHALT	0 ft	0 ft
	46 m	1,978 m	265.63		0 m	0 m
14	60 ft	3,003 ft	150.46	GRAVEL	0 ft	0 ft
	18 m	915 m	145.72		0 m	0 m
32	60 ft	3,003 ft	330.46	GRAVEL	0 ft	0 ft
	18 m	915 m	325.73		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IBR	110.10 MHz	18 nm	-	-	1,343 ft
				33 km	-		1,343 m
08	LOC-ILS	IBR	110.10 MHz	18 nm	90.36	-	1,342 ft
				33 km	85.63		1,342 m
08	GS	IBR	110.10 MHz	10 nm	90.36	3.00	1,342 ft
				19 km	85.63		1,342 m