


2024/05/10 0323Z

KFFL CAVED **V52** STL **J151** CTY **V521** LAL **V511** RELI **J55** DHP **A509** URSUS **UA301** UCA **A301** TOTON MKJP

1614.88 nm / 2990.75 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KFFL APT	-	41.05350 -91.98200	0 ft 0 m	-	FAIRFIELD MUNI
CAVED FIX	-	39.73510 -91.18650	31,100 ft 9,479 m	87	-
RIVRS FIX	V52 AWY-LO	39.42260 -90.93240	35,000 ft 10,668 m	22	-
NEDLE FIX	V52 AWY-LO	39.26180 -90.80270	35,000 ft 10,668 m	11	-
HARDI FIX	V52 AWY-LO	39.09060 -90.66550	35,000 ft 10,668 m	12	-
STL VOR	V52 AWY-LO	38.86070 -90.48240	35,000 ft 10,668 m	16	SAINT LOUIS
SLVER FIX	J151 AWY-HI	38.00280 -90.30210	35,000 ft 10,668 m	52	-
FAM VOR	J151 AWY-HI	37.67350 -90.23410	35,000 ft 10,668 m	20	FARMINGTON
CRELL FIX	J151 AWY-HI	36.88130 -89.54080	35,000 ft 10,668 m	57	-
VISQA FIX	J151 AWY-HI	36.29040 -89.03510	35,000 ft 10,668 m	43	-
DITZL FIX	J151 AWY-HI	35.56250 -88.42440	35,000 ft 10,668 m	52	-
FLORS FIX	J151 AWY-HI	35.01610 -87.97550	35,000 ft 10,668 m	39	-
BEATS FIX	J151 AWY-HI	34.65990 -87.68660	35,000 ft 10,668 m	25	-
GETME FIX	J151 AWY-HI	34.01900 -87.17460	35,000 ft 10,668 m	46	-
VUZ VOR	J151 AWY-HI	33.67010 -86.89980	35,000 ft 10,668 m	25	VULCAN (BIRMINGHAM)
WYATT FIX	J151 AWY-HI	31.32290 -84.62510	35,000 ft 10,668 m	182	-
NEDDY FIX	J151 AWY-HI	31.06420 -84.38380	35,000 ft 10,668 m	19	-
CAPPS FIX	J151 AWY-HI	30.54530 -83.90500	35,000 ft 10,668 m	39	-
CTY VOR	J151 AWY-HI	29.59900 -83.04880	35,000 ft 10,668 m	72	CROSS CITY
ORATE FIX	V521 AWY-LO	29.34040 -82.88020	35,000 ft 10,668 m	17	-
NITTS FIX	V521 AWY-LO	28.74150 -82.49390	35,000 ft 10,668 m	41	-
DADES FIX	V521 AWY-LO	28.36270 -82.25220	35,000 ft 10,668 m	26	-
JUVAS FIX	V521 AWY-LO	28.20290 -82.15080	35,000 ft 10,668 m	10	-
PLUMY FIX	V521 AWY-LO	28.17090 -82.13050	35,000 ft 10,668 m	2	-
LAL VOR	V521 AWY-LO	27.98620 -82.01390	35,000 ft 10,668 m	12	LAKELAND
CAVAR FIX	V511 AWY-LO	27.69990 -81.74420	35,000 ft 10,668 m	22	-
HALLR	V511	27.54470	35,000 ft	12	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-81.59880	10,668 m		
SIGNL	V511	27.03340	35,000 ft	39	-
FIX	AWY-LO	-81.12380	10,668 m		
RELLI	V511	26.80170	35,000 ft	15	-
FIX	AWY-LO	-80.97680	10,668 m		
THNDR	J55	26.62730	35,000 ft	12	-
FIX	AWY-HI	-80.86660	10,668 m		
DHP	J55	25.80000	35,000 ft	56	DOLPHIN (MIAMI)
VOR	AWY-HI	-80.34900	10,668 m		
JURER	A509	25.65130	35,000 ft	10	-
FIX	AWY-HI	-80.24160	10,668 m		
EONNS	A509	25.29670	35,000 ft	25	-
FIX	AWY-HI	-79.98680	10,668 m		
ELLEE	A509	24.88060	35,000 ft	29	-
FIX	AWY-HI	-79.69000	10,668 m		
URSUS	A509	24.00010	35,000 ft	62	-
FIX	AWY-HI	-79.06980	10,668 m		
UCA	UA301	22.01510	35,000 ft	120	CIEGO DE AVILA
VOR	AWY-HI	-78.81580	10,668 m		
TOTON	A301	19.54060	22,700 ft	164	-
FIX	AWY-LO	-77.56720	6,919 m		
MKJP	-	17.93570	0 ft	106	Norman Manley Intl
APT	-	-76.78760	0 m		

## MKJP

Region: JAMAICA  
Timezone: UNKNOWN  
Runways: 1

Elevation: 7 ft / 2 m  
Location: 17.935700 -76.787600  
Magnetic Var: 8.259 W

## METAR

MKJP 100300Z 14011KT 9999 FEW022 29/25 Q1012

## TAF

TAF MKJP 092315Z 1000/1024 35006KT 9999 FEW022 SCT032 BECMG 1014/1016 15015KT

## Frequencies

REC - 127.70 MHz - ATIS  
TWR - 118.65 MHz - MANLEY TOWER  
GND - 121.70 MHz - MANLEY GROUND  
APP - 120.60 MHz - MANLEY APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,920 ft	112.12	ASPHALT	0 ft	56 ft
	45 m	2,719 m	120.38		0 m	17 m
30	148 ft	8,920 ft	292.13	ASPHALT	0 ft	30 ft
	45 m	2,719 m	300.39		0 m	9 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IMLY	109.10 MHz	18 nm	115.09	-	10 ft
				33 km	123.35		10 m
12	GS	IMLY	109.10 MHz	10 nm	115.19	3.00	8 ft
				19 km	123.45		8 m