

LGTS

Thessaloniki Makedonia International Airport


LTAB

GÜVERCİNLİK

2024/05/08 0137Z

LGTS SOSUS **UM603** GOLDO **UG12** YAA **UG8** PIMAV **UL614** TOKER LTAB

455.99 nm / 844.50 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LGTS	-	40.52010	0 ft	-		Thessaloniki Makedonia International Airport
APT	-	22.96910	0 m			
SOSUS	-	40.74420	34,500 ft	96	-	
FIX	-	25.07330	10,516 m			
IDILO	UM603	40.79060	35,000 ft	16	-	
FIX	AWY-HI	25.43940	10,668 m			
ALX	UM603	40.85390	35,000 ft	23		ALEXANDROUPOLIS
VOR	AWY-HI	25.95670	10,668 m			
GOLDO	UM603	40.88220	35,000 ft	13	-	
FIX	AWY-HI	26.24940	10,668 m			
GELBU	UG12	40.93530	35,000 ft	40	-	
FIX	AWY-HI	27.14080	10,668 m			
EKI	UG12	40.95110	35,000 ft	12		TEKIRDAG
VOR	AWY-HI	27.42620	10,668 m			
YAA	UG12	40.47500	35,000 ft	85		YALOVA
VOR	AWY-HI	29.20750	10,668 m			
EKDAM	UG8	40.43480	31,400 ft	18	-	
FIX	AWY-HI	29.61730	9,571 m			
PIMAV	UG8	40.40060	28,000 ft	15	-	
FIX	AWY-HI	29.95370	8,534 m			
TOKER	UL614	40.31330	19,900 ft	37	-	
FIX	AWY-HI	30.77220	6,066 m			
LTAB	-	39.93690	0 ft	93		GUVERCINLIK
APT	-	32.74290	0 m			

LGTS

Region: GREECE
Timezone: EUROPE/ATHENS
Runways: 2

Elevation: 21 ft / 6 m
Location: 40.520100 22.969100
Magnetic Var: 5.267 E

METAR

LGTS 080050Z VRB02KT 9999 FEW030 14/12 Q1014 NOSIG

TAF

TAF LGTS 072300Z 0800/0824 VRB03KT 9999 FEW030 TEMPO 0812/0818 17013KT PROB30 TEMPO 0811/0816 5000 SHRA FEW020TCU

Frequencies

REC - 127.55 MHz - THESSALONIKI ATIS	GND - 121.70 MHz - THESSALONIKI GROUND
TWR - 118.05 MHz - THESSALONIKI TOWER	TWR - 118.10 MHz - THESSALONIKI TOWER
APP - 118.27 MHz - THESSALONIKI DIRECTOR	APP - 120.80 MHz - THESSALONIKI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	164 ft	11,259 ft	103.98	ASPHALT	0 ft	0 ft
	50 m	3,432 m	98.72		0 m	0 m
28	164 ft	11,259 ft	284.01	ASPHALT	0 ft	0 ft
	50 m	3,432 m	278.74		0 m	0 m
16	200 ft	7,975 ft	166.43	ASPHALT	0 ft	0 ft
	61 m	2,431 m	161.16		0 m	0 m
34	200 ft	7,975 ft	346.44	ASPHALT	0 ft	0 ft
	61 m	2,431 m	341.17		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	ITSL	110.30 MHz	18 nm	-	-	16 ft
				33 km	-		16 m
10	LOC-ILS	IMAK	109.50 MHz	18 nm	104.00	-	21 ft
				33 km	98.73		21 m
16	LOC-ILS	ITSL	110.30 MHz	18 nm	166.44	-	21 ft
				33 km	161.17		21 m
10	GS	IMAK	109.50 MHz	10 nm	104.00	3.00	21 ft
				19 km	98.73		21 m
16	GS	ITSL	110.30 MHz	10 nm	166.44	3.00	21 ft
				19 km	161.17		21 m