

KORD

Chicago O'Hare International


KDEN

Denver Intl

2024/05/09 0408Z

KORD ENAME **V6** IOW **J146** LNK **J60** HCT **V8** ETUDE KDEN

771.11 nm / 1428.09 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KORD APT	-	41.97340 -87.90660	0 ft 0 m	-	Chicago O'Hare International
ENAME FIX	-	41.72740 -89.97120	33,400 ft 10,180 m	93	-
CVA VOR	V6 AWY-LO	41.70850 -90.48330	36,000 ft 10,973 m	22	DAVENPORT
ZELMI FIX	V6 AWY-LO	41.61810 -91.03100	36,000 ft 10,973 m	25	-
MOSCO FIX	V6 AWY-LO	41.59260 -91.18280	36,000 ft 10,973 m	6	-
IOW VOR	V6 AWY-LO	41.51900 -91.61330	36,000 ft 10,973 m	19	IOWA CITY
CNOTA FIX	J146 AWY-HI	41.43410 -92.49010	36,000 ft 10,973 m	39	-
LNK VOR	J146 AWY-HI	40.92380 -96.74200	36,000 ft 10,973 m	194	LINCOLN
DRABS FIX	J60 AWY-HI	40.75920 -98.37470	36,000 ft 10,973 m	74	-
HCT VOR	J60 AWY-HI	40.45410 -100.92400	36,000 ft 10,973 m	117	HAYES CENTER
SIJVI FIX	V8 AWY-LO	40.39700 -101.38300	33,000 ft 10,058 m	21	-
ATCAY FIX	V8 AWY-LO	40.35090 -101.74400	29,500 ft 8,992 m	16	-
ASHBY FIX	V8 AWY-LO	40.31720 -102.00200	26,900 ft 8,199 m	11	-
LINVE FIX	V8 AWY-LO	40.29510 -102.16900	25,200 ft 7,681 m	7	-
OGLIE FIX	V8 AWY-LO	40.27430 -102.32300	23,700 ft 7,224 m	7	-
ETUDE FIX	V8 AWY-LO	40.26370 -102.40200	22,900 ft 6,980 m	3	-
KDEN APT	-	39.86100 -104.67200	0 ft 0 m	107	Denver Intl

KORD

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 6

Elevation: 680 ft / 207 m
Location: 41.973400 -87.906600
Magnetic Var: 4.110 W

METAR

KORD 090251Z 07007KT 10SM BKN100 BKN250 17/06 A2973 RMK A02 SLP066 T01720061 53017

TAF

TAF AMD KORD 090256Z 0903/1006 07012KT P6SM FEW060 BKN090 FM090400 06013KT P6SM VCSH BKN050 OVC090 FM090800 04014

Frequencies

REC - 135.40 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.25 MHz - CLEARANCE DELIVERY	CLD - 121.60 MHz - CLEARANCE DELIVERY
GND - 118.05 MHz - O'HARE GROUND	GND - 121.67 MHz - O'HARE GROUND
GND - 121.75 MHz - O'HARE GROUND	GND - 121.90 MHz - O'HARE GROUND
GND - 124.12 MHz - O'HARE GROUND	GND - 134.12 MHz - O'HARE GROUND
TWR - 120.75 MHz - O'HARE TOWER	TWR - 121.15 MHz - O'HARE TOWER
TWR - 126.90 MHz - O'HARE TOWER	TWR - 127.92 MHz - O'HARE TOWER
TWR - 132.70 MHz - O'HARE TOWER	TWR - 128.15 MHz - O'HARE TOWER
TWR - 133.00 MHz - O'HARE TOWER	APP - 119.00 MHz - CHICAGO APPROACH
APP - 133.62 MHz - CHICAGO APPROACH	APP - 124.35 MHz - CHICAGO APPROACH
APP - 125.70 MHz - CHICAGO APPROACH	DEP - 125.00 MHz - CHICAGO DEPARTURE
DEP - 125.40 MHz - CHICAGO DEPARTURE	DEP - 127.40 MHz - CHICAGO DEPARTURE
DEP - 128.80 MHz - CHICAGO DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10C	200 ft	10,789 ft	89.85	CONCRETE	0 ft	397 ft
	61 m	3,289 m	93.96		0 m	121 m
28C	200 ft	10,789 ft	269.88	CONCRETE	0 ft	381 ft
	61 m	3,289 m	273.99		0 m	116 m
10L	151 ft	12,996 ft	89.87	CONCRETE	0 ft	394 ft
	46 m	3,961 m	93.99		0 m	120 m
28R	151 ft	12,996 ft	269.91	CONCRETE	0 ft	285 ft
	46 m	3,961 m	274.02		0 m	87 m
04R	151 ft	8,074 ft	41.40	CONCRETE	0 ft	850 ft
	46 m	2,461 m	45.51		0 m	259 m
22L	151 ft	8,074 ft	221.41	CONCRETE	0 ft	584 ft
	46 m	2,461 m	225.52		0 m	178 m
09R	151 ft	7,949 ft	89.98	CONCRETE	0 ft	148 ft
	46 m	2,423 m	94.09		0 m	45 m
27L	151 ft	7,949 ft	270.00	CONCRETE	0 ft	197 ft
	46 m	2,423 m	274.11		0 m	60 m
09L	151 ft	7,484 ft	89.99	CONCRETE	0 ft	397 ft
	46 m	2,281 m	94.10		0 m	121 m
27R	151 ft	7,484 ft	270.00	CONCRETE	0 ft	397 ft
	46 m	2,281 m	274.12		0 m	121 m
10R	151 ft	7,484 ft	89.85	CONCRETE	0 ft	400 ft
	46 m	2,281 m	93.96		0 m	122 m
28L	151 ft	7,484 ft	269.87	CONCRETE	0 ft	400 ft
	46 m	2,281 m	273.98		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	ISAJ	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
10L	DME	IMED	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
27L	DME	IIAC	110.50 MHz	18 nm	-	-	641 ft
				33 km	-		641 m
27R	DME	IABU	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
28R	DME	ITSL	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
04R	LOC-ILS	IFJU	110.10 MHz	18 nm	41.41	-	680 ft
				33 km	45.52		680 m
09L	LOC-ILS	ISAJ	111.75 MHz	18 nm	90.00	-	680 ft
				33 km	94.11		680 m
09R	LOC-ILS	IJAV	110.50 MHz	18 nm	89.99	-	680 ft
				33 km	94.10		680 m
10L	LOC-ILS	IMED	111.10 MHz	18 nm	89.89	-	680 ft
				33 km	94.00		680 m
10C	LOC-ILS	ISXH	108.95 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
10R	LOC-ILS	IIZJ	110.75 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
22L	LOC-ILS	ILQQ	110.10 MHz	18 nm	221.41	-	680 ft
				33 km	225.52		680 m
27L	LOC-ILS	IIAC	110.50 MHz	18 nm	269.99	-	680 ft
				33 km	274.10		680 m
27R	LOC-ILS	IABU	111.75 MHz	18 nm	270.00	-	680 ft
				33 km	274.11		680 m
28L	LOC-ILS	IVQX	110.75 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28C	LOC-ILS	IVZE	108.95 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28R	LOC-ILS	ITSL	111.10 MHz	18 nm	269.88	-	680 ft
				33 km	273.99		680 m
04R	GS	IFJU	110.10 MHz	10 nm	41.41	3.00	680 ft
				19 km	45.52		680 m
09L	GS	ISAJ	111.75 MHz	10 nm	90.00	3.00	680 ft
				19 km	94.11		680 m
09R	GS	IJAV	110.50 MHz	10 nm	89.99	3.00	680 ft
				19 km	94.10		680 m
10L	GS	IMED	111.10 MHz	10 nm	89.89	3.00	680 ft
				19 km	94.00		680 m
10C	GS	ISXH	108.95 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
10R	GS	IIZJ	110.75 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
22L	GS	ILQQ	110.10 MHz	10 nm	221.41	3.00	680 ft
				19 km	225.52		680 m
27L	GS	IIAC	110.50 MHz	10 nm	269.99	3.00	680 ft
				19 km	274.10		680 m
27R	GS	IABU	111.75 MHz	10 nm	270.00	3.00	680 ft
				19 km	274.11		680 m
28L	GS	IVQX	110.75 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28C	GS	IVZE	108.95 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28R	GS	ITSL	111.10 MHz	10 nm	269.88	3.00	680 ft
				19 km	273.99		680 m

KDEN

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 6

Elevation: 5,429 ft / 1,655 m
Location: 39.861000 -104.672000
Magnetic Var: 7.394 E

METAR

KDEN 090253Z 28009KT 10SM BKN110 BKN220 10/M07 A2993 RMK A02 SLP102 T01001072 53026

TAF

KDEN 090254Z 0903/1006 28009KT P6SM BKN110 BKN220 FM090500 VRB06KT P6SM BKN100 FM090900 15005KT P6SM FEW020 BKN090

Frequencies

REC - 134.02 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 118.75 MHz - CLEARANCE DELIVERY	GND - 121.85 MHz - DENVER GROUND
GND - 127.50 MHz - DENVER GROUND	TWR - 132.35 MHz - DENVER TOWER
TWR - 133.30 MHz - DENVER TOWER	TWR - 128.75 MHz - DENVER TOWER
TWR - 135.30 MHz - DENVER TOWER	APP - 119.30 MHz - DENVER APPROACH
APP - 120.35 MHz - DENVER APPROACH	DEP - 126.10 MHz - DENVER DEPARTURE
DEP - 127.05 MHz - DENVER DEPARTURE	DEP - 128.25 MHz - DENVER DEPARTURE
DEP - 128.45 MHz - DENVER DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	200 ft	16,016 ft	180.50	CONCRETE	0 ft	410 ft
	61 m	4,882 m	173.10		0 m	125 m
34L	200 ft	16,016 ft	0.50	CONCRETE	0 ft	410 ft
	61 m	4,882 m	353.10		0 m	125 m
16L	151 ft	12,013 ft	180.51	CONCRETE	0 ft	413 ft
	46 m	3,662 m	173.12		0 m	126 m
34R	151 ft	12,013 ft	0.51	CONCRETE	0 ft	394 ft
	46 m	3,662 m	353.12		0 m	120 m
17R	151 ft	12,013 ft	180.53	CONCRETE	0 ft	413 ft
	46 m	3,662 m	173.13		0 m	126 m
35L	151 ft	12,013 ft	0.53	CONCRETE	0 ft	400 ft
	46 m	3,662 m	353.13		0 m	122 m
17L	151 ft	12,013 ft	180.54	CONCRETE	0 ft	404 ft
	46 m	3,662 m	173.15		0 m	123 m
35R	151 ft	12,013 ft	0.54	CONCRETE	0 ft	400 ft
	46 m	3,662 m	353.15		0 m	122 m
07	151 ft	12,013 ft	90.50	CONCRETE	0 ft	377 ft
	46 m	3,662 m	83.10		0 m	115 m
25	151 ft	12,013 ft	270.52	CONCRETE	0 ft	374 ft
	46 m	3,662 m	263.13		0 m	114 m
08	151 ft	12,013 ft	90.54	CONCRETE	0 ft	367 ft
	46 m	3,662 m	83.14		0 m	112 m
26	151 ft	12,013 ft	270.56	CONCRETE	0 ft	400 ft
	46 m	3,662 m	263.17		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	IDZG	111.55 MHz	18 nm	-	-	5,352 ft
				33 km	-		5,352 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IFUI	108.90 MHz	18 nm 33 km	- -	-	5,345 ft 5,345 m
16L	DME	ILTT	111.10 MHz	18 nm 33 km	- -	-	5,347 ft 5,347 m
16R	DME	IDQQ	111.90 MHz	18 nm 33 km	- -	-	5,311 ft 5,311 m
17L	DME	IBXP	110.15 MHz	18 nm 33 km	- -	-	5,328 ft 5,328 m
17R	DME	IACX	108.50 MHz	18 nm 33 km	- -	-	5,390 ft 5,390 m
25	DME	IERP	111.55 MHz	18 nm 33 km	- -	-	5,352 ft 5,352 m
26	DME	IJOY	108.90 MHz	18 nm 33 km	- -	-	5,300 ft 5,300 m
34L	DME	IDXU	111.90 MHz	18 nm 33 km	- -	-	5,311 ft 5,311 m
34R	DME	IOUF	111.10 MHz	18 nm 33 km	- -	-	5,349 ft 5,349 m
35L	DME	IAQD	108.50 MHz	18 nm 33 km	- -	-	5,421 ft 5,421 m
35R	DME	IDPP	110.15 MHz	18 nm 33 km	- -	-	5,360 ft 5,360 m
07	LOC-ILS	IDZG	111.55 MHz	18 nm 33 km	90.51 83.12	-	5,431 ft 5,431 m
08	LOC-ILS	IFUI	108.90 MHz	18 nm 33 km	90.55 83.16	-	5,431 ft 5,431 m
16L	LOC-ILS	ILTT	111.10 MHz	18 nm 33 km	180.51 173.12	-	5,431 ft 5,431 m
16R	LOC-ILS	IDQQ	111.90 MHz	18 nm 33 km	180.50 173.11	-	5,431 ft 5,431 m
17L	LOC-ILS	IBXP	110.15 MHz	18 nm 33 km	180.53 173.14	-	5,431 ft 5,431 m
17R	LOC-ILS	IACX	108.50 MHz	18 nm 33 km	180.53 173.14	-	5,431 ft 5,431 m
25	LOC-ILS	IERP	111.55 MHz	18 nm 33 km	270.51 263.12	-	5,431 ft 5,431 m
26	LOC-ILS	IJOY	108.90 MHz	18 nm 33 km	270.55 263.16	-	5,431 ft 5,431 m
34L	LOC-ILS	IDXU	111.90 MHz	18 nm 33 km	0.50 353.11	-	5,431 ft 5,431 m
34R	LOC-ILS	IOUF	111.10 MHz	18 nm 33 km	0.51 353.12	-	5,431 ft 5,431 m
35L	LOC-ILS	IAQD	108.50 MHz	18 nm 33 km	0.53 353.14	-	5,431 ft 5,431 m
35R	LOC-ILS	IDPP	110.15 MHz	18 nm 33 km	0.53 353.14	-	5,431 ft 5,431 m
07	GS	IDZG	111.55 MHz	10 nm 19 km	90.51 83.12	3.00	5,431 ft 5,431 m
08	GS	IFUI	108.90 MHz	10 nm 19 km	90.55 83.16	3.00	5,431 ft 5,431 m
16L	GS	ILTT	111.10 MHz	10 nm 19 km	180.51 173.12	3.00	5,431 ft 5,431 m
16R	GS	IDQQ	111.90 MHz	10 nm 19 km	180.50 173.11	3.00	5,431 ft 5,431 m
17L	GS	IBXP	110.15 MHz	10 nm 19 km	180.53 173.14	3.00	5,431 ft 5,431 m
17R	GS	IACX	108.50 MHz	10 nm 19 km	180.53 173.14	3.00	5,431 ft 5,431 m
25	GS	IERP	111.55 MHz	10 nm 19 km	270.51 263.12	3.00	5,431 ft 5,431 m
26	GS	IJOY	108.90 MHz	10 nm	270.55	3.00	5,431 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	263.16		5,431 m
34L	GS	IDXU	111.90 MHz	10 nm	0.50	3.00	5,431 ft
				19 km	353.11		5,431 m
34R	GS	IOUF	111.10 MHz	10 nm	0.51	3.00	5,431 ft
				19 km	353.12		5,431 m
35L	GS	IAQD	108.50 MHz	10 nm	0.53	3.00	5,431 ft
				19 km	353.14		5,431 m
35R	GS	IDPP	110.15 MHz	10 nm	0.53	3.00	5,431 ft
				19 km	353.14		5,431 m