


2024/05/05 0240Z

KSMD OLK05 KGYY

105.78 nm / 195.91 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSMD	-	41.14340	0 ft	-	SMITH FLD
APT	-	-85.15280	0 m		
OLK05	-	41.25980	7,800 ft	22	-
FIX	-	-85.61680	2,377 m		
KGYY	-	41.61640	0 ft	83	Gary Chicago Intl
APT	-	-87.41360	0 m		

KGYY

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 590 ft / 180 m
Location: 41.616400 -87.413600
Magnetic Var: 4.437 W

METAR

KGYY 050145Z 00000KT 7SM SCT065 BKN075 18/18 A2987

TAF

KGYY 042343Z 0500/0524 19010KT P6SM VCTS SCT060CB BKN250 FM050030 29020G35KT 2SM TSRA BKN030CB OVC100 FM050115 28

Frequencies

REC - 120.62 MHz - ATIS
GND - 121.90 MHz -
APP - 133.10 MHz - CHICAGO APP/DEP
COM - 125.60 MHz - CTAF
TWR - 125.60 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	150 ft	6,994 ft	124.24	ASPHALT	712 ft	108 ft
	46 m	2,132 m	128.68		217 m	33 m
30	150 ft	6,994 ft	304.26	ASPHALT	0 ft	217 ft
	46 m	2,132 m	308.70		0 m	66 m
02	100 ft	3,614 ft	21.06	ASPHALT	0 ft	0 ft
	30 m	1,101 m	25.50		0 m	0 m
20	100 ft	3,614 ft	201.07	ASPHALT	0 ft	0 ft
	30 m	1,101 m	205.51		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	LOC-ILS	IGYY	108.30 MHz	18 nm	304.32	-	592 ft
				33 km	308.76		592 m
30	GS	IGYY	108.30 MHz	10 nm	304.50	3.00	590 ft
				19 km	308.94		590 m