

# KPBI

Palm Beach Intl


# LFBI

Poitiers Biard

2024/05/06 1021Z

KPBI STIFF **A699** SUMRS **M204** ALOBI **L453** LSIER **M203** BOBTU TALGO **Z** OMOKO TAMEL ETIKI **UN480** REGHI  
**UN482** EBOMO LEGMO **UT499** NTS LFBI

3969.06 nm / 7350.69 km



## Notes

Using NAT tracks from 14/2/2024

Basic altitude profile:

- Ascent Rate: 3000ft/min
- Ascent Speed: 280kts
- Cruise Altitude: 42000ft
- Cruise Speed: 480kts
- Descent Rate: 1500ft/min
- Descent Speed: 280kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KPBI	-	26.68290	0 ft	-	Palm Beach Intl
APT	-	-80.09700	0 m		
STIFF	-	27.60520	35,700 ft	95	-
FIX	-	-78.64610	10,881 m		
NUCAR	A699	28.12600	42,000 ft	62	-
FIX	AWY-HI	-77.63300	12,802 m		
HOOKY	A699	28.21430	42,000 ft	9	-
FIX	AWY-HI	-77.47290	12,802 m		
LOUIZ	A699	28.47280	42,000 ft	29	-
FIX	AWY-HI	-77.00000	12,802 m		
SUMRS	A699	28.71170	42,000 ft	27	-
FIX	AWY-HI	-76.55850	12,802 m		
FLUPS	M204	30.57670	42,000 ft	176	-
FIX	AWY-HI	-73.95680	12,802 m		
ALOBI	M204	32.04540	42,000 ft	142	-
FIX	AWY-HI	-71.78000	12,802 m		
LSIER	L453	33.02800	42,000 ft	60	-
FIX	AWY-HI	-72.04180	12,802 m		
PERDO	M203	33.68720	42,000 ft	64	-
FIX	AWY-HI	-71.03700	12,802 m		
SELIM	M203	38.50000	42,000 ft	498	-
FIX	AWY-HI	-62.66890	12,802 m		
BOBTU	M203	44.11720	42,000 ft	557	-
FIX	AWY-HI	-52.82220	12,802 m		
TALGO	-	44.16670	42,000 ft	17	-
FIX	-	-52.43330	12,802 m		
44/50	Z	44.00000	42,000 ft	105	-
LATLON	NAT	-50.00000	12,802 m		
47/40	Z	47.00000	42,000 ft	457	-
LATLON	NAT	-40.00000	12,802 m		
48/30	Z	48.00000	42,000 ft	409	-
LATLON	NAT	-30.00000	12,802 m		
48/20	Z	48.00000	42,000 ft	401	-
LATLON	NAT	-20.00000	12,802 m		
48/15	Z	48.00000	42,000 ft	200	-
LATLON	NAT	-15.00000	12,802 m		
OMOKO	Z	48.83890	42,000 ft	129	-
FIX	NAT	-12.00000	12,802 m		
TAMEL	-	48.72860	42,000 ft	59	-
FIX	-	-10.49720	12,802 m		
ETIKI	-	48.00000	42,000 ft	82	-
FIX	-	-8.75000	12,802 m		
REGHI	UN480	48.00000	42,000 ft	30	-
FIX	AWY-HI	-8.00000	12,802 m		
PEVIS	UN482	47.96050	42,000 ft	41	-
FIX	AWY-HI	-6.97808	12,802 m		
ROSMU	UN482	47.86250	42,000 ft	76	-
FIX	AWY-HI	-5.07617	12,802 m		
TIRUM	UN482	47.83690	40,800 ft	16	-
FIX	AWY-HI	-4.66278	12,436 m		
EBOMO	UN482	47.82110	38,100 ft	14	-
FIX	AWY-HI	-4.31256	11,613 m		
LEGMO	-	47.73280	35,600 ft	13	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	-4.00833	10,851 m		
IDRIK	UT499	47.59970	32,400 ft	16	-
FIX	AWY-HI	-3.64139	9,876 m		
ADSET	UT499	47.40580	27,900 ft	24	-
FIX	AWY-HI	-3.11750	8,504 m		
NTS	UT499	47.16090	16,100 ft	63	NANTES ATLANTIQUE
VOR	AWY-HI	-1.61297	4,907 m		
LFBI	-	46.58630	0 ft	86	Poitiers Biard
APT	-	0.30587	0 m		

## KPBI

Region: UNITED STATES  
Timezone: AMERICA/NEW\_YORK  
Runways: 3

Elevation: 19 ft / 6 m  
Location: 26.682900 -80.097000  
Magnetic Var: 7.496 W

## METAR

KPBI 060953Z 12008KT 10SM FEW029 25/19 A3001 RMK A02 SLP163 T02500189

## TAF

TAF AMD KPBI 060835Z 0609/0706 12008KT P6SM FEW030 SCT250 FM061200 11012KT P6SM FEW025 SCT050 FM070200 12006KT P6SM

## Frequencies

REC - 123.75 MHz - PALM BEACH ATIS	CLD - 121.60 MHz - PALM BEACH CLEARANCE
GND - 121.90 MHz - PALM BEACH GROUND	TWR - 119.10 MHz - PALM BEACH TOWER
DEP - 128.30 MHz - PALM BEACH DEPARTURE	DEP - 127.35 MHz - PALM BEACH DEPARTURE
DEP - 125.20 MHz - PALM BEACH DEPARTURE	APP - 124.60 MHz - PALM BEACH APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	150 ft	9,988 ft	92.80	ASPHALT	1,201 ft	203 ft
	46 m	3,044 m	100.29		366 m	62 m
28R	150 ft	9,988 ft	272.81	ASPHALT	810 ft	200 ft
	46 m	3,044 m	280.31		247 m	61 m
14	150 ft	6,941 ft	135.32	ASPHALT	0 ft	197 ft
	46 m	2,116 m	142.82		0 m	60 m
32	150 ft	6,941 ft	315.33	ASPHALT	427 ft	272 ft
	46 m	2,116 m	322.82		130 m	83 m
10R	75 ft	3,209 ft	92.80	ASPHALT	0 ft	197 ft
	23 m	978 m	100.30		0 m	60 m
28L	75 ft	3,209 ft	272.81	ASPHALT	0 ft	187 ft
	23 m	978 m	280.30		0 m	57 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPBI	111.90 MHz	18 nm	92.80	-	19 ft
				33 km	100.29		19 m
28R	LOC-ILS	IPWB	111.90 MHz	18 nm	272.80	-	19 ft
				33 km	280.29		19 m
10L	GS	IPBI	111.90 MHz	10 nm	93.59	3.00	17 ft
				19 km	101.09		17 m
28R	GS	IPWB	111.90 MHz	10 nm	273.59	3.00	19 ft
				19 km	281.09		19 m

## LFBI

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 422 ft / 129 m  
Location: 46.586300 0.305868  
Magnetic Var: 0.948 E

## METAR

LFBI 061000Z AUTO 22016KT 9999 FEW018/// BKN032/// BKN038/// ///TCU 15/09 Q1010 TEMPO 3000 SHRA BKN020CB

## TAF

TAF LFBI 060500Z 0606/0706 22009KT 9999 SCT012 TEMPO 0606/0706 3000 SHRA BKN020CB PROB40 TEMPO 0613/0620 23015G25

## Frequencies

REC - 121.77 MHz - POITIERS ATIS  
APP - 134.10 MHz - POITIERS APPROACH

TWR - 118.50 MHz - POITIERS TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	328 ft	2,315 ft	30.51	GRASS	302 ft	0 ft
	100 m	706 m	29.56		92 m	0 m
21L	328 ft	2,315 ft	210.52	GRASS	466 ft	0 ft
	100 m	706 m	209.57		142 m	0 m
03	148 ft	7,717 ft	30.51	ASPHALT	0 ft	0 ft
	45 m	2,352 m	29.56		0 m	0 m
21	148 ft	7,717 ft	210.52	ASPHALT	0 ft	0 ft
	45 m	2,352 m	209.57		0 m	0 m
03L	328 ft	3,934 ft	30.49	GRASS	0 ft	0 ft
	100 m	1,199 m	29.55		0 m	0 m
21R	328 ft	3,934 ft	210.50	GRASS	0 ft	0 ft
	100 m	1,199 m	209.55		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	PT	110.95 MHz	18 nm	-	-	455 ft
				33 km	-		455 m
21	LOC-ILS	PT	110.95 MHz	18 nm	210.52	-	422 ft
				33 km	209.57		422 m
21	GS	PT	110.95 MHz	10 nm	210.52	3.00	422 ft
				19 km	209.57		422 m