

KMGW

MORGANTOWN MUNI WALTER L BILL HART FLD


KCLE

Cleveland Hopkins Intl

2024/05/15 0332Z

KMGW LEPEW KCLE

138.29 nm / 256.11 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KMGW	-	39.64360	0 ft	-	MORGANTOWN MUNI	WALTER L BILL HART FLD
APT	-	-79.91750	0 m			
LEPEW	-	40.87030	9,700 ft	92	-	
FIX	-	-81.14430	2,957 m			
KCLE	-	41.41030	0 ft	45	Cleveland Hopkins Intl	
APT	-	-81.85340	0 m			

KMGW

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 1

Elevation: 1,248 ft / 380 m
Location: 39.643600 -79.917500
Magnetic Var: 9.339 W

METAR

KMGW 150253Z 12004KT 10SM OVC040 18/15 A2980 RMK A02 SLP085 T01830150 50003

TAF

KMGW 142323Z 1500/1524 00000KT P6SM OVC035 FM150400 13003KT P6SM VCSH OVC025 FM150800 08004KT P6SM -SHRA OVC015 T

Frequencies

REC - 120.67 MHz - ASOS
COM - 122.95 MHz - UNICOM
TWR - 125.10 MHz -
COM - 125.10 MHz - CTAF
GND - 121.70 MHz -
APP - 121.15 MHz - CLARKSBURG APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	150 ft	5,207 ft	172.42	ASPHALT	0 ft	0 ft
	46 m	1,587 m	181.76		0 m	0 m
36	150 ft	5,207 ft	352.42	ASPHALT	0 ft	0 ft
	46 m	1,587 m	1.76		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18	LOC-ILS	IMGW	108.50 MHz	18 nm	172.42	-	1,238 ft
				33 km	181.76		1,238 m
18	GS	IMGW	108.50 MHz	10 nm	172.84	3.00	1,234 ft
				19 km	182.18		1,234 m

KCLE

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 791 ft / 241 m
Location: 41.410300 -81.853400
Magnetic Var: 8.387 W

METAR

KCLE 150251Z 12003KT 10SM OVC055 19/13 A2979 RMK A02 SLP097 T01940133 50003

TAF

TAF AMD KCLE 150256Z 1503/1606 VRB04KT P6SM OVC050 FM150900 04005KT 5SM BR OVC012 FM151300 03007KT P6SM OVC015 FM160000 03007KT P6SM OVC015

Frequencies

REC - 127.85 MHz - ATIS	TWR - 120.90 MHz - CLEVELAND TOWER
GND - 121.70 MHz - CLEVELAND GROUND	APP - 124.00 MHz - CLEVELAND APPROACH
DEP - 118.15 MHz - CLEVELAND DEPARTURE	CLD - 125.05 MHz - CLEARANCE DELIVERY
COM - 122.95 MHz - UNICOM	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	6,023 ft	93.31	CONCRETE	0 ft	430 ft
	46 m	1,836 m	101.70		0 m	131 m
28	151 ft	6,023 ft	273.33	CONCRETE	0 ft	443 ft
	46 m	1,836 m	281.71		0 m	135 m
06L	151 ft	9,008 ft	49.83	CONCRETE	0 ft	394 ft
	46 m	2,746 m	58.22		0 m	120 m
24R	151 ft	9,008 ft	229.85	CONCRETE	0 ft	203 ft
	46 m	2,746 m	238.24		0 m	62 m
06R	151 ft	9,967 ft	49.84	CONCRETE	1,932 ft	387 ft
	46 m	3,038 m	58.23		589 m	118 m
24L	151 ft	9,967 ft	229.86	CONCRETE	0 ft	203 ft
	46 m	3,038 m	238.25		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	ILIZ	111.55 MHz	18 nm	-	-	783 ft
				33 km	-		783 m
24L	DME	IHPI	109.90 MHz	18 nm	-	-	772 ft
				33 km	-		772 m
24R	DME	IPVY	111.55 MHz	18 nm	-	-	783 ft
				33 km	-		783 m
06L	LOC-ILS	ILIZ	111.55 MHz	18 nm	49.85	-	791 ft
				33 km	58.24		791 m
06R	LOC-ILS	ICLE	111.90 MHz	18 nm	49.86	-	791 ft
				33 km	58.25		791 m
24L	LOC-ILS	IHPI	109.90 MHz	18 nm	229.86	-	791 ft
				33 km	238.25		791 m
24R	LOC-ILS	IPVY	111.55 MHz	18 nm	229.85	-	791 ft
				33 km	238.24		791 m
28	LOC-ILS	IPXP	110.70 MHz	18 nm	273.32	-	791 ft
				33 km	281.71		791 m
06L	GS	ILIZ	111.55 MHz	10 nm	49.85	3.00	791 ft
				19 km	58.24		791 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06R	GS	ICLE	111.90 MHz	10 nm	49.86	3.10	791 ft
				19 km	58.25		791 m
24L	GS	IHPI	109.90 MHz	10 nm	229.86	3.00	791 ft
				19 km	238.25		791 m
24R	GS	IPVY	111.55 MHz	10 nm	229.85	3.00	791 ft
				19 km	238.24		791 m
28	GS	IPXP	110.70 MHz	10 nm	273.32	3.00	791 ft
				19 km	281.71		791 m