

LEXJ

Seve Ballesteros-Santander


LFRS

Nantes Atlantique Airport

2024/05/16 2109Z

LEXJ NENEM **UN867** DESAB LFRS

251.65 nm / 466.05 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEXJ APT	-	43.42690 -3.82000	0 ft 0 m	-	Seve Ballesteros-Santander
NENEM FIX	-	44.05140 -3.15028	16,900 ft 5,151 m	47 -	-
PEXOD FIX	UN867 AWY-HI	45.31780 -3.01722	27,400 ft 8,352 m	76 -	-
DESAB FIX	UN867 AWY-HI	45.83030 -2.95917	20,700 ft 6,309 m	30 -	-
LFRS APT	-	47.15320 -1.61072	0 ft 0 m	97	Nantes Atlantique Airport

LEXJ

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 16 ft / 5 m
Location: 43.426900 -3.820000
Magnetic Var: 0.099 W

METAR

LEXJ 162030Z 00000KT 9999 BKN022 OVC030 13/10 Q1009

TAF

TAF LEXJ 162000Z 1621/1721 VRB03KT 9999 SCT015 BKN030 TX18/1714Z TN10/1705Z PROB40 TEMPO 1621/1709 3000 SHRA SCT0

Frequencies

GND - 121.70 MHz - SANTANDER GROUND
APP - 118.37 MHz - SANTANDER APPROACH
TWR - 118.10 MHz - SANTANDER TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	7,598 ft	110.20	ASPHALT	0 ft	0 ft
	45 m	2,316 m	110.30		0 m	0 m
29	148 ft	7,598 ft	290.22	ASPHALT	0 ft	0 ft
	45 m	2,316 m	290.32		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
29	DME	STA	110.90 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
29	LOC-ILS	STA	110.90 MHz	18 nm	290.19	-	16 ft
				33 km	290.29		16 m
29	GS	STA	110.90 MHz	10 nm	290.41	3.00	16 ft
				19 km	290.51		16 m

LFRS

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 89 ft / 27 m
Location: 47.153200 -1.610720
Magnetic Var: 0.348 E

METAR

LFRS 162030Z AUTO 16005KT 9999 FEW020/// SCT042/// //TCU 12/11 Q1006 BECMG BKN045

TAF

TAF LFRS 161700Z 1618/1724 18009KT 9999 BKN045 PROB40 TEMPO 1618/1620 3000 SHRA BKN014 BKN040CB TEMPO 1703/1724 2

Frequencies

REC - 126.92 MHz - NANTES ATIS
APP - 124.42 MHz - NANTES APPROACH WEST
GND - 121.65 MHz - NANTES GROUND
APP - 124.25 MHz - NANTES APPROACH EAST
TWR - 118.65 MHz - NANTES TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	147 ft	9,519 ft	27.33	ASPHALT	0 ft	0 ft
	45 m	2,901 m	26.99		0 m	0 m
21	147 ft	9,519 ft	207.35	ASPHALT	696 ft	0 ft
	45 m	2,901 m	207.00		212 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	NT	109.90 MHz	27 nm	-	-	89 ft
				50 km	-		89 m
03	LOC-ILS	NT	109.90 MHz	18 nm	27.35	-	89 ft
				33 km	27.00		89 m
03	GS	NT	109.90 MHz	10 nm	27.35	3.00	89 ft
				19 km	27.00		89 m