


2024/06/02 1445Z

PAKT HANRY **J502** YYJ KSEA

602.70 nm / 1116.20 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 280kts
- Cruise Altitude: 30000ft
- Cruise Speed: 300kts
- Descent Rate: 1500ft/min
- Descent Speed: 280kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PAKT APT	-	55.35554 -131.71374	0 ft 0 m	-	KETCHIKAN INTL
HANRY FIX	-	54.60639 -131.09333	17,700 ft 5,395 m	49	-
DUGGS FIX	J502 AWY-HI	53.03480 -129.50333	35,000 ft 10,668 m	109	-
PRYCE FIX	J502 AWY-HI	52.23825 -128.74972	35,000 ft 10,668 m	55	-
YZT VOR	J502 AWY-HI	50.68425 -127.36519	35,000 ft 10,668 m	106	PORT HARDY VOR-DME
ROYST FIX	J502 AWY-HI	49.59083 -125.12722	35,000 ft 10,668 m	108	-
ARRUE FIX	J502 AWY-HI	49.07283 -124.12986	26,300 ft 8,016 m	49	-
YYJ VOR	J502 AWY-HI	48.72703 -123.48436	19,200 ft 5,852 m	32	VICTORIA VOR-DME
KSEA APT	-	47.45019 -122.31232	0 ft 0 m	89	Seattle Tacoma Intl

PAKT

Region: USA (ALASKA)
Timezone: UNKNOWN
Runways: 1

Elevation: 92 ft / 28 m
Location: 55.354100 -131.711000
Magnetic Var: 16.985 E

METAR

PAKT 021404Z 15010KT 10SM -RA FEW024 SCT037 OVC046 09/07 A2953 RMK AO2 HARBOR WIND 10015G20KT P0000 T00940067

TAF

PAKT 021120Z 0212/0312 14008KT 6SM -RA BR SCT015 BKN025 OVC035 FM021600 14011G19KT 6SM -RA BR SCT025 OVC035 WS020/

Frequencies

REC - 134.45 MHz - AFIS
COM - 122.95 MHz - UNICOM

COM - 123.60 MHz - CTAF
APP - 118.50 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	150 ft	7,507 ft	135.61	ASPHALT	0 ft	718 ft
	46 m	2,288 m	118.63		0 m	219 m
29	150 ft	7,507 ft	315.63	ASPHALT	0 ft	177 ft
	46 m	2,288 m	298.65		0 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	IECH	109.30 MHz	18 nm	-	-	98 ft
				33 km	-		98 m
11	LOC-ILS	IECH	109.30 MHz	18 nm	135.69	-	66 ft
				33 km	118.70		66 m
11	GS	IECH	109.30 MHz	10 nm	136.35	3.61	76 ft
				19 km	119.36		76 m

KSEA

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 3

Elevation: 432 ft / 132 m
Location: 47.450200 -122.312000
Magnetic Var: 14.765 E

METAR

KSEA 021425Z 19004KT 2SM BR OVC006 12/11 A2983 RMK A02 RAB04E21 P0002 T01220111

TAF

TAF AMD KSEA 021300Z 0213/0318 18007KT P6SM -SHRA SCT005 BKN015 OVC025 FM021500 19008KT 5SM -RA BR SCT015 OVC025 F

Frequencies

REC - 118.00 MHz - SEATTLE ATIS
GND - 121.70 MHz - SEATTLE GROUND
TWR - 120.95 MHz - SEATTLE TOWER
DEP - 120.10 MHz - SEATTLE DEPARTURE
CLD - 128.00 MHz - SEATTLE CLEARANCE
TWR - 119.90 MHz - SEATTLE TOWER
APP - 133.65 MHz - SEATTLE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	151 ft	11,904 ft	180.35	CONCRETE	0 ft	400 ft
	46 m	3,628 m	165.58		0 m	122 m
34R	151 ft	11,904 ft	0.35	CONCRETE	0 ft	400 ft
	46 m	3,628 m	345.58		0 m	122 m
16C	151 ft	9,428 ft	180.34	CONCRETE	0 ft	400 ft
	46 m	2,874 m	165.58		0 m	122 m
34C	151 ft	9,428 ft	0.34	CONCRETE	0 ft	397 ft
	46 m	2,874 m	345.58		0 m	121 m
16R	151 ft	8,502 ft	180.34	CONCRETE	0 ft	200 ft
	46 m	2,591 m	165.57		0 m	61 m
34L	151 ft	8,502 ft	0.34	CONCRETE	0 ft	197 ft
	46 m	2,591 m	345.57		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16C	DME	ISZI	111.70 MHz	18 nm	-	-	470 ft
				33 km	-		470 m
16L	DME	ISNQ	110.30 MHz	18 nm	-	-	369 ft
				33 km	-		369 m
16R	DME	ICJL	110.75 MHz	18 nm	-	-	410 ft
				33 km	-		410 m
34C	DME	ITUC	111.70 MHz	18 nm	-	-	470 ft
				33 km	-		470 m
34L	DME	IB EJ	110.75 MHz	18 nm	-	-	410 ft
				33 km	-		410 m
34R	DME	ISEA	110.30 MHz	18 nm	-	-	469 ft
				33 km	-		469 m
16C	LOC-ILS	ISZI	111.70 MHz	18 nm	180.34	-	355 ft
				33 km	165.57		355 m
16L	LOC-ILS	ISNQ	110.30 MHz	18 nm	180.34	-	338 ft
				33 km	165.58		338 m
16R	LOC-ILS	ICJL	110.75 MHz	18 nm	180.34	-	410 ft
				33 km	165.57		410 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34C	LOC-ILS	ITUC	111.70 MHz	18 nm	0.34	-	422 ft
				33 km	345.57		422 m
34L	LOC-ILS	IBEJ	110.75 MHz	18 nm	0.34	-	433 ft
				33 km	345.57		433 m
34R	LOC-ILS	ISEA	110.30 MHz	18 nm	0.34	-	428 ft
				33 km	345.58		428 m
16C	GS	ISZI	111.70 MHz	10 nm	180.67	3.00	418 ft
				19 km	165.91		418 m
16L	GS	ISNQ	110.30 MHz	10 nm	180.69	3.00	425 ft
				19 km	165.92		425 m
16R	GS	ICJL	110.75 MHz	10 nm	180.67	3.00	410 ft
				19 km	165.91		410 m
34C	GS	ITUC	111.70 MHz	10 nm	0.67	3.00	367 ft
				19 km	345.91		367 m
34L	GS	IBEJ	110.75 MHz	10 nm	0.67	3.00	360 ft
				19 km	345.91		360 m
34R	GS	ISEA	110.30 MHz	10 nm	0.69	2.75	355 ft
				19 km	345.92		355 m